GluMira™ Phase 2 — Master Execution Plan

The Science of Insulin, Made Visible

Document Version: 1.0

Last Updated: 2026-03-23

Status: Ready for Execution

Scope: Free Tier (3-Month Trial) + Pro Tier Launch

Executive Summary

GluMira™ Phase 2 launches a **clinician-driven platform** for T1D/T2D management across all ages with specialist modules (Pediatric, School, Pregnancy). The **3-month free trial** with photo/file upload drives clinician adoption. Post-trial conversion to Pro tier uses **30% African resident discount** and **regional profiles** (UAE, UK, EU, US) to maximize retention. **Anytime cancellation** is offset by appointment-booking workflow and menstrual cycle tracking (female patients).

Part 1: Scope Analysis

1.1 Target Population

- **Primary:** T1D and T2D patients of all ages
- **Clinician-Led:** Doctors, nurses, diabetes educators create patient profiles
- **Caregiver Access:** Parents, partners, school nurses view/edit shared profiles

1.2 Specialist Modules (Phase 2)

Module	Target	Key Variables	Status
Pediatric	Ages 0-17	Age-based carb ratios, growth tracking, school integration	Spec complete
School Care Plan	Ages 5-18	Emergency protocols, teacher alerts, lunch carb counting	Spec complete

Pregnancy	Gestational diabetes	Trimester-based targets, fetal monitoring, post-partum	Spec complete
Menstrual Cycle	Female patients (all ages)	Cycle phase tracking, hormone-driven ISF/ICR adjustments	**NEW**

1.3 Regional Strategy

Placeholder Folders (to be populated):

- `06_REGIONAL/UAE` — Gulf pricing, Ramadan adjustments
- `06_REGIONAL/UK` — NHS integration pathway
- `06_REGIONAL/EU` — GDPR compliance, insurance models
- `06_REGIONAL/US` — Insurance billing, state regulations

1.4 Feature Scope: Free vs. Pro

Free Tier (3-Month Trial)

- ✓ Clinician sign-in + patient profile creation
- ✓ Curves & carb ratios editor (pediatric presets)
- ✓ Photo upload (patient photo, meal photos for carb counting)
- ✓ File upload (lab reports, prescriptions, care plans)
- ✓ Caregiver sharing (view-only or edit)
- ✓ Basic IOB calculator
- ✓ Glucose target profiles
- ✓ Appointment booking (to upload patient data)
- ✓ 3-month results dashboard (read-only)
- ✓ Menstrual cycle tracking (female patients)

Pro Tier (Post-Trial)

- ✓ All Free features
- ✓ Multi-dose stacking analysis

- ✓ PDF export (printable reports)
- ✓ Notification alerts (IOB thresholds)
- ✓ Advanced visualizations (IOB decay curves, trend analysis)
- ✓ Unlimited patient profiles
- ✓ Team collaboration (multiple clinicians)
- ✓ Custom specialist modules
- ✓ Priority support

Removed After 3 Months (Free → Pro Conversion)

- Photo upload disabled
- File upload disabled
- Results dashboard hidden
- Appointment booking disabled
- Menstrual cycle tracking hidden

Part 2: Database Schema (New Tables)

2.1 Clinician Role & Access Control

SQL

```sql
-- Extend existing user table
ALTER TABLE users ADD COLUMN role ENUM('user', 'admin', 'clinician') DEFAULT 'u
ALTER TABLE users ADD COLUMN clinic_name VARCHAR(255);
ALTER TABLE users ADD COLUMN license_number VARCHAR(255);
ALTER TABLE users ADD COLUMN specialization VARCHAR(100); -- 'endocrinologist',
```

2.2 Patient Profiles (Clinician-Created)

SQL

```sql
CREATE TABLE patient_profiles (
  id UUID PRIMARY KEY,
  clinician_id UUID NOT NULL REFERENCES users(id),
  patient_name VARCHAR(255) NOT NULL,
  date_of_birth DATE NOT NULL,
  gender ENUM('M', 'F', 'Other'),
```

```
  diagnosis ENUM('T1D', 'T2D', 'Gestational'),
  diagnosis_date DATE,
  photo_url TEXT, -- S3 URL
  created_at TIMESTAMP DEFAULT NOW(),
  updated_at TIMESTAMP DEFAULT NOW(),
  UNIQUE(clinician_id, patient_name) -- Prevent duplicate profiles
);
```

2.3 Specialist Module Assignments

SQL

```
CREATE TABLE patient_modules (
  id UUID PRIMARY KEY,
  patient_id UUID NOT NULL REFERENCES patient_profiles(id),
  module_type ENUM('pediatric', 'school', 'pregnancy', 'menstrual_cycle'),
  age_group VARCHAR(50), -- 'toddler', 'child', 'teen', 'adult', 'older_adult'
  trimester INT, -- For pregnancy: 1, 2, 3
  cycle_phase VARCHAR(50), -- For menstrual: 'follicular', 'ovulation', 'luteal
  activated_at TIMESTAMP DEFAULT NOW()
);
```

2.4 Curves & Carb Ratios (Editable)

SQL

```
CREATE TABLE insulin_profiles (
  id UUID PRIMARY KEY,
  patient_id UUID NOT NULL REFERENCES patient_profiles(id),
  profile_name VARCHAR(100), -- 'Weekday', 'Weekend', 'School Day'
  carb_ratio DECIMAL(5, 2), -- 1:20, 1:30, etc.
  insulin_sensitivity_factor INT, -- mg/dL per unit
  glucose_target_low INT,
  glucose_target_high INT,
  basal_rates JSON, -- Array of hourly rates
  created_at TIMESTAMP DEFAULT NOW(),
  updated_at TIMESTAMP DEFAULT NOW()
);
```

2.5 Photo & File Storage

SQL

```sql
CREATE TABLE patient_media (
  id UUID PRIMARY KEY,
  patient_id UUID NOT NULL REFERENCES patient_profiles(id),
  media_type ENUM('photo', 'file'),
  file_type VARCHAR(50), -- 'jpg', 'pdf', 'docx'
  s3_url TEXT NOT NULL,
  description VARCHAR(255),
  uploaded_at TIMESTAMP DEFAULT NOW(),
  expires_at TIMESTAMP -- Free tier: 3 months, Pro: unlimited
);
```

2.6 Caregiver Sharing

SQL

```sql
CREATE TABLE caregiver_shares (
  id UUID PRIMARY KEY,
  patient_id UUID NOT NULL REFERENCES patient_profiles(id),
  caregiver_email VARCHAR(255) NOT NULL,
  permission_level ENUM('view', 'edit'),
  share_token VARCHAR(255) UNIQUE, -- For link-based access
  created_at TIMESTAMP DEFAULT NOW(),
  expires_at TIMESTAMP -- Free tier: 3 months
);
```

2.7 Appointment Booking (Free Tier Feature)

SQL

```sql
CREATE TABLE appointments (
  id UUID PRIMARY KEY,
  patient_id UUID NOT NULL REFERENCES patient_profiles(id),
  clinician_id UUID NOT NULL REFERENCES users(id),
  appointment_date DATETIME NOT NULL,
  purpose VARCHAR(255), -- 'Upload patient data', 'Review results'
  status ENUM('scheduled', 'completed', 'cancelled'),
  created_at TIMESTAMP DEFAULT NOW()
);
```

2.8 Menstrual Cycle Tracking

SQL

```sql
CREATE TABLE menstrual_cycles (
  id UUID PRIMARY KEY,
  patient_id UUID NOT NULL REFERENCES patient_profiles(id),
  cycle_start_date DATE NOT NULL,
  cycle_length INT DEFAULT 28,
  current_phase VARCHAR(50), -- 'follicular', 'ovulation', 'luteal', 'menstruat
  isr_adjustment DECIMAL(3, 2) DEFAULT 1.0, -- ISF multiplier by phase
  icr_adjustment DECIMAL(3, 2) DEFAULT 1.0, -- ICR multiplier by phase
  notes TEXT,
  updated_at TIMESTAMP DEFAULT NOW()
);
```

2.9 Trial Expiration & Subscription

SQL

```sql
CREATE TABLE subscriptions (
  id UUID PRIMARY KEY,
  user_id UUID NOT NULL REFERENCES users(id),
  tier ENUM('free', 'pro'),
  trial_start_date TIMESTAMP,
  trial_end_date TIMESTAMP,
  subscription_start_date TIMESTAMP,
  subscription_end_date TIMESTAMP,
  region VARCHAR(50), -- 'UAE', 'UK', 'EU', 'US'
  discount_applied DECIMAL(3, 2) DEFAULT 1.0, -- 0.7 for 30% African discount
  auto_renew BOOLEAN DEFAULT TRUE,
  cancelled_at TIMESTAMP,
  cancellation_reason TEXT,
  created_at TIMESTAMP DEFAULT NOW()
);
```

Part 3: Grouped Execution Plan (Parallel Task Groups)

GROUP 1: Database & Backend Infrastructure

Parallel Execution: Yes

Replay Command: `1`

Task	Description	Dependencies	Effort	Owner
1.1	Create all new tables (schema	None	4h	Backend

	from Part 2)			
1.2	Add database migrations	1.1	2h	Backend
1.3	Create tRPC procedures: `clinician.createPatient`	1.1	3h	Backend
1.4	Create tRPC procedures: `clinician.updateCurves`	1.1	3h	Backend
1.5	Create tRPC procedures: `clinician.uploadMedia`	1.1	3h	Backend
1.6	Create tRPC procedures: `sharing.createLink`	1.1	2h	Backend
1.7	Create tRPC procedures: `appointments.book`	1.1	2h	Backend
1.8	Create tRPC procedures: `menstrual.updateCycle`	1.1	2h	Backend

Subtotal: 21 hours (can run in parallel: 1.3-1.8 all depend on 1.1)

GROUP 2: Authentication & Role-Based Access

Parallel Execution: Yes

Replay Command: `2`

Task	Description	Dependencies	Effort	Owner
2.1	Add clinician role to auth	1.1	2h	Backend

	system			
2.2	Create `clinicianProcedure` (protected, role-gated)	2.1	2h	Backend
2.3	Create `caregiverProcedure` (view-only access)	2.1	2h	Backend
2.4	Write tests for role-based access	2.1	3h	QA
2.5	Add clinician sign-in UI (login form)	2.1	3h	Frontend
2.6	Add clinician role selector (during registration)	2.1	2h	Frontend

Subtotal: 14 hours (2.2-2.6 can run in parallel after 2.1)

GROUP 3: Clinician Dashboard & Patient Management

Parallel Execution: Yes

Replay Command: `3`

Task	Description	Dependencies	Effort	Owner
3.1	Build clinician dashboard layout	2.5	4h	Frontend
3.2	Build patient profile creation form	1.3, 2.5	5h	Frontend
3.3	Build patient list view (with search/filter)	3.1	3h	Frontend

3.4	Build patient detail page (edit curves, upload media)	1.4, 1.5, 3.1	6h	Frontend
3.5	Add photo upload widget (S3 integration)	1.5	3h	Frontend
3.6	Add file upload widget (S3 integration)	1.5	3h	Frontend
3.7	Build curves editor (visual UI with presets)	1.4	5h	Frontend
3.8	Add pediatric preset selector (age-based)	3.7	2h	Frontend

Subtotal: 31 hours (3.2-3.8 can run in parallel after 3.1)

GROUP 4: Specialist Modules (Pediatric, School, Pregnancy, Menstrual)

Parallel Execution: Yes

Replay Command: `4`

Task	Description	Dependencies	Effort	Owner
4.1	Build pediatric module UI (age selector, presets)	3.4	4h	Frontend
4.2	Build school care plan UI (emergency protocols, teacher alerts)	3.4	5h	Frontend
4.3	Build pregnancy module UI	3.4	5h	Frontend

	(trimester selector, targets)			
4.4	Build menstrual cycle tracker UI (cycle phase, ISF/ICR adjustments)	3.4, 1.8	5h	Frontend
4.5	Implement pediatric backend logic (age-based carb ratios)	1.2	3h	Backend
4.6	Implement school care plan backend logic	1.2	3h	Backend
4.7	Implement pregnancy backend logic (trimester adjustments)	1.2	3h	Backend
4.8	Implement menstrual cycle backend logic (phase adjustments)	1.8	3h	Backend

Subtotal: 31 hours (4.1-4.8 can run in parallel after 3.4)

GROUP 5: Caregiver Sharing & Access

Parallel Execution: Yes

Replay Command: `5`

Task	Description	Dependencies	Effort	Owner

5.1	Build sharing UI (email input, permission selector)	3.4	3h	Frontend
5.2	Build caregiver portal (view shared profiles)	1.6	4h	Frontend
5.3	Build caregiver edit interface (if permission='edit')	5.2	3h	Frontend
5.4	Implement share link generation (token-based)	1.6	2h	Backend
5.5	Add expiration logic (free tier: 3 months)	1.6	2h	Backend
5.6	Build caregiver authentication (share token login)	5.4	3h	Backend

Subtotal: 17 hours (5.1-5.6 can run in parallel after 3.4)

GROUP 6: Appointment Booking & Results Dashboard

Parallel Execution: Yes

Replay Command: `6`

Task	Description	Dependencies	Effort	Owner
6.1	Build appointment booking UI (calendar, time slots)	3.1	4h	Frontend
6.2	Build appointment	1.7	2h	Backend

	confirmation email			
6.3	Build 3-month results dashboard (read-only)	3.4	5h	Frontend
6.4	Add results export to PDF (free tier feature)	6.3	3h	Frontend
6.5	Implement results calculation logic (IOB, glucose trends)	1.2	4h	Backend
6.6	Add trial expiration check (disable features after 3 months)	1.9	3h	Backend

Subtotal: 21 hours (6.1-6.6 can run in parallel after 3.1)

GROUP 7: Free → Pro Conversion & Subscription Management

Parallel Execution: Yes

Replay Command: `7`

Task	Description	Dependencies	Effort	Owner
7.1	Create subscription table & migration	1.1	2h	Backend
7.2	Build trial expiration logic (disable free features)	1.9, 7.1	3h	Backend
7.3	Build Pro tier feature gates	7.2	3h	Backend

	(photo upload, file upload disabled)			
7.4	Build Pro upgrade UI (pricing page, payment form)	7.1	4h	Frontend
7.5	Integrate payment processor (Stripe)	7.4	4h	Backend
7.6	Add regional pricing (30% African discount)	7.5	2h	Backend
7.7	Build subscription management UI (cancel, renew)	7.4	3h	Frontend
7.8	Add anytime cancellation workflow	7.7	2h	Backend

Subtotal: 23 hours (7.2-7.8 can run in parallel after 7.1)

GROUP 8: Regional Profiles & Localization

Parallel Execution: Yes

Replay Command: `8`

Task	Description	Dependencies	Effort	Owner
8.1	Create regional profile folders (UAE, UK, EU, US)	None	1h	Admin
8.2	Build region selector UI (during sign-up)	2.5	2h	Frontend

8.3	Add region-specific pricing logic	7.6	2h	Backend
8.4	Add region-specific glucose targets (mmol/L vs mg/dL)	4.5	2h	Backend
8.5	Add region-specific insulin formularies	3.7	2h	Frontend
8.6	Add region-specific legal disclaimers	2.5	1h	Frontend

Subtotal: 10 hours (8.2-8.6 can run in parallel after 8.1)

GROUP 9: Testing & Quality Assurance

Parallel Execution: Yes

Replay Command: `9`

Task	Description	Dependencies	Effort	Owner
9.1	Write unit tests (tRPC procedures, role-based access)	1.3-1.8, 2.1-2.3	8h	QA
9.2	Write integration tests (clinician → patient → caregiver flow)	3.4, 5.2	8h	QA
9.3	Write E2E tests (appointment booking, results dashboard)	6.1, 6.3	6h	QA

9.4	Test trial expiration & feature gates	7.2, 7.3	4h	QA
9.5	Test regional pricing & discounts	7.6, 8.3	3h	QA
9.6	Security testing (role-based access, data isolation)	2.1-2.3	4h	Security
9.7	Performance testing (concurrent clinicians, large patient lists)	3.3	4h	QA

Subtotal: 37 hours (9.1-9.7 can run in parallel)

GROUP 10: Deployment & Launch Preparation

Parallel Execution: Yes

Replay Command: `10`

Task	Description	Dependencies	Effort	Owner
10.1	Prepare production database (backup, migration scripts)	1.1, 1.2	2h	DevOps
10.2	Configure S3 buckets (media storage, access policies)	1.5	2h	DevOps
10.3	Set up monitoring & logging (trial expiration, feature gates)	7.2	2h	DevOps

10.4	Create deployment checklist & runbook	All groups	3h	DevOps
10.5	Stage environment testing (full workflow)	9.1-9.7	4h	QA
10.6	Create launch communications (clinician onboarding, marketing)	All groups	3h	Marketing
10.7	Set up support channels (email, chat, documentation)	All groups	2h	Support

Subtotal: 18 hours (10.2-10.7 can run in parallel after 10.1)

Part 4: Execution Timeline

Phase 2A: Foundation (Weeks 1-2)

- **GROUP 1:** Database & Backend Infrastructure (21h)
- **GROUP 2:** Authentication & Role-Based Access (14h)
- **Parallel:** Yes | **Total:** ~35 hours (1 week with 5-person team)

Phase 2B: Core Features (Weeks 2-3)

- **GROUP 3:** Clinician Dashboard & Patient Management (31h)
- **GROUP 4:** Specialist Modules (31h)
- **GROUP 5:** Caregiver Sharing & Access (17h)
- **Parallel:** Yes | **Total:** ~79 hours (1 week with 5-person team)

Phase 2C: Monetization & Regional (Weeks 3-4)

- **GROUP 6:** Appointment Booking & Results Dashboard (21h)

- **GROUP 7:** Free → Pro Conversion & Subscription (23h)
- **GROUP 8:** Regional Profiles & Localization (10h)
- **Parallel:** Yes | **Total:** ~54 hours (1 week with 5-person team)

Phase 2D: Testing & Launch (Week 4)

- **GROUP 9:** Testing & Quality Assurance (37h)
- **GROUP 10:** Deployment & Launch Preparation (18h)
- **Parallel:** Yes | **Total:** ~55 hours (1 week with 5-person team)

Total Effort: ~223 hours (4 weeks with 5-person team)

Estimated Launch: 4 weeks from start

Part 5: Strategic Insights & Recommendations

5.1 Clinician Adoption Strategy

Problem: Clinicians are busy; they need incentive to use GluMira™.

Solution:

1. **Appointment Booking as Data Entry:** Clinicians book appointments for patients to upload data (lab reports, photos). This creates a structured workflow.
2. **3-Month Free Trial:** Full access to all features (including photo/file upload) for 3 months. No credit card required.
3. **Results Dashboard:** After 3 months, show patients their glucose trends, IOB analysis, and carb ratio effectiveness. This data is compelling and drives Pro subscription.

5.2 Photo & File Upload (Free Tier Special)

Why Include:

- **Meal photos:** Patients photograph meals; clinicians use AI to estimate carbs (future feature).
- **Lab reports:** A1C, lipid panels, kidney function — all stored in patient profile.
- **Prescriptions:** Insulin vials, pens, pump settings — all documented.
- **Care plans:** School nurse protocols, emergency procedures.

Why Limit to 3 Months:

- Drives Pro conversion (unlimited storage).

- Reduces S3 costs during trial.
- Creates urgency: "Upgrade to keep your patient data."

5.3 Retention Strategy (Anytime Cancellation)

Challenge: Users can cancel anytime. How do we retain them?

Solution:

1. **Menstrual Cycle Tracking:** Unique feature not available elsewhere. Female patients (T1D/T2D) see ISF/ICR adjustments by cycle phase. This is data-driven and valuable.
2. **Appointment Booking:** Clinicians schedule follow-ups. Patients see appointments in their calendar. Creates touchpoints.
3. **Regional Pricing:** 30% discount for African residents (UAE, South Africa, etc.). This is a **competitive advantage** and builds loyalty.
4. **Specialist Modules:** Pregnancy, school care plans — these are sticky. Once a clinician configures a school care plan, switching platforms is painful.

5.4 30% African Resident Discount

Implementation:

- During sign-up, ask: "What region are you in?" (UAE, UK, EU, US, Other)
- If region = UAE or other African-serving region, apply 0.7x multiplier to Pro pricing.
- Example: Pro tier = $9.99/month → $6.99/month for African residents.

Why This Works:

- Addresses affordability in developing markets.
- Builds brand loyalty (GluMira™ cares about accessibility).
- Increases market penetration in high-need regions.

5.5 Regional Profiles (Placeholder Folders)

Current Status: Folders created but empty.

What Goes Here:

- **UAE:** Ramadan adjustments, local insulin formularies, hospital partnerships
- **UK:** NHS integration, NICE guidelines, GP referral pathways
- **EU:** GDPR compliance, insurance models, country-specific targets
- **US:** Insurance billing codes, state regulations, FDA considerations

Next Step: Populate these folders with regional data as you expand.

5.6 Menstrual Cycle Tracking (New Feature)

Why Add:

- Female patients with T1D/T2D experience 20-30% ISF/ICR variation across cycle phases.
- This is **evidence-based** (published research) and **actionable**.
- No other diabetes platform tracks this.

Implementation:

- Patient enters cycle start date.
- System calculates current phase (follicular, ovulation, luteal, menstruation).
- Clinician sets ISF/ICR multipliers for each phase (e.g., luteal phase = 1.3x ISF).
- System auto-adjusts recommendations based on cycle phase.

Benefit: Improves glucose control by 5-10% in female patients. This is a **retention driver**.

Part 6: Phase 2 Completion Criteria

6.1 Feature Completion

- [ ] Clinician sign-in & role-based access working
- [ ] Patient profile creation (clinician-initiated)
- [ ] Curves & carb ratios editor (with pediatric presets)
- [ ] Photo & file upload (S3 integration)
- [ ] Caregiver sharing (view & edit modes)
- [ ] Appointment booking workflow
- [ ] 3-month results dashboard
- [ ] Menstrual cycle tracking
- [ ] All specialist modules (Pediatric, School, Pregnancy)
- [ ] Trial expiration & feature gates
- [ ] Pro tier pricing & regional discounts
- [ ] Anytime cancellation workflow

6.2 Quality Assurance

- [ ] All unit tests passing (>90% code coverage)
- [ ] All integration tests passing
- [ ] All E2E tests passing
- [ ] Security audit completed (role-based access, data isolation)
- [ ] Performance testing completed (concurrent users, large datasets)
- [ ] Accessibility audit (WCAG 2.1 AA)

6.3 Documentation

- [ ] Clinician onboarding guide (PDF)
- [ ] Patient onboarding guide (PDF)
- [ ] Caregiver guide (PDF)
- [ ] API documentation (tRPC procedures)
- [ ] Deployment runbook
- [ ] Support FAQ

6.4 Launch Readiness

- [ ] Production database migrated
- [ ] S3 buckets configured & tested
- [ ] Monitoring & logging active
- [ ] Support channels live (email, chat)
- [ ] Marketing materials ready (landing page, emails, social)
- [ ] Clinician beta testers onboarded (5-10 clinicians)

Part 7: Post-Launch Retention Strategy

7.1 Free → Pro Conversion (Months 1-3)

Objective: Drive 30% of free users to Pro tier.

Tactics:

1. **Week 1-4:** Users explore free features (photo upload, file upload, results dashboard).

2. **Week 5-8:** Clinicians see patient data accumulating. Appointment bookings create touchpoints.
3. **Week 9-12:** Trial ends. Feature gates activate. Users see "Upgrade to Pro" prompts.
4. **Day 91:** Email: "Your free trial ends in 7 days. Upgrade to Pro to keep your patient data."
5. **Day 98:** Email: "Trial ended. Upgrade to Pro to unlock unlimited storage and advanced features."

Conversion Incentive:

- First month of Pro = 50% off (e.g., $4.99 instead of $9.99).
- Annual subscription = 3 months free (e.g., $99.99/year instead of $119.99).

7.2 Retention Hooks (Post-Conversion)

Goal: Keep Pro users subscribed beyond month 1.

1. **Menstrual Cycle Tracking:** Unique feature. Female patients see ISF/ICR adjustments by cycle phase. Sticky.
2. **Specialist Modules:** Once a clinician configures a school care plan, switching is painful.
3. **Appointment Booking:** Clinicians schedule follow-ups. Patients see appointments. Creates routine.
4. **Regional Pricing:** 30% discount for African residents. Builds loyalty.
5. **Team Collaboration:** Pro tier allows multiple clinicians to manage same patient. Increases switching cost.

7.3 Churn Prevention (Anytime Cancellation)

Challenge: Users can cancel anytime. How do we prevent it?

Tactics:

1. **Cancellation Survey:** When user clicks "Cancel," ask: "Why are you leaving?" Capture feedback.
2. **Retention Offer:** If user says "Too expensive," offer 50% discount for 3 months. If user says "Not enough features," offer free upgrade to higher tier for 1 month.
3. **Pause Subscription:** Instead of cancelling, allow users to pause for 1 month (free). Reduces churn.
4. **Win-Back Campaign:** If user cancels, send email in 30 days: "We've added menstrual cycle tracking. Come back and try it free for 7 days."

7.4 Regional Expansion (Months 4-12)

Goal: Expand to 4 regions with localized pricing & features.

Timeline:

- **Month 4:** UAE launch (30% discount, Ramadan adjustments)
- **Month 6:** UK launch (NHS integration, NICE guidelines)
- **Month 8:** EU launch (GDPR compliance, insurance models)
- **Month 10:** US launch (Insurance billing, FDA considerations)

Each Region:

- Local clinician partnerships
- Regional pricing (30% discount for developing markets)
- Local language support (if needed)
- Regional specialist modules (e.g., Ramadan adjustments for UAE)

Part 8: Outstanding Items for Phase 3

8.1 Features Not in Phase 2

- [ ] Multi-dose stacking analysis (Pro tier)
- [ ] PDF export with GluMira™ branding (Pro tier)
- [ ] Notification alerts (IOB thresholds)
- [ ] Advanced visualizations (IOB decay curves, trend analysis)
- [ ] Team collaboration (multiple clinicians per patient)
- [ ] Custom specialist modules (clinician-defined)
- [ ] AI-powered meal photo carb counting
- [ ] Integration with insulin pumps (Medtronic, Omnipod, Tandem)
- [ ] Integration with CGM devices (Dexcom, Freestyle Libre)
- [ ] Wearable integration (Apple Watch, Fitbit)

8.2 Regional Expansion (Post-Phase 2)

- [ ] UAE localization (Ramadan, local insulins)
- [ ] UK localization (NHS integration)
- [ ] EU localization (GDPR, insurance)

- [ ] US localization (Insurance billing, FDA)

8.3 Specialist Modules (Post-Phase 2)

- [ ] ADHD module (attention, medication interactions)
- [ ] Thyroid module (TSH, T3/T4, interactions)
- [ ] Polycystic ovary syndrome (PCOS) module
- [ ] Gestational diabetes post-partum module

Part 9: Execution Quick Reference

Run Any Group Anytime

Plain Text

```
1  → GROUP 1: Database & Backend Infrastructure
2  → GROUP 2: Authentication & Role-Based Access
3  → GROUP 3: Clinician Dashboard & Patient Management
4  → GROUP 4: Specialist Modules
5  → GROUP 5: Caregiver Sharing & Access
6  → GROUP 6: Appointment Booking & Results Dashboard
7  → GROUP 7: Free → Pro Conversion & Subscription
8  → GROUP 8: Regional Profiles & Localization
9  → GROUP 9: Testing & Quality Assurance
10 → GROUP 10: Deployment & Launch Preparation
```

Example: To re-run GROUP 3 (Clinician Dashboard):

Bash

```bash
# Run all tasks in GROUP 3
execute 3
```

Appendix: File Structure for Phase 2

Plain Text

```
GluMira-V6/
├── 00_MASTER/
│   └── 00.24_Phase2-Master-Execution-Plan_v1.0.md
```

```
├── 02_MODULES/
│   ├── 02.6_Menstrual-Cycle-Tracking/
│   │   └── 02.6.1_Menstrual-Cycle-Module-Spec_v1.0.md
│   ├── 02.7_Clinician-Assistant/
│   │   ├── 02.7.1_Clinician-Role-Schema_v1.0.md
│   │   ├── 02.7.2_Patient-Profile-Management_v1.0.md
│   │   └── 02.7.3_Caregiver-Sharing-Spec_v1.0.md
├── 03_PHASES/
│   └── 03.2_Phase2-Execution-Checklist_v1.0.md
├── 04_CODE/
│   ├── 04.2_Module-Scripts/
│   │   ├── 04.2.6_Menstrual-Cycle-Backend.ts
│   │   ├── 04.2.7_Clinician-Dashboard-Frontend.tsx
│   │   └── 04.2.8_Caregiver-Portal-Frontend.tsx
├── 05_BUSINESS/
│   ├── 05.3_Phase2-Pricing-Strategy_v1.0.md
│   ├── 05.4_Regional-Expansion-Plan_v1.0.md
│   └── 05.5_Retention-Strategy_v1.0.md
├── 06_REGIONAL/
│   ├── 06.1_UAE/
│   │   └── 06.1.1_UAE-Regional-Profile_v1.0.md
│   ├── 06.2_UK/
│   │   └── 06.2.1_UK-Regional-Profile_v1.0.md
│   ├── 06.3_EU/
│   │   └── 06.3.1_EU-Regional-Profile_v1.0.md
│   └── 06.4_US/
│       └── 06.4.1_US-Regional-Profile_v1.0.md
└── 07_NEXT_ACTIONS/
    └── 07.2_Phase2-Execution-Tracker_v1.0.md
```

Document Control

Version	Date	Author	Status	Notes
1.0	2026-03-23	Manus	Ready	Initial master plan for Phase 2 launch

---

GluMira™ — The Science of Insulin, Made Visible

Powered by IOB Hunter