GluMira Design System

Version: 1.0

Last Updated: 2026-03-27

Platform: GluMira V6 — Powered by IOB Hunter

Tagline: The science of insulin, made visible

---

1. Overview

The GluMira Design System establishes a unified visual language across the entire platform, from marketing landing pages to the clinical dashboard application. It is built on two distinct aesthetic tracks that serve different purposes while sharing a common brand identity.

The **Clinical Depth** track is used for all marketing, landing pages, and external-facing materials. It features dark navy gradients, glowing teal waves, and amber sparkle accents that convey medical authority and innovation. The **Scandinavian Minimalist** track is used for the application dashboard, forms, and data entry interfaces. It prioritizes white space, compact layouts, and subtle borders to reduce cognitive load during clinical data entry.

Every design decision in this system is grounded in three principles: clinical trust (colors and typography that convey medical credibility), accessibility (WCAG 2.1 AA compliance throughout), and educational clarity (GluMira is an educational platform, not a medical device).

---

2. Color Palette

Brand Colors

Token	Hex	OKLCH	Usage
Navy	`#1a2a5e`	`oklch(0.27 0.09 258)`	Headings, dark backgrounds, primary brand
Navy Deep	`#0d1b3e`	`oklch(0.18 0.08 258)`	Hero sections, marketing gradients
Teal	`#2ab5c1`	`oklch(0.70 0.12 196)`	Links, wave dividers, highlights, focus rings

Light Blue	`#e8f4f8`	`oklch(0.96 0.02 220)`	Section backgrounds, input fields
Amber	`#f59e0b`	`oklch(0.78 0.16 75)`	CTAs only, glucose drop motif
White	`#ffffff`	`oklch(1 0 0)`	Cards, text on dark backgrounds
Body Text	`#52667a`	—	Paragraph text on light backgrounds

Glucose Status Colors

These colors are used exclusively for glucose value displays and must meet WCAG AA contrast requirements against their respective badge backgrounds.

Status	Color	Hex	Threshold
Hypoglycemia	Red	`#D32F2F`	< 3.9 mmol/L
Low	Orange	`#F57C00`	3.9–4.4 mmol/L
Target	Green	`#2E7D32`	4.4–10.0 mmol/L
High	Orange	`#F57C00`	10.0–13.9 mmol/L
Very High	Red	`#D32F2F`	> 13.9 mmol/L
IOB Line	Blue	`#3b5998`	IOB curve overlay

Chart Palette

Series	Color	Hex	Represents
1	Teal	`#2ab5c1`	Primary data (glucose)
2	Amber	`#f59e0b`	Secondary data (IOB)
3	Navy	`#1a2a5e`	Tertiary data (basal)

4	Light Teal	`#7dd3c0`	Quaternary (bolus)
5	Light Amber	`#fcd34d`	Quinary (stacking)

Semantic Status Colors

Status	Text	Background	Border
Success	`#2E7D32`	`rgba(46,125,50,0.08)`	`rgba(46,125,50,0.25)`
Warning	`#F57C00`	`rgba(245,158,11,0.08)`	`rgba(245,158,11,0.25)`
Error	`#D32F2F`	`rgba(211,47,47,0.08)`	`rgba(211,47,47,0.25)`
Info	`#2ab5c1`	`rgba(42,181,193,0.08)`	`rgba(42,181,193,0.25)`

---

3. Typography

Font Families

Context	Font	Weight Range	Usage
Marketing Headings	Playfair Display	700, 800	Landing page titles, hero text
Body / UI	DM Sans	300–600	Paragraphs, buttons, labels, forms
App Headings	Inter	300–600	Dashboard titles, section headers
Clinical Data	JetBrains Mono	400–600	Glucose values, IOB numbers, doses

Type Scale (Marketing)

Level	Size	Weight	Line Height	CSS Class

Display	3.5rem (56px)	800	1.1	`text-6xl`
H1	2.5rem (40px)	700	1.2	`text-5xl`
H2	2rem (32px)	700	1.25	`text-4xl`
H3	1.5rem (24px)	700	1.3	`text-3xl`
H4	1.25rem (20px)	700	1.35	`text-2xl`

Type Scale (App UI)

Level	Size	Weight	Line Height
App Title	1.5rem (24px)	600	1.3
App H2	1.25rem (20px)	600	1.35
App H3	1.125rem (18px)	600	1.4
Body Large	1.125rem (18px)	400	1.6
Body	1rem (16px)	400	1.6
Body Small	0.875rem (14px)	400	1.5
Caption	0.75rem (12px)	400	1.4
Label	0.875rem (14px)	500	1.4

Clinical Data Type Scale

Level	Size	Weight	Usage
Data Large	1.5rem (24px)	600	Primary glucose reading
Data	1rem (16px)	500	IOB values, dose amounts
Data Small	0.875rem (14px)	400	Timestamps, secondary readings

All clinical data uses `font-variant-numeric: tabular-nums` for aligned columns.

4. Spacing System

The spacing system uses an 8px base unit. All padding, margin, and gap values should be multiples of this base.

Token	Value	Usage
`0`	0px	Reset
`px`	1px	Hairline borders
`0.5`	2px	Micro spacing
`1`	4px	Minimal internal padding
`1.5`	6px	Tight grouping
`2`	8px	Base unit — compact spacing
`3`	12px	Standard internal padding
`4`	16px	Standard component spacing
`5`	20px	Generous internal padding
`6`	24px	Section internal padding
`8`	32px	Large component spacing
`10`	40px	Section gaps
`12`	48px	Major section spacing
`16`	64px	Page section spacing
`20`	80px	Hero section padding
`24`	96px	Maximum section spacing

App UI forms use compact `h-8` (32px) input fields with `py-1.5 px-3` padding.

5. Shadows and Elevation

Level	Shadow	Usage
Card	`0 1px 3px rgba(26,42,94,0.06), 0 4px 12px rgba(26,42,94,0.04)`	Default card state
Card Hover	`0 4px 14px rgba(26,42,94,0.10), 0 8px 24px rgba(26,42,94,0.06)`	Interactive card hover
Modal	`0 8px 32px rgba(26,42,94,0.16), 0 16px 48px rgba(26,42,94,0.08)`	Modal dialogs
Button Primary	`0 4px 14px rgba(42,181,193,0.35)`	Teal button hover glow
Button CTA	`0 4px 14px rgba(245,158,11,0.35)`	Amber CTA button glow
Focus	`0 0 0 3px rgba(42,181,193,0.25)`	Focus ring for accessibility

All shadows use navy-tinted rgba values rather than pure black to maintain the brand warmth.

6. Border Radius

Token	Value	Usage
`none`	0px	Sharp edges (data tables)
`sm`	4px	Small elements (badges, pills)
`md`	8px	Inputs, small cards
`lg`	12px	Standard cards, modals
`xl`	16px	Feature cards, hero elements
`2xl`	24px	Large promotional cards
`full`	9999px	Circular elements, avatars

The default border radius for the platform is `0.65rem` (approximately 10px), set via `--radius`.

7. Component Patterns

Buttons

The platform provides five button variants. All buttons enforce a minimum touch target of 44px (WCAG 2.1 AA).

Variant	Class	Usage
Primary	`glum-btn-primary`	Main actions (teal gradient)
Secondary	`glum-btn-secondary`	Secondary actions (navy outline)
CTA	Custom amber gradient	Call-to-action (amber gradient, larger)
Danger	Red background	Destructive actions
Ghost	Transparent with hover	Tertiary/navigation actions

Cards

Cards use the `.glum-card` class with soft editorial shadows. Three variants exist: default (static), highlighted (teal ring), and interactive (hover lift effect).

Inputs

All form inputs use `.glum-input` with a minimum height of 44px. Error states add a red border and focus ring. Disabled states reduce opacity to 50%.

Alerts

Four semantic alert variants are available: info (teal), warning (amber), danger (red), and success (green). Each uses a left-border accent with a tinted background.

Glucose Badges

Glucose status badges use `.glum-glucose-badge` combined with a status modifier. They display in JetBrains Mono for clinical data consistency.

Tables

Table headers use a light navy background with uppercase tracking. Rows have hover states using a subtle teal tint.

8. Responsive Design

Breakpoint	Width	Usage
`sm`	640px	Mobile landscape
`md`	768px	Tablet portrait
`lg`	1024px	Tablet landscape / small desktop
`xl`	1280px	Standard desktop (max container width)
`2xl`	1536px	Large desktop

The container has a maximum width of 1280px with responsive padding: 1rem (mobile), 1.5rem (sm), 2rem (lg).

9. Dark Mode

Dark mode tokens are defined in the `.dark` class scope. Key adjustments include lighter primary colors for contrast, dark card backgrounds, and reduced border opacity. The dark mode is designed for low-light clinical environments where screen glare must be minimized.

10. Icons

The platform uses Lucide React icons for consistency. Icon sizing follows the spacing scale: 16px (inline), 20px (button), 24px (section header), 32px (feature card).

11. Animation and Transitions

Token	Duration	Easing	Usage
Fast	150ms	ease	Hover states, focus rings
Default	200ms	ease	Button interactions, card hover

Slow	300ms	ease	Modal open/close, section transitions
Spring	400ms	cubic-bezier(0.34, 1.56, 0.64, 1)	Playful micro-interactions

All animations respect `prefers-reduced-motion: reduce` by disabling transitions for users who request it.

12. Accessibility Standards

The GluMira Design System enforces WCAG 2.1 AA compliance throughout.

Requirement	Standard	Implementation
Text contrast	4.5:1 minimum	All text/background combinations tested
Large text contrast	3:1 minimum	Headings and display text verified
Touch targets	44px minimum	All interactive elements enforced via CSS
Focus indicators	Visible ring	Teal focus ring on all focusable elements
Color independence	Not sole indicator	Status always includes text labels alongside color
Motion sensitivity	Reduced motion	`prefers-reduced-motion` respected

13. Usage Guidelines

Amber is reserved for CTAs and the glucose drop motif only. Do not use amber for decorative purposes, backgrounds, or non-interactive elements.

Navy is the primary brand color. Use it for headings, dark section backgrounds, and primary text. Never use pure black (`#000000`) for text.

Teal is the interactive color. Use it for links, focus rings, wave dividers, and hover states. It signals "clickable" or "active" to the user.

Clinical data always uses JetBrains Mono with tabular numerics enabled. This ensures glucose values, IOB numbers, and dose amounts align properly in columns and tables.

The owl mascot uses Clinical Depth style only. Never render the owl in flat cartoon, photorealistic, or watercolor styles. The owl has teal/navy feathers, an amber teardrop on its chest (vicinity of the heart), and golden eyes.

---

14. Implementation in Tailwind

CSS Custom Properties

All brand colors are defined as CSS custom properties in `index.css` using OKLCH color space for perceptual uniformity. The Tailwind theme maps these to utility classes via `@theme inline`.

Component Classes

Reusable component classes are defined in `@layer components` with the `glum-` prefix to avoid conflicts with Tailwind utilities. These include `glum-card`, `glum-btn-primary`, `glum-btn-secondary`, `glum-input`, `glum-label`, `glum-alert-*`, and `glum-glucose-*`.

TypeScript Tokens

The `DesignTokens.tsx` file exports all tokens as typed constants for use in React components. Import from `@/components/DesignTokens` to access colors, typography, spacing, shadows, and component presets programmatically.

TSX

```tsx
import { Colors, ComponentPresets, cn, getGlucoseColor } from '@/components/Des
```

Appendix: Approved Brand Assets

Asset	CDN URL	Usage
Owl Mascot	CDN Link	Hero, marketing
App Icon	CDN Link	Favicon, app stores

Hero BG	CDN Link	Landing hero
Data Viz BG	CDN Link	Data sections
Mission BG	CDN Link	Mission/about
Feature 1	CDN Link	IOB curve card
CTA BG	CDN Link	CTA sections
Pricing BG	CDN Link	Pricing section

GluMira — The science of insulin, made visible. Powered by IOB Hunter.

GluMira is an educational platform, not a medical device.