LocalLLM

LocalLLM

setup & use guide

franium softwares.

LocalLLM

Summary

- Quick description
- Features list
- Prerequisites
- Quick Start
- Manual setup
  - Scripts for dependencies
  - Expected binaries list
  - Building
- Project structure
- Tech Stack table
- Supported Models table
- Licenses
- Terms & Agreement
- Useful Information

franium softwares.

LocalLLM

Quick description

Local LLM is a desktop application created for running large & small language models and image generation directly on your PC. It is made to be fast & easy to use. No cloud, no API keys, no internet (except to download the LLMs).

Built with Tauri 2 (& Rust) ; React 19 and TypeScript.

Features

- Chat - Conversational interface with context management & conversation history (on/off feature)
- Code mode - AI-powered coding assistant with tool execution (check model for availability). The AI read and write files & execute shell commands.
- Pixara - Generate images easily and rapidly.
- Model Library - Catalog of 50+ models (Llama, Gemma, Qwen, Mistral, DeepSeek, ...)
- Model Advisor - “Find My Model” wizard that scans your hardware and recommends best models for your personal use case.

franium softwares.

- PolyLoad - Choose to load your model into RAM, VRAM, or both with a GPU layer slider.

- Classic dark/light clean UI.

Prerequisites

When using pre-compiled installer :

- Microsoft® Windows® 10/11 (x64)
- Linux®
- Vulkan capable GPU (optional but recommended)

When building installer yourself

- Microsoft® Windows® 10/11 (x64) or Linux®
- Node.js 18+ and npm
- Rust toolchain
- Vulkan capable GPU (optional but recommended)

Quick Start

Download the installer corresponding to your operating system in the GitHub repository of LocalLLM.

Then, execute it, follow the instruction, verify that you have enough free space on your disk & consult the official YouTube tutorial for more information.

LocalLLM

Manual installation

Commands: git clone, npm install, powershell -ExecutionPolicy Bypass -File scripts/download-binaries.ps1, npm run tauri dev

- Download Scripts table:

3 rows: download-binaries.ps1 (all-in-one), download-llama-server.ps1 (llama-server + GGML DLLs from llama.cpp releases), download-sd-server.ps1 (sd-server + stable-diffusion.dll from stable-diffusion.cpp releases)

- Expected binaries:

llama-server-x86_64-pc-windows-msvc.exe, sd-server-x86_64-pc-windows-msvc.exe, llama.dll, ggml.dll, ggml-base.dll, ggml-vulkan.dll, ggml-cpu-*.dll, stable-diffusion.dll

- Building:

3 commands: npm run build:classic, npm run build:aero, npm run build:all — output goes to build_installator/

For more information, please refer to the "*build.md*" guide on the GitHub repository

franium softwares.

LocalLLM

Project Structure

Tree comports :

- src/ (features, components, lib, styles)
- src-tauri/ (commands, services, models, binaries, tauri.conf.json)
- catalog/models.json
- scripts/
- package.json

Tech Stack

Frontend: React 19 + TypeScript + Tailwind CSS v4 + Vite 7 | Backend: Rust + Tauri 2 | State: Zustand | Database: SQLite via rusqlite | LLM: llama.cpp sidecar | Image Gen: stable-diffusion.cpp sidecar | GPU: Vulkan, CUDA optional

franium softwares.

LocalLLM

Supported Models

Chat

Model	Author	Params	Capabilities	Sizes (Q4_K_M
Llama 3.2 3B Instruct	Meta AI	3B	tool_use	2GB
Llama 3.1 8B Instruct	Meta AI	8B	tool_use	4.9GB
Llama 3.3 70B Instruct	Meta AI	70B	tool_use	42.5GB
Mistral 7B Instruct v0.3	Mistra AI	7B	tool_use	4.4GB
Mistral Nemo 12B Instruct	Mistra AI	12B	tool_use	7.5GB
Mistral Small 24B Instruct	Mistra AI	24B	tool_use	14.1GB
Qwen 2.5 7B Instruct	Alibaba	7B	tool_use	4.7GB
Qwen 2.5 14B Instruct	Alibaba	14B	tool_use	8.7GB
Qwen 2.5 32B Instruct	Alibaba	32B	tool_use	19.9GB
Gemma 2 9B Instruct	Google	9B	tool_use	5.8GB
Gemma 3 4B Instruct	Google	4B	tool_use & vision	2.8GB
Gemma 3 12B Instruct	Google	12B	tool_use & vision	7.3BGB
Gemma 3 27B Instruct	Google	27B	tool_use & vision	16.3GB

Code

Model	Author	Params	Capabilities	Sizes (Q4_K_M
Phi-4 Mini Instruct	Microsoft	3.8B	tool_use	2.4GB
CodeLlama 7B Instruct	Meta AI	7B	tool_use	4.1GB
Deep Seek Coder V2 Lite	DeepSeek	16B	tool_use	9GB
StarCoder2 3B	BigCode	3B	-	1.8GB
Qwen 2.5 Coder 3B Instruct	Alibaba	3B	tool_use	2GB
Qwen 2.5 Coder 7B Instruct	Alibaba	7B	tool_use	4.7GB
Qwen 2.5 Coder 14B Instruct	Alibaba	14B	tool_use	8.7GB
Qwen 2.5 Coder 32B Instruct	Alibaba	32B	tool_use	19.9GB
Codestral 22B v0.1	MistralAI	22B	tool_use	12.9GB

franium softwares.

LocalLLM

Supported Models

Reasoning

Model	Author	Params	Capabilities	Sizes (Q4_K_M
DeepSeek R1 Distill Qwen 1.5B	DeepSeek	1.5B	-	1.1GB
DeepSeek R1 Distill Qwen 7B	DeepSeek	7B	tool_use	4.7GB
DeepSeek R1 Distill Llama 8B	DeepSeek	8B	tool_use	4.9GB
DeepSeek R1 Distill Qwen 14B	DeepSeek	14B	tool_use	8.7GB
DeepSeek R1 Distill Qwen 32B	DeepSeek	32B	tool_use	19.9GB
Phi-3 Medium 14B Instruct	Microsoft	14B	tool_use	8.6GB
Phi-4 14B	Microsoft	14B	tool_use	9.1GB
QwQ 32B	Alibaba	32B	tool_use	19.9GB

Image generation

Model	Author	Params	Sizes
Stable Diffusion 1.5	Runway	860M	0.5GB (Q4)/1GB (Q8)
Stable Diffusion XL 1.0	Stability AI	3.5B	2GB (Q4)/3.5GB (Q8)
Stable Diffusion 3.5 Medium	Stability AI	2.8B	2.1GB (Q4)/3.2GB (Q8)
Stable Diffusion 3.5 Large	Stability AI	8B	5.8GB (Q4)/8.8GB (Q8)
FLUX.1 Dev	Black Forest Labs	12B	6.8GB (Q4)/12.9GB (Q8)

Others

Since there are many other models, the entire list will be listed on list.md (availaible on Git)

franium softwares.

LocalLLM

Licenses

Application

- llama.cpp — MIT
- stable-diffusion.cpp — MIT

Model Licenses

LicenseModels

Llama 3.3 Community

Llama 3.2 1B/3B, Llama 3.1 8B, Llama 3.3 70B, CodeLlama 7B

Apache 2.0

Gemma 2/3, Mistral (all), Qwen 2.5 (all), Phi-3/4, StarCoder2, SmolLM2, Aya 23/Expanse, Codestral, Qwen2 VL

MIT

DeepSeek R1 Distill (all), DeepSeek Coder V2 Lite, TinyLlama, QwQ 32B

Yi License

Yi 1.5 9B

Llama 2 Community

LLaVA 1.6 Mistral 7B

CreativeML Open RAIL-M

Stable Diffusion 1.5

Stability AI Community

SD XL 1.0, SD 3.5 Medium, SD 3.5 Large

FLUX.1-dev Non-Commercial

FLUX.1 Dev

more details available on licenses.md

franium softwares.

LocalLLM

Terms of Use & End-User License Agreement

LocalLLM
Effective date: March 11, 2026
Publisher: Franium Softwares

By installing, copying, or using LocalLLM ("the Software"), you agree to the following terms. If you do not agree, do not use the Software.

- 1. License Grant

The Software is provided under the MIT License. You are free to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies, subject to the conditions in the license.md file.

- 2. No Warranty

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT.

The publisher does not warrant that the Software will be error-free, uninterrupted, or fit for any particular purpose.

franium softwares.

LocalLLM

- 3. Limitation of Liability

IN NO EVENT SHALL FRANIUM SOFTWARES, ITS CONTRIBUTORS, OR AUTHORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES (INCLUDING BUT NOT LIMITED TO LOSS OF DATA, LOSS OF PROFITS, BUSINESS INTERRUPTION, OR HARDWARE DAMAGE) ARISING FROM THE USE OR INABILITY TO USE THE SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that running AI models locally consumes significant system resources (CPU, GPU, RAM, disk space) and you do so at your own risk.

- 4. Third-Party Models & Content

The Software provides access to third-party AI models downloaded from external sources (e.g., HuggingFace). These models are governed by their own respective licenses (Llama Community License, Apache 2.0, MIT, etc.).

- You are solely responsible for reviewing and complying with each model's license before use.
- The publisher does not host, train, or control these models and is not responsible for any content they generate.
- AI-generated outputs may be inaccurate, biased, or inappropriate. You are solely responsible for how you use them.

- 5. Third-Party Binaries

The Software bundles open-source sidecar binaries ([llama.cpp](https://github.com/ggml-org/llama.cpp), [stable-diffusion.cpp](https://github.com/leejet/stable-diffusion.cpp)) under their respective MIT licenses. The publisher assumes no liability for these components.

franium softwares.

LocalLLM

- 6. Code Mode Disclaimer

The "Code Mode" feature can read files, write files, and execute shell commands on your machine at your direction. You are solely responsible for reviewing and approving any actions taken through this feature. The publisher is not liable for any changes made to your system through Code Mode.

- 7. Privacy

The Software runs entirely locally on your machine. It does not collect, transmit, or store any personal data, telemetry, or usage analytics. The only network requests made are:

- Downloading AI models from HuggingFace (user-initiated)
- Downloading sidecar binaries during setup (user-initiated)

No data is ever sent to Franium Softwares or any third party.

- 8. No Support Obligation

The publisher is under no obligation to provide support, maintenance, updates, or bug fixes. Any such efforts are provided voluntarily and may be discontinued at any time.

- 9. Indemnification

You agree to indemnify and hold harmless Franium Softwares from any claims, damages, or expenses arising from your use of the Software or any content generated through it.

- 10. Governing Law

These terms shall be governed by and construed in accordance with the laws of Belgium. Any disputes shall be subject to the exclusive jurisdiction of the courts of Belgium.

franium softwares.

LocalLLM

- 11. Changes to These Terms

The publisher may update these terms at any time. Continued use of the Software after changes constitutes acceptance. The latest version is always available in the repository.

Last updated: March 11, 2026

Useful Information

This project is still in beta test. You may encounter bugs, problems or flaws. If you do, please report it to us.

Artificial Intelligence was used in the development of LocalLLM.

Models are stored under ~/.localllm/models/

franium softwares.