

■■ CYBERSHIELD

User Manual

Document CS-USR-003 — Version 1.0

CS-USR-003 · v1.0 · 28/05/2026 · CONFIDENTIAL

Francisco José Jiménez Pozo · fjjpozo075@gmail.com | github.com/franjmenezz

1. Introduction

Welcome to CyberShield — the enterprise security monitoring module for ODOO 18. This manual guides you through using CyberShield to monitor the security of your organisation's IT infrastructure directly from your ODOO interface.

1.1 What is CyberShield?

CyberShield is a Security Information and Event Management (SIEM) system built natively into ODOO 18. It monitors every computer and server in your organisation in real time and alerts you immediately if anything suspicious happens — unauthorised access attempts, suspicious network activity, or potential malware.

1.2 Accessing CyberShield

Click on "CyberShield" in the ODOO main navigation bar. You will see the Dashboard as your starting point.

2. Dashboard

The Dashboard shows all currently open (unresolved) alerts sorted by severity. Critical alerts in red require immediate attention.

2.1 Quick Actions

- Critical Alerts — jump directly to CRITICAL open alerts
- Active Incidents — view all incidents under investigation
- All Devices — see the full device inventory
- Open CVEs — view unpatched vulnerabilities
- Critical Logs — recent critical security events

3. Devices

3.1 Workstations & Servers

Navigate to CyberShield → Devices → Workstations or Servers. Each card shows the device name, department, IP address, current status and risk score.

3.2 Risk Score

Score	Level	Meaning & Action Required
70-100	HIGH RISK	Critical open alerts or high-severity vulnerabilities. Requires immediate action.
40-69	MEDIUM RISK	Open alerts that should be investigated soon.
0-39	LOW RISK	Good security posture. Continue monitoring.

4. Activity Logs

Logs record every security event detected on each device. They are IMMUTABLE — they cannot be modified or deleted, ensuring a reliable and tamper-evident audit trail.

4.1 Log Fields

- Timestamp — when the event occurred (UTC)
- Device — which computer generated the event
- Event Type — what happened (login, file access, network connection, USB, etc.)
- Severity — Critical / High / Medium / Low / Info
- Description — detailed explanation of what occurred
- MITRE Tactic & Technique — the attack category (if applicable)
- Source IP — the originating IP address

4.2 Verifying Log Integrity

Open any log entry and click "Verify Integrity". The system recomputes the HMAC-SHA256 hash and confirms whether the record is intact or has been tampered with.

5. Alerts

5.1 Alert Lifecycle

State	Who Acts	What to Do
New	Any analyst	Read the alert and click Acknowledge to confirm you have seen it
Acknowledged	Assigned analyst	Click Investigate to start analysis
Investigating	Assigned analyst	Analyse the threat, contain if real, click Contain
Contained	Assigned analyst	Write resolution notes and click Resolve
Resolved	N/A	Alert closed. The resolution notes are preserved for audit purposes.

5.2 SLA Deadlines

Severity	SLA Deadline	What Happens on Breach
Critical	1 hour	Escalation notifications sent immediately. Alert highlighted in red.
High	4 hours	Escalation notifications sent. Alert highlighted.
Medium	24 hours	Escalation notifications sent.
Low	72 hours	Escalation notifications sent.

6. Notification Center

6.1 Notification History

Every notification sent by CyberShield is recorded here with its delivery status. Use the Retry button to resend any failed notification.

6.2 Delivery Status

Status	Meaning
Sent ■	Notification delivered successfully to the channel
Failed ■	Delivery failed. Check error message and use the Retry button (max 5 retries)
Skipped	Skipped — e.g. no recipients configured in the channel
Pending	Queued and waiting to be sent

7. Incidents

Incidents are created automatically from CRITICAL alerts, or manually by analysts. Each incident tracks the full response lifecycle aligned with ISO 27035.

7.1 RGPD Notification

If an incident involves personal data of clients or employees, the RGPD Notification Required flag must be activated. The system will display a banner reminding you to notify the AEPD within 72 hours as required by GDPR Article 33.

8. Vulnerabilities

The Vulnerabilities section tracks CVEs (Common Vulnerabilities and Exposures) detected in your systems. Each vulnerability has a CVSS score that determines its severity automatically.

CVSS Score	Severity	Action
9.0 - 10.0	Critical	Patch immediately — highest priority
7.0 - 8.9	High	Patch within 7 days
4.0 - 6.9	Medium	Patch within 30 days
0.1 - 3.9	Low	Patch at next maintenance window