CHIBEES / VECTOR PRODUCTION

CABINET MASTER + COLOR SPECIFICATION

Cubic reconstruction from the employer photograph / color separations are proposed production targets



COLOR	RGB / HEX	CMYK %	SPOT COLOR GUIDANCE
Fiesta chili red	#E22B24	0 / 92 / 95 / 0	485 C or 1795 C - visual target
Jalapeno green	#198C38	84 / 0 / 85 / 23	Match by approved physical swatch
Marigold yellow	#F6C518	0 / 20 / 95 / 0	Match by approved physical swatch
Espresso	#231915	40 / 50 / 50 / 90	Rich black; small type: 100 K option
Warm acrylic	#FAF7F0	0 / 1.2 / 4 / 2	Substrate / unprinted white option

Process CMYK artwork. Pantone names are suggestions, not measured matches or embedded spot separations.

CHIBEES / VECTOR PRODUCTION

PRINT / STICKER + TRANSPARENT LOCKUP

Two applications share the exact same custom glyphs, hat contours and R / G / Y accent order

01 / FRAMED PRINT + STICKER



Dark cabinet border / restrained vector grain

02 / WHITE-KEYLINE ISOLATE



Transparent SVG / white is intentional artwork

All logo letters are paths; there are no live fonts or linked images.

White keyline requires white ink when printing on a non-white substrate.


Sticker cutter: use the cabinet outline. Add vendor-specified bleed before nesting.

Mono edition is one espresso ink with open hat linework and solid custom lettering.

CHIBEES / VECTOR PRODUCTION

PATH AUDIT / CURSOR REMOVAL

The two e glyphs use identical cubic control points with translation only; no photographed cursor is traced



MATCHING CUBIC GEOMETRY

e e

e1: x = 623, y = 336

e2: x = 708, y = 347

Translation: +85, +11

No crosshair paths

741 anchor commands / 369 cubic segments

82 master paths / 7 artwork layers / 0 live text / 0 raster images

Screen moire, pixel grid and cursor are omitted. Obscured micro-details are reconstructed.

Outline view exposes actual geometry; node count includes each M, L and C endpoint.

50-INCH CABINET / SCALING GUIDE

Dimensional model assumes 50 inches is the overall cabinet height; verify on site before fabrication



1270 mm / 50"

Cabinet width: 2228.07 mm / 87.719"

DXF units: millimeters / AC1024

Closed LWPOLYLINE contours

Curve chord tolerance: 0.02 mm

EXTERIOR CABINET	1270 mm high	1:1 DXF / site measurement required
TAKEAWAY BAG	150 mm high	263.16 mm wide / proof keyline
MENU LOCKUP	75 mm high	131.58 mm wide / omit tiny grain if needed
STICKER	50 mm high	87.72 mm wide / vendor bleed + cut setup

DXF: CUT_CABINET is the exterior cut. VINYL_* are artwork contours; DETAIL_ENGRAVE is decorative.

Tool diameter, kerf, offsets, depth, workholding and electrical construction are fabricator setup items.