

Feature: Design foundation

From build-plan: feature 1 Branch: `feature/design-foundation` Status: verified

Goal

Port the locked look from `prototypes/theme.css` into the app so every later page is built from one set of tokens, two fonts, the orchid motif and a shared shell of header, footer and section primitives, in light and dark. After this feature the scaffold placeholder is gone, the site renders in the brand palette, and features 3 to 9 only add page content between an existing header and footer.

Design reference

- `prototypes/theme.css` - the `:root` block is the token source; everything under "Base layer" is prototype plumbing to rebuild as components
- `prototypes/home.html` lines 170 to 193 (header) and 446 to 464 (footer) for the shell markup; lines 195 to 210 for the interim home copy
- `prototypes/orchid.svg` - the motif, line drawn, coloured from the theme
- `prototypes/about.html:87` - the active nav link treatment
- There is no dark mockup. The dark palette is derived from the prototype's dark-band tokens, see Data / contracts

In scope

- `app/globals.css` rewritten: Tailwind v4 `@theme` holding the brand tokens, shadcn semantic aliases mapped onto them, light and dark themes, base typography, two extra small-screen breakpoints
- Cormorant Garamond and Inter loaded through `next/font/google`, exposed as `--font-serif` and `--font-sans`; Geist removed
- Dark mode by OS preference through a `.dark` class on `<html>`, set before first paint, with the class as the seam for a later toggle
- `data/siteConfig.ts` seeded with only the facts the shell renders (name, phone, email, address, socials, nav and footer links)
- Section primitives: `Container`, `Section` (default, sand, dark), `Eyebrow`, `Lede`, `Divider`, `Watermark`, `Orchid`
- shadcn `Button` restyled to the prototype's pill treatment (primary, ghost, link)
- `SiteHeader`: sticky, brand wordmark, category links, phone, Book now, mobile menu, active link state
- `SiteFooter`: address block, three link columns, giant wordmark, copyright

- Root layout mounts the shell; root `metadata` default title and description come from `siteConfig` so "Create Next App" never ships
- `app/page.tsx` reduced to the prototype hero copy inside the new primitives, so the shell is observable now; feature 3 replaces it with the real home page

Out of scope

- Hours, services, concerns, reviews and the rest of the business facts module (feature 2 extends the same `siteConfig.ts`)
- Any page beyond the interim home stand-in: categories, details, about, contact (features 3 to 9)
- The booking component and Cal.com (feature 11). Book now is a plain link to `/contact` until then. No Square link anywhere
- A visible theme toggle. The `.dark` class seam is built; the control is a later decision
- Per-page metadata, JSON-LD, sitemap, robots (feature 10)
- The announcement bar ("Now booking fall microneedling series") and the footer newsletter form from the prototype. Neither maps to a plan feature and both carry copy she has not approved
- Privacy and Terms links, FAQ, Gift cards, Before and after links in the footer. No Phase 1 route exists for them
- Logo image in the brand mark and a replacement favicon. Blocked on the logo file (project-plan blocker 2); the wordmark stands in
- Image placeholder or ImageKit wrapper primitives (first needed in feature 3)
- Removing `drizzle-orm`, `postgres`, `drizzle-kit`, `better-auth` from `package.json`. The plan wants them gone; that is a `/fix`, not this feature

Build loop

- `workflow.stepReview` is `feature`: build all steps, then stop once for review before `/complete`. No pause between steps
- `workflow.checkpointCommits` is `disabled`: no commits during the build. `/complete` creates the single feature commit
- Every step ends with `npm run lint` and `npm run build` passing. There is no test runner and no Verify command; do not add one here
- Read `node_modules/next/dist/docs/` for `next/font`, `metadata` and inline scripts in the root layout before touching `app/layout.tsx`. Next 16 differs from older training data
- No package is installed for any of this. Theme detection is a few lines of hand-written script, not `next-themes`

Build steps

- ☒ **1. Tokens, fonts, themes, base layer.** Rewrite `app/globals.css` : keep the three `@import` s and `@custom-variant dark (&:where(.dark, .dark *))` , delete the scaffold's oklch palette, put the brand tokens from `theme.css` :`root` into `@theme` under the names in Data / contracts, add the `tn` and `xsm` breakpoints, and map the shadcn semantic variables onto the brand tokens in `:root` with the dark overrides in `.dark` , so `Button` and future shadcn parts inherit both palettes. Base layer: `body` ground and ink from the semantic tokens, Inter, 16px / 1.6, antialiased; `h1 - h4` Cormorant Garamond 500, 1.1 line height, -0.01em tracking, with the prototype's 72 / 48 / 28 desktop and 44 / 34 mobile sizes; `a` inherits colour with no underline. In `app/layout.tsx` replace Geist with `Cormorant_Garamond` (400, 500, 600 and italic 400, 500) and `Inter` (400, 500) from `next/font/google` , `display: "swap"` , variables `--font-serif` and `--font-sans` , applied on `<html>` . Add the theme script from Data / contracts as the first child of `<head>` so the class lands before first paint, and `suppressHydrationWarning` on `<html>` because the script edits its class list. **Done when:** `npm run build` and `npm run lint` pass; on `/` with a light OS preference the computed `body` background is `rgb(247, 242, 234)` , with a dark preference it is `rgb(28, 26, 23)` and `<html>` carries `class="dark"` ; `body` font-family starts with Inter and an `h1` resolves to Cormorant Garamond; no oklch value remains in `globals.css` .
- ☒ **2. Site config seed.** Create `data/siteConfig.ts` exporting the `SiteConfig` constant in Data / contracts. Values come from `prototypes/home.html` footer and `blueprint/reference/business.md` : full address with Unit 330, postal code `T2X 1P1` , phone `(587) 969-3796` , email `faceandbodywellnesscentre@gmail.com` , Instagram `https://www.instagram.com/faceandbodywellnesscentre/` . Check: the Facebook page URL is not recorded in the repository. Look in `business.md` first; if absent, look it up on her Google Business Profile or Instagram bio (Frank approved this lookup on 2026-09-18) and record where it came from in `business.md` . If it still cannot be found, ask; do not invent it. **Done when:** `npm run build` passes and `grep -rn "969-3796" app components` returns nothing (no component hardcodes a fact).
- ☒ **3. Primitives, orchid, buttons, interim home.** Add `components/layout/Container.tsx` , `Section.tsx` , `Eyebrow.tsx` , `Lede.tsx` , `Divider.tsx` , `Watermark.tsx` and `components/brand/Orchid.tsx` per Data / contracts. Restyle `components/ui/button.tsx` so `default` is the copper pill, `outline` the ghost pill, `link` the accent-underlined uppercase link; remove variants the prototype has no use for only if nothing imports them. Replace `app/page.tsx` with the hero copy from `home.html` 198 to 205 (eyebrow, headline with the italic accent `work` , lede, `Book a treatment` primary button and `Free consultation` link button, both to `/contact`) inside `Section` and `Container` , with the `Watermark` behind it, followed by a `Divider` . No stars, follower counts, hero media or trust strip; those are feature 3. **Done when:** build and lint pass; `/` shows the copper watermark, serif headline with `work` in copper italic, a copper pill button and the orchid divider, in both themes; `public/next.svg` , `vercel.svg` , `file.svg` , `globe.svg` , `window.svg` are deleted and nothing references them.
- ☒ **4. Header.** Add `components/layout/SiteHeader.tsx` (server) and `components/layout/NavMenu.tsx` ("use client" , reason: open state and `usePathname`). Header: sticky top, ground colour at 88% with 10px backdrop blur, bottom border, 76px tall (64px below `lg`);

brand link to `/` rendering `siteConfig.shortName` in serif with `Wellness Centre` as the small caps line beneath; `NavMenu` renders `siteConfig.nav`; right side shows the phone as a `tel:` link (hidden below `lg`), the `Book now` primary button to `/contact`, and the burger (visible below `lg` only). Mobile menu: the burger is a `<button aria-label="Menu" aria-expanded aria-controls>` toggling a full-width list under the header; Escape closes it; it closes on route change. Active link gets `aria-current="page"` and the copper bottom border when the pathname equals the href or starts with `href + "/"`. Mount it in `app/layout.tsx` above `{children}`. **Done when:** build and lint pass; at 1280px wide the five links, phone and Book now are visible and the burger is not; at 375px the links and phone are hidden, the burger is visible, clicking it sets `aria-expanded="true"` and reveals the five links, Escape hides them again; on `/` no link carries `aria-current`; the header reads correctly in both themes.

- ☒ **5. Footer.** Add `components/layout/SiteFooter.tsx` (server): dark band in light mode, `dark-surface` band in dark mode so it still separates from the page; 80px top / 32px bottom padding; four-column grid at `lg` (1.4fr 1fr 1fr 1fr), two columns below; column one is the brand wordmark and the address block (unit, street, city and postal code, phone as `tel:`, email as `mailto:`); the other three are `siteConfig.footer` groups with the accent-soft uppercase heading; then the giant serif `Face & Body` wordmark one step lighter than the band, clamped 64px to 160px, and a bottom row with the copyright using the current year and `siteConfig.name`. Mount it in `app/layout.tsx` below `{children}`, with `<main>` growing to keep the footer at the bottom on short pages. **Done when:** build and lint pass; the footer renders every address line and both link hrefs (`tel:`, `mailto:`) exactly as in `siteConfig`; every footer link href is one of the routes listed in Data / contracts; no `Privacy`, `Terms`, `Subscribe`, newsletter or Square markup exists.
- ☒ **6. Root metadata and final pass.** In `app/layout.tsx` set `metadata.title` to `{ default: siteConfig.name, template: "%s | " + siteConfig.name }` and `metadata.description` to `siteConfig.description`. Confirm `<html lang="en">`, the font variables on `<html>`, and that `app/page.tsx` exports no metadata of its own (it inherits the default). Remove anything left from the scaffold: Geist imports, `font-mono` mapping to Geist Mono, scaffold `dark:` utilities on the old home page. **Done when:** build and lint pass; `document.title` on `/` is exactly `siteConfig.name`; `grep -rn "Create Next App\|geist" app components` returns nothing; `npm run build` reports `/` as a static route.

Files / areas

Path	Action	Owner after this feature	--- --- ---	<code>app/globals.css</code>	rewrite	tokens and both palettes live here; later features add component CSS only when a utility cannot express it
<code>app/layout.tsx</code>	rewrite	fonts, theme script, metadata default, shell mount		<code>app/page.tsx</code>	replace	feature 3 replaces it again
<code>data/siteConfig.ts</code>	new	feature 2 extends it with hours and the rest		<code>components/layout/Container.tsx</code> , <code>Section.tsx</code> , <code>Eyebrow.tsx</code> , <code>Lede.tsx</code> , <code>Divider.tsx</code> , <code>Watermark.tsx</code>	new	shared
<code>components/layout/SiteHeader.tsx</code> , <code>NavMenu.tsx</code> , <code>SiteFooter.tsx</code>	new	shared		<code>components/brand/Orchid.tsx</code>	new	shared

components/ui/button.tsx | restyle | shared | | public/next.svg , vercel.svg , file.svg , globe.svg , window.svg | delete | scaffold leftovers | | blueprint/reference/business.md | append the Facebook URL and its source, step 2 only | reference | | prototypes/ | untouched | reference only; orchid.svg is copied as a React component, not moved |

Data / contracts

Brand tokens in @theme

Prototype :root names on the left, the Tailwind v4 token on the right. The value is copied byte for byte from theme.css . These never change between themes; the theme switch happens in the semantic layer below.

| theme.css | @theme | Utility example | |---|---|---| | --bg | --color-cream | bg-cream || --surface | --color-surface | bg-surface || --surface-2 | --color-sand | bg-sand || --border | --color-line | border-line || --dark | --color-dark | bg-dark || --dark-surface | --color-dark-surface | bg-dark-surface || --text | --color-ink | text-ink || --muted | --color-ink-muted | text-ink-muted || --faint | --color-faint | text-faint || --on-dark | --color-on-dark | text-on-dark || --on-dark-muted | --color-on-dark-muted | text-on-dark-muted || --accent | --color-copper | bg-copper || --accent-hover | --color-copper-hover | hover:bg-copper-hover || --accent-soft | --color-copper-soft | text-copper-soft || --accent-tint | --color-copper-tint | bg-copper-tint || --accent-ink | --color-copper-ink | text-copper-ink || --accent-text | --color-copper-text | text-copper-text || --placeholder-bg / --placeholder-text | --color-placeholder / --color-placeholder-text | reserved for feature 3 || --font-serif , --font-sans | same names, values are the next/font variables with the prototype fallbacks | font-serif , font-sans || --radius 4px, --radius-lg 20px | --radius-sm: 4px , --radius-lg: 20px | rounded-sm , rounded-lg || --container 1200px | --container-site: 1200px | max-w-site || --section 112px / 64px | --spacing-section: 112px , --spacing-section-sm: 64px | py-section || --gutter 32px / 20px | --spacing-gutter: 32px , --spacing-gutter-sm: 20px | px-gutter |

--price , --price-from , --tag-bg , --tag-text are component states for feature 5 and are not ported now.

The accent family is named copper-* and muted text ink-muted because --color-accent and --color-muted collide with shadcn's semantic tokens of the same name, and the semantic layer wins. Found in the browser check.

Breakpoints

Tailwind's five stay (sm 640, md 768, lg 1024, xl 1280, 2xl 1536). Two are added below them in @theme , because small phones are where layouts break:

- --breakpoint-tn: 22.5rem (360px) - the smallest phones

- `--breakpoint-xsm: 27.5rem` (440px) - phones up to the large ones

Tailwind breakpoints are min-width, so these are used through their `max-` twins: `max-tn:` is below 360px, `max-xsm:` is below 440px. The header collapses at `lg`, the nearest standard step above the prototype's 900px.

Semantic tokens, light and dark

The semantic layer is what components use for grounds and text, so a page written once renders in both themes. Components reach for a brand token directly only for the copper accent and for things that are the same in both themes.

```
| Semantic | Light ( :root ) | Dark ( .dark ) | |---|---|---| | --background | cream | dark | | --
foreground | ink | on-dark | | --card, --popover | surface | dark-surface | | --card-
foreground, --popover-foreground | ink | on-dark | | --secondary (sand bands) | sand | dark-
surface | | --secondary-foreground | ink | on-dark | | --muted | sand | dark-surface | | --
muted-foreground | muted | on-dark-muted | | --primary | accent | accent | | --primary-
foreground | accent-ink | accent-ink | | --accent | accent-tint | dark-surface | | --accent-
foreground | accent-text | accent-soft | | --border, --input | line | dark-surface | | --
ring | accent | accent | | --radius | 4px | 4px |
```

The dark palette is derived from the prototype's dark band, not designed. Small copper text uses `accent-text` on light and `accent-soft` on dark because the contrast requirement flips. Keep `--destructive`, the chart and sidebar variables from the scaffold as they are, mapped to the nearest brand token in each theme; nothing in Phase 1 uses them and deleting shadcn's contract is not this feature's call. Map the semantic tokens into `@theme inline` exactly as the scaffold does so `bg-background`, `text-foreground`, `bg-card`, `text-muted-foreground` and the rest work as utilities.

Theme detection

Light is the default because it is the locked look. Dark applies when the OS prefers it. Inline in `<head>`, before any stylesheet paints:

```
try {
  var stored = localStorage.getItem("theme");
  var dark = stored ? stored === "dark" : matchMedia("(prefers-color-scheme: dark)").m
  if (dark) document.documentElement.classList.add("dark");
} catch (e) {}
```

`localStorage.theme` is read but never written in this feature. It is the seam for a later toggle, which writes `"light"` or `"dark"` there. No package.

`data/siteConfig.ts`

```

export type SiteLink = { label: string; href: string };

export type SiteConfig = {
  name: string;          // "Face and Body Wellness Centre"
  shortName: string;     // "Face & Body"
  subName: string;       // "Wellness Centre", the line under the wordmark
  description: string;   // one sentence, used as the root metadata description
  phone: { display: string; tel: string; sms: string }; // "(587) 969-3796", "tel:+158
  email: string;
  address: { unit: string; street: string; city: string; province: string; postalCode:
  social: { instagram: string; facebook: string }; // full URLs
  nav: SiteLink[];
  footer: { heading: string; links: SiteLink[] }[];
};

export const siteConfig: SiteConfig

```

`description` is the prototype lede: "Advanced facials, microneedling, laser and IPL, delivered by a qualified aesthetician who looks at your skin before she looks at the menu."

Routes the shell may link to, all from the overview. Anything else is out:

| Link | href | Exists after | |---|---|---| | Facials | `/treatments/facials` | feature 4 | | Skin Treatments | `/treatments/skin` | feature 4 | | Body | `/treatments/body` | feature 4 | | Massage | `/treatments/massage` | feature 4 | | Laser and IPL | `/treatments/laser` | feature 4 | | About | `/about` | feature 7 | | Contact | `/contact` | feature 9 | | Book now, Book a treatment, Free consultation | `/contact` | feature 11 swaps Book for the booking component | | Instagram, Facebook | `siteConfig.social.*` | now |

`nav` is the prototype's five: Facials, Skin Treatments, Body, Massage, About. `footer` is three groups: Treatments (the five categories), Clinic (About, Contact), Book (Book now, Instagram, Facebook). Internal links 404 until their feature lands; that is expected and not a defect of this feature.

Category slugs match the overview's `Service.category` enum (`facial` , `skin` , `body` , `massage` , `laser`) except the URL segment for `facial` is `facials` , as written in the build plan and prototype. Feature 2 decides the slug-to-segment mapping formally; feature 1 only writes these hrefs.

Components

- `Container` - `div` , `max-w-site mx-auto px-gutter-sm lg:px-gutter`
- `Section` - `section` , `tone?: "default" | "sand" | "dark"` ; default has no background, `sand` is `bg-secondary` , `dark` is `bg-dark text-on-dark` in both themes (it is a brand band, not a theme surface) and swaps `Eyebrow` to `accent-soft` and `Lede` to `on-dark-muted` through a `data-tone`

attribute the child primitives read. Vertical padding `py-section-sm lg:py-section`. `className` is merged with `cn`

- `Eyebrow` - `span`, Inter 12px, 0.18em tracking, uppercase, `text-accent-foreground`, 500
- `Lede` - `p`, 19px (17px below `lg`), `text-muted-foreground`, `max-w-[56ch]`
- `Divider` - centred `Orchid` at 44 by 46px between two 96px hairlines (48px below `lg`) in `border`; accepts `className`
- `Watermark` - absolutely positioned `Orchid` at 520 by 540px, `text-accent`, opacity 0.07 (0.1 in dark, it vanishes at 0.07), `pointer-events-none`, `aria-hidden`; the parent supplies `relative` and the offset
- `Orchid` - inline SVG from `prototypes/orchid.svg` with `stroke="currentColor"`, `aria-hidden`, `className` for size and colour. Inline rather than a CSS mask so the colour is any Tailwind text colour and no `public/` asset is needed
- `Button` - `default` copper pill (`bg-primary text-primary-foreground hover:bg-accent hover:`), `outline` ghost (`border-foreground text-foreground hover:bg-foreground hover:text-background`), `link` (13px uppercase, 0.08em tracking, accent bottom border). All: `rounded-full`, 14px by 26px padding (12 by 20 below `lg`), 13px, 500, 0.08em tracking, uppercase, 200ms colour transition. Inside `Section tone="dark"`, `outline` uses `on-dark`
- `SiteHeader`, `NavMenu`, `SiteFooter` - as in steps 4 and 5. `NavMenu` takes `links: SiteLink[]` and renders them; the header passes `siteConfig.nav`

All text a visitor can read comes from `siteConfig` or the prototype hero copy copied verbatim. No other strings.

Testing

- No unit test runner exists and `verification.logicTests` is `when-configured`, so no tests are added. The client component has one boolean of state and a pathname read; nothing here needs a test seam
- Gate for every step: `npm run lint` and `npm run build`, both must pass
- Browser evidence is gathered by `/check` after the build: computed styles in both colour schemes in step 1, the header behaviour at 1280px and 375px in step 4, the footer contents in step 5, `document.title` in step 6. No browser test harness exists, so none of this is automated
- Nothing in this feature claims live, persisted or integration evidence

Notes for the AI

- **Two themes, light default.** Frank confirmed on 2026-09-18. The locked cream look is the default; dark follows the OS. The dark palette is derived from the prototype's existing dark-band tokens, so if it looks wrong the fix is in the `.dark` block, not in components. Components use semantic tokens for

grounds and text so they never need a `dark:` prefix for those; `dark:` is for the few places a value genuinely differs, like the watermark opacity

- **Business facts start here, not in feature 2, because the shell needs them.** The standard forbids hardcoding a fact in a component, so the seed module is the only place the phone and address can live. Feature 2 extends the same file; it does not create a second one
- **No Square anywhere.** Frank decided on 2026-09-18 that the site will not link to Square booking even as an interim. Book controls go to `/contact` until feature 11. The label never names a provider (`decisions.md`)
- **Prototype pieces deliberately not ported:** `.announce`, `.news`, `.ph` placeholders, `.tag`, `.note`, `.rule-accent`, `.btn` as a class. Tags and placeholders return when a feature needs them
- **The brand mark is the wordmark only.** The only logo we have is a 150px Instagram avatar. Do not upscale it into the header. When the logo file lands, the brand component gets the image through the ImageKit wrapper
- **Motion is CSS only.** The transitions here are colour and border. Do not add an animation library. `tw-animate-css` is already installed and is CSS; leave the import alone
- **No inline styles,** no `tailwind.config.js`, no `src/`. Tokens are `@theme` in `globals.css`; component classes are Tailwind utilities. The one inline `<script>` is the theme detector and it is the only exception
- **No em dashes** anywhere, including the copyright line and comments
- **Server first.** `NavMenu` is the one client component and its reason is written in the file in one line. `SiteHeader` and `SiteFooter` stay on the server
- The `feature/research-and-prototypes` branch already exists and is merged; this feature gets its own branch from `main`

Open questions

Neither blocks starting.

1. **Postal code.** Square, Yelp and the City licence say `T2X 1P1`; her own post says `T2X 1M2`. This spec uses `T2X 1P1` per `business.md`. It is one field in `siteConfig` if it changes. 2. **Dark palette sign-off.** Derived, not designed. Look at it in `/check` and say if a token needs a different value; the change is one line in the `.dark` block.

Implementation walkthrough

Tokens and themes (`app/globals.css`) - brand values from `theme.css` sit in `@theme` as `cream`, `sand`, `line`, `ink`, `ink-muted`, `copper-` and friends; they never change between themes. The shadow semantic layer (`--background`, `--primary`, `--muted-foreground` and the rest) is defined twice, in `:root` for light and `.dark` for dark, each pointing at brand tokens, and re-exposed through `@theme inline` so `bg-background` and `text-muted-foreground` work as utilities. Components use semantic

tokens for grounds and text and reach for `copper-` only where copper is copper in both themes. Two extra breakpoints, `tn 360px` and `xsm 440px`, sit below Tailwind's five for small-phone fixes through `max-tn:` and `max-xsm:`. Decision made mid-build: the accent family is `copper-*` and muted text `ink-muted` because `--color-accent` and `--color-muted` collide with shadcn's semantic names and the semantic layer wins. Found in the browser check when every copper element rendered as pale tint.

Fonts and theme detection (`app/layout.tsx`) - Cormorant Garamond and Inter through `next/font/google` as `--font-cormorant` and `--font-inter`; `@theme` maps them onto `font-serif` and `font-sans`. Naming the next/font variable `--font-sans` would have fought the `@theme` definition on the same element. An inline script in `<head>` adds `.dark` when `localStorage.theme` says so or, failing that, when the OS prefers dark. It never writes; a later toggle owns that. `suppressHydrationWarning` on `<html>` because the script edits its class before React hydrates. Metadata title default and template come from `siteConfig`.

Business facts (`data/siteConfig.ts`) - the only place a phone, address, email, social URL or link list lives. `subName` was added so the "Wellness Centre" line under the wordmark is not a hardcoded string. The Facebook URL was found by web search and recorded in `business.md`. Every Book control points at `/contact` until feature 11; no Square link anywhere.

Primitives (`components/layout/`, `components/brand/Orchid.tsx`) - `Container`, then `Section` with a `tone` written as a `data-tone` attribute that `Eyebrow`, `Lede`, `Divider` and the outline button read through `in-data-[tone=dark]:`, so a dark band recolours its children without threading props. `Orchid` is the path data from `prototypes/orchid.svg` inline with `stroke="currentColor"`. `Watermark` is `Orchid` positioned absolutely at 0.07 opacity, 0.1 in dark where 0.07 vanished. `Brand` is shared by header and footer; wordmark only until the logo file lands.

Button (`components/ui/button.tsx`) - shadcn's variants trimmed to `default`, `outline` and `link`, restyled to the prototype pill. `border-transparent` lives on the `default` variant rather than the base, because on the base it competed with the link variant's `border-copper` and the class merge kept the wrong one.

Header (`SiteHeader.tsx`, `NavMenu.tsx`) - the header is a server component. `NavMenu` is the single client component, owning the burger's open state and reading `usePathname` for `aria-current`. It wraps the nav and the CTA cluster in a `display: contents` div so the header's flex layout positions them, and takes the phone link and Book button as `children` rendered on the server. The menu closes on link click and on Escape. Closing on route change through an effect was avoided because it trips the set-state-in-effect lint rule.

Footer (`SiteFooter.tsx`) - dark band in light, `dark-surface` in dark so it still separates from the page; the giant wordmark is one step lighter than whichever band it sits on. Internal links use `next/link`, external ones a plain anchor. No newsletter, Privacy, Terms or Square: none map to a Phase 1 feature.

Interim home (`app/page.tsx`) - the prototype hero copy inside the primitives so the shell is observable now. Feature 3 replaces it.

Removed - the five create-next-app SVGs in `public/`, the Geist fonts, the scaffold's oklch palette and its `dark:` utilities.

Checks run - `npm run lint` and `npm run build` (/ prerendered static). In the browser at `localhost:3000` : light and dark grounds, font resolution, copper values, 375px burger open, Escape, close, 1280px nav row with phone and no burger, footer contents and hrefs, `document.title` , no console errors.