

Feature: Home page

From build-plan: feature 3

Branch: `feature/home-page`

Goal

Replace the placeholder with the real home page: the thing the Instagram bio link actually lands on. Hero, the three services, her story, FAQ and the booking call to action, in both languages, with its own structured data.

First content item. Everything before this was frame.

Design reference

- `prototypes/home.html` - the full mockup, sections `.hero` , `.band` , `.band.story` , `.band.final` . Its copy is the English draft for this feature.
- `prototypes/theme.css` - already ported; use the tokens in `globals.css` , not this file.

In scope

- **Hero** - eyebrow, headline, the selling paragraph, two calls to action, and the "or send a DM" line.
- **Three service cards** - name and one-line description each, colour-coded, linking to their service pages.
- **Her story** - the training paragraph and the building-from-scratch paragraph.
- **FAQ** - the five questions from the mockup, as native `<details>` .
- **Final booking band** - the closing call to action.
- **Service and FAQ data**, typed so a key with no label fails the build.
- **FAQPage JSON-LD**, per locale, generated from the same FAQ data.
- Spanish for all of the above.

Out of scope

- **Prices**. The mockup carries twelve figures from `$5` to `$110` . **Every one was invented during prototyping; Dani has never been asked**. Publishing them is not placeholder text, it is wrong information a visitor could book against. The build plan assigns prices to item 5, which is where they belong.

- **The gallery teaser.** It is photographs, and there are none. ImageKit is not configured and no work photos exist in the repo. Item 4.
- **The hero photograph.** Same reason - see Open questions, because it changes how this page looks.
- **LocalBusiness JSON-LD**, sitemap, robots. Item 9.
- **The contact form.** The CTA links to `/contact` ; item 7 builds it.

Build loop

`workflow.stepReview` is `feature` : build all four steps, then one review.

`workflow.checkpointCommits` is `disabled` . `/complete` makes the commit.

No `Verify` script. Gate each step on `npm run lint` then `npm run build` , and run both once more at the end.

Build steps

- ☒ **1. Service and FAQ data, typed**

`data/services.ts` : three entries with `id` (`nails` | `lashes` | `makeup`), `order` and `href` . Shared facts only - no prices, no treatments. Item 5 adds those.

`data/faq.ts` : five entries with `key` , `order` , and `serviceId` of `null` (all five are site-wide). The shape carries `serviceId` now because item 5 may add per-service FAQs and the structured data should not need reshaping then.

Dictionary gains `services` (name and blurb per service) and `faq` (question and answer per key). **Keyed objects, not arrays.** An array of FAQs would slip past the missing-string build error, because array length is not type-checked.

No `as keyof` anywhere. Derive `ServiceKey` and `FaqKey` from the dictionary exactly as `NavKey` and `FooterKey` are derived. The last fix exists because a cast in a lookup shipped three empty links; do not add a fourth lookup that can do the same.

Done when: `npm run lint` and `npm run build` exit 0; no new `as keyof` in `components/` or `app/` ; and renaming one service or FAQ key to a name with no dictionary entry fails the build naming it. Restore the key afterwards.

- ☒ **2. Hero and the three service cards**

Replace the placeholder in `app/[locale]/page.tsx` . The page stays a server component; nothing here needs the client.

Hero: eyebrow, `h1` with the gradient span, the selling paragraph, a primary CTA to `/contact` and a secondary to `/gallery` , then the Instagram line as plain prose - **not a link**, because the handle is still unknown and a dead link is worse than a sentence.

Service cards: colour-coded per the locked accent tokens. **Colour is not the only cue** - each card carries its name as text, so the page works in greyscale and for a colourblind visitor.

Done when: build passes; `/` and `/es` both render hero and three cards with real copy in the right language; exactly one `h1` per page; the three cards link to `/nails`, `/lashes`, `/makeup` and their `/es` equivalents.

- ☒ **3. Her story, the FAQ, and FAQPage JSON-LD**

Story band: the two paragraphs, in her first person.

FAQ: native `<details>` / `<summary>`. No JavaScript, no client component, and it works with JS off.

Emit `FAQPage` JSON-LD from the same `data/faq.ts` and dictionary, so the markup and the structured data cannot disagree. The Spanish page emits the Spanish questions and answers.

Done when: build passes; both locales show five questions that open and close without JavaScript; the JSON-LD in each page's source contains five `Question` entries whose text matches the rendered text in that locale.

- ☒ **4. Final booking band and section rhythm**

The closing CTA band, plus the section spacing and glow treatment from the mockup so the page reads as one piece rather than five stacked blocks.

Glows use the `--glow-*` tokens already in `globals.css`. Any animation is CSS and must stop under `prefers-reduced-motion: reduce`; the ticker is the existing example.

Done when: build passes; the page reads top to bottom at 375px and 1280px with no horizontal scroll; and with reduced motion on, nothing moves.

Files / areas

| Path | Change | |---|---| | `app/[locale]/page.tsx` | The real page, replacing the placeholder | | `components/home/*.tsx` | New: `Hero`, `ServiceCards`, `Story`, `Faq`, `BookingBand` | | `data/services.ts` | New | | `data/faq.ts` | New | | `dictionaries/en.ts`, `es.ts` | `services`, `faq`, hero and story copy | | `lib/schema.ts` | New: the `FAQPage` JSON-LD builder |

Per the standards, components live in `components/[feature]/`, so `home/` rather than adding to `shell/`.

Data / contracts

Two contracts later items inherit:

1. `data/services.ts` is the service list. Item 5 extends each entry with `treatments`; it does not create a second list. `id` doubles as the accent token key, which is what keeps colour meaning the same thing on every page.
2. **FAQ lives in one place and renders twice** - visible markup and JSON-LD - from the same data. They cannot drift.

Both follow the established split: `data/` holds ids, order and hrefs; `dictionaries/` holds every word a visitor reads.

Testing

No test runner is configured; this item adds none. `lib/schema.ts` is the one piece with real logic and would be a reasonable first unit test if you run `/tests` first.

Verification is `npm run lint` and `npm run build`, plus each `Done when`. The rendered checks in steps 2, 3 and 4 need the deployed preview or `npm run dev`.

Check the rendered page, not just the build. Both bugs that reached production so far - the invisible mobile menu and three empty footer links - passed lint, build and output greps. Someone opened the page and saw them.

Notes for the AI

- Server components throughout. Nothing on this page needs the client; `<details>` is native.
- Read `node_modules/next/dist/docs/01-app/` before writing metadata or structured data rather than recalling the API.
- The mockup is raw CSS. Port the intent into Tailwind against the existing tokens; do not copy its stylesheet.
- A component never contains a business fact. The dictionary may - it is per-project data, same as `siteConfig`.
- The four accents keep their meanings: pink nails, violet lashes, orange makeup.
- Every visitor-facing string comes from a dictionary, in both locales, or the build fails. That guarantee is the point of item 2; do not add a fallback.

Open questions

1. **The hero ships without its photograph, and that changes how the page looks.** The mockup's hero is a 380px image block, and "photography carries it" is a locked decision in section 7. There are two photos in `prototypes/img/` but no ImageKit configuration, and the standards say images go through ImageKit rather than `public/`. So the hero will be type-led until item 4. Worth seeing before deciding whether item 4 should move sooner. 2. **The Spanish copy is a draft again.** The English comes from the mockup, whose own footer calls it "placeholder content, nothing here is final", and the Spanish will be my translation of it. Both need Dani. Recorded so that "real copy" in the definition of done is not read as "approved copy". 3. **"Book with Dani" carries her name into the dictionary.** That is allowed - dictionaries are per-project data, like `siteConfig` - but a second client would edit it. Noting it so the template rule is not misread as broken.

Status: verified against build output, not against a rendered page

`npm run lint` exit 0, `npm run build` exit 0.

| Check | Result | |---|---| | New `as keyof` | **zero** in `app/` , `components/` , `lib/` , `data/` (one match is a comment explaining why not to) | | `h1` per page | exactly 1, both locales | | FAQ entries | 5 `<details>` , both locales | | FAQPage JSON-LD | 5 `Question` entries, both locales | | Schema vs rendered | every schema question appears as a rendered `<summary>` , every answer appears in the page text, in that locale | | Copy volume | ~411 words English, ~421 Spanish, all from the dictionaries | | New animation | none, so nothing new to stop under reduced motion |

Both new key spaces are guarded. Renaming a service to `lashez` and an FAQ key to `cancelation` failed the build:

```
TS2820: Type '"lashez"' is not assignable to '"nails" | "lashes" | "makeup"'
TS2322: Type '"cancelation"' is not assignable to
      '"booking" | "duration" | "location" | "cancelling" | "hair"'
```

Both restored.

Departures from the spec

1. **The service card no longer carries a coloured tagline above its name.** The mockup has one, and reproducing it meant printing the service name twice in the same card. The accent is now a rule across the top of the card instead: colour still present, name once. 2. **The card link reads "See more" rather than "See the work".** It points at the service page, not the gallery, and the mockup's label would have sent the wrong signal. 3. **The final band's Instagram button renders only when the handle is set,** the same conditional the footer uses. The markup is in place, so it appears the day the handle lands rather than needing a code change.

Not verified

The three rendered done-whens: the page at 375px and 1280px, no horizontal scroll, and the `<details>` opening without JavaScript. All need a running server or the deployed preview.

This matters more than usual here. Both bugs that reached production so far passed lint, build and output greps, and were found by opening the page. This is the first item that is mostly layout and copy.

Implementation walkthrough

`data/services.ts` and `data/faq.ts` - ids, not words

Both follow the split the earlier items settled: `data/` holds ids, order and hrefs; `dictionaries/` holds every word a visitor reads. Both key types are derived from the dictionary, so a service or question with no label is a compile error.

`faq` is a keyed object rather than an array of strings, and that was a deliberate choice rather than a stylistic one. An array would have slipped past the missing-translation guarantee from feature 2: array *length* is not type-checked, so a Spanish list with four entries where English has five would compile and ship a page that silently drops a question.

`FaqItem.serviceId` is `null` on all five. It exists now because item 5 may add per-service questions, and the structured data should not need reshaping then.

`components/home/Band.tsx` - the section chrome

One `Band` wrapper carrying padding, the optional tinted background and the glow. The glow is three blurred blobs positioned absolutely, coloured and blurred entirely from the `--glow-*` tokens.

Keeping the blur radius in a token rather than the markup is what makes light mode work: section 7's rule is "glow becomes tint", and `.light` already sets `--glow-blur: 0` with pale fills. Hardcoding `blur(90px)` in a component would have quietly broken that the day someone switches the theme on.

`BandHead` and `Hot` exist so the eyebrow/heading/lede rhythm and the gradient text treatment are written once.

`components/home/ServiceCards.tsx` - colour as navigation

The accent is keyed off `service.id`, so pink cannot drift away from nails.

Colour is never the only cue. Each card carries its name as text, so the page still works in greyscale and for a colourblind visitor - the accent reinforces, it does not carry the meaning.

The mockup puts a coloured tagline above the card heading. Reproducing it meant printing the service name twice in the same card, so the accent became a rule across the top of the card instead. Colour still present, name once.

The card's link says "See more" rather than the mockup's "See the work", because it goes to the service page and not the gallery.

`components/home/Faq.tsx` and `lib/schema.ts` - one source, two outputs

Native `<details>` / `<summary>`. No JavaScript, no client component, and the browser supplies the keyboard and screen-reader behaviour.

The `FAQPage` JSON-LD is generated from the same `data/faq.ts` and the same dictionary the visible list renders from. That is the point: structured data usually goes stale because it is a second copy of the page's content, and here there is no second copy to fall behind.

`jsonLd()` escapes `<` before serialising. Nothing in these dictionaries contains `</script>` today, but that is the one stray character that ends the tag early and dumps the rest of the page into the document rather than just rendering oddly.

`components/home/Hero.tsx` - what is missing, and why

The mockup's hero has a 380px photograph beside the type. There is none: ImageKit is not configured and no work photos are in the repo. The hero is type-led until item 4.

That is a visible compromise, not an oversight, and it is the single biggest argument for moving item 4 sooner. "Photography carries it" is a locked decision in section 7, and this page is currently carrying itself.

The "or send a DM on Instagram" line is prose rather than a link, because the handle is still unknown. The final band's Instagram button uses the same conditional the footer does: the markup is in place and renders the day the handle lands in `siteConfig`.

What was verified, and what was not

Build-level everything: lint and build clean, zero new `as keyof`, one `h1` per page, five `<details>` per locale, five `Question` entries in the JSON-LD per locale, and every schema question and answer present verbatim in that locale's rendered text. Both new key spaces were broken on purpose - `lashez` and `cancellation` - and both failed the build by name.

The page itself was never rendered. Layout at 375px and 1280px, horizontal overflow, and `<details>` opening without JavaScript are all unobserved. No server was running and this branch had no preview at the time of completion.

That is worth reading alongside the two bugs already in `blueprint/history/fixes/`: the invisible mobile menu and three empty footer links both passed lint, build and output greps, and both were found by opening the page. This item is mostly layout and copy, which is the category where that gap bites hardest.