Week 1 Quiz

The due date for this quiz is Sun 13 Jul 2014 4:30 PM PDT.

Introduction

This first quiz will check your ability to execute basic operations on objects in R and to understand some basic concepts. For questions 11–20 you will need to load a dataset into R and do some basic manipulations in order to answer the questions on the quiz.

You may want to print a copy of the quiz questions to look at as you work on the assignment. It is recommended that you save your answers as you go in the event that a technical problem should occur with your network connection or computer. Ultimately, you must submit the quiz online to get credit!

Data

The zip file containing the data for questions 11–20 in this Quiz can be downloaded here:

Week 1 Quiz Data

For this assignment you will need to unzip this file in your working directory.

✓ In accordance with the Coursera Honor Code, I (Frankfurt Ogunfunminiyi) certify that the answers here are my own work.
Thank you!


Question 1

R was developed by statisticians working at

- StatSci
- Microsoft
- Harvard University
- The University of Auckland

Question 2

The definition of free software consists of four freedoms (freedoms 0 through 3). Which of the
following is NOT one of the freedoms that are part of the definition?
The freedom to prevent users from using the software for undesirable purposes.
The freedom to study how the program works, and adapt it to your needs.
The freedom to improve the program, and release your improvements to the public so that
The freedom to improve the program, and release your improvements to the public, so that the whole community benefits.
The freedom to redistribute copies so you can help your neighbor.
Question 3
In R the following are all atomic data types EXCEPT
onumeric numeric
o data frame
character
o complex
Question 4
Question 4 If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the
If I execute the expression $x <-4$ in R, what is the class of the object \hat{x}' as determined by the
If I execute the expression $x <-4$ in R, what is the class of the object `x' as determined by the `class()' function?
If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the `class()' function? • numeric
If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the `class()' function? numeric real
If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the `class()' function? numeric real vector
If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the `class()' function? numeric real vector
If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the `class()' function? numeric real vector
If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the `class()' function? onumeric real vector list
If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the `class()' function? onumeric real vector list Question 5
If I execute the expression x <- 4 in R, what is the class of the object `x' as determined by the `class()' function? numeric real vector list Question 5 What is the class of the object defined by x <- c(4, TRUE)?



- elements of a vector can be of different classes
- the length of a vector must be less than 32,768
- elements of a vector can only be character or numeric
- elements of a vector all must be of the same class

Question 8

Suppose I have a list defined as $x \leftarrow list(2, "a", "b", TRUE)$. What does x[[1]] give me?

- a character vector containing the element "2".
- a list containing a numeric vector of length 1.
- a numeric vector containing the element 2.
- a list containing the letter "a".

Question 9

Suppose I have a vector x <- 1:4 and y <- 2:3. What is produced by the expression x + y?

- an numeric vector with the values 3, 5, 5, 7.
- an integer vector with the values 3, 5, 5, 7.
- an integer vector with the values 3, 5, 3, 4.
- an error.

Question 10

Suppose I have a vector x <- c(3, 5, 1, 10, 12, 6) and I want to set all elements of this vector that are less than 6 to be equal to zero. What R code achieves this?

- x[x == 0] < -6
- x[x %in% 1:5] <- 0</p>
- x[x < 6] == 0

Question 11

In the dataset provided for this Quiz, what are the column names of the dataset?

- 0 1, 2, 3, 4, 5, 6
- Ozone, Solar.R, Wind, Temp, Month, Day
- Month, Day, Temp, Wind
- Ozone, Solar.R, Wind

Question 12

Extract the first 2 rows of the data frame and print them to the console. What does the output look like?

Ozone Solar.R Wind Temp Month Day
1 41 190 7.4 67 5 1
2 36 118 8.0 72 5 2

Ozone Solar.R Wind Temp Month Day
1 9 24 10.9 71 9 14
2 18 131 8.0 76 9 29

Ozone Solar.R Wind Temp Month Day
1 18 224 13.8 67 9 17
2 NA 258 9.7 81 7 22

Ozone Solar.R Wind Temp Month Day
1 7 NA 6.9 74 5 11
2 35 274 10.3 82 7 17

Question 13

How many observations (i.e. rows) are in this data frame?

45

160

O 129

153

Question 14

Extract the *last* 2 rows of the data frame and print them to the console. What does the output look like?

Ozone Solar.R Wind Temp Month Day
152 34 307 12.0 66 5 17
153 13 27 10.3 76 9 18

Ozone Solar.R Wind Temp Month Day 152 18 131 8.0 76 9 29 153 20 223 11.5 68 9 30

\bigcirc		0zone	Solar.R	Wind	Temp	Month	Day
	152	31	244	10.9	78	8	19
	153	29	127	9.7	82	6	7

Ozone Solar.R Wind Temp Month Day
152 11 44 9.7 62 5 20
153 108 223 8.0 85 7 25

Question 15

What is the value of Ozone in the 47th row?

- 34
- 63
- 21
- 18

Question 16

How many missing values are in the Ozone column of this data frame?

- 78
- 37
- 43
- 9

Question 17

What is the mean of the Ozone column in this dataset? Exclude missing values (coded as NA) from this calculation.

- 42.1
- 31.5
- 0 18.0

O 53.2
Question 18
Extract the subset of rows of the data frame where Ozone values are above 31 and Temp values
are above 90. What is the mean of Solar.R in this subset?
O 212.8
O 205.0
○ 334.0
O 185.9
Question 19
What is the mean of "Temp" when "Month" is equal to 6?
○ 75.3 ○ 85.6
○ 85.6○ 90.2
O 79.1
75.1
Question 20
What was the maximum ozone value in the month of May (i.e. Month = 5)?
O 97
O 115
O 100
○ 18

☑ In accordance with the Coursera Honor Code, I (Frankfurt Ogunfunminiyi) certify that the answers here are my own work.

Thank you!

Submit Answers

Save Answers