
Frank Henry

Cyber Attack Analysis

June 2nd, 2026

Critical Wing FTP Server Vulnerability (CVE-2025-47812) Actively Being Exploited in the Wild

This article is based on a security flaw in the Wing FTP Server. It was allowing an “Anonymous” user to retain login credentials and input Lua code. Lua code is a small,fast, plug-and-play language that's designed to be injected directly into other software. Because it was anonymous, it was allowing access without any password to their web interface. The incident was tested by RCE Security Pen-Testing team, and they discovered some mysterious code. This **attack type** is called remote code execution via injection. This flaw has a maximum CVSS score of 10.0. The vulnerability was recorded by security researcher Julien Ahrens on June 30, 2025.



Source: “What the NULL?! Pre-Auth Wing FTP Server RCE … | RCE Security”

“The vulnerability combines a null byte injection flaw with Lua **code injection**, allowing attackers to bypass authentication checks and inject arbitrary commands into server session files.”(Wing FTP Server Vulnerability Actively Exploited - 2000+ Servers Exposed Online). A null byte is like adding a \0 to the end of any username which allows access to the server because the computer reads it as the end of the text, like an invisible stop sign. The null byte allows these Lua code injections and has since been patched with v7.4.4. Since the vulnerability was found on June 30, 2025, by July 1st of 2025, there were threat actors actively exploiting from different IP Addresses. It seems that they were not sufficient enough in hacking to bypass Microsoft Defender, so there was no major damage reported by the company. If users haven’t upgraded to v7.4.4 yet, they are highly urged to update immediately or else the vulnerability still exists to their systems.

To mitigate this from happening, the company should have had an MFA in place, whether through a text message or an email. Therefore, at least any login whether a password was needed or not, they would have had to confirm authentication with an extra step.

What the company did with v7.4.4 was the proper way to get to the root cause. They implemented **Input Sanitization**, which stripped and rejected null bytes from ANY user.

Other companies can learn from these mistakes because web servers should always reject null bytes. Null bytes give access because the computer can't comprehend that users are being malicious by entering and injecting code. It's like me having access to classified documents because I was able to copy someone's clearance badge, although I'm not qualified. Luckily Wing FTP had pen-testers on call to figure this out for them and get it patched before something worse happened to the company itself, or its clients. Which is another way to protect yourself, have pen-testing either on payroll or use a third party source. It is their job to figure out these discrepancies in the code to prevent malicious behavior.

Source List

Critical Wing FTP Server Vulnerability (CVE-2025-47812) Actively Being Exploited in the Wild

What the NULL?! Pre-Auth Wing FTP Server RCE … | RCE Security

Wing FTP Server Vulnerability Actively Exploited - 2000+ Servers Exposed Online

NVD - CVE-2025-47812

CVE-2025-47812 Mitigation Script - Remote Code Execution Vulnerability in Wing FTP Server - vsociety