

Base Rate: COVID-19 Hospitalisations


Frank Jung

07 Feb 2026

Contents

COVID-19 Hospitalisations	2
Understanding the Numbers	3
The Base Rate Fallacy	4
Death Rates	5
Conclusion	6
References	6

Base rate: COVID-19 Hospitalisations



Frankly Speaking ...

COVID-19 Hospitalisations

COVID-19 hospitalisation data is openly reported but the information provided is being misrepresented. Take for example the following Facebook post:

While accurate with regards to the numbers, Peter is implying that vaccination does not work as more people are in hospital who have been vaccinated than those that have not. This is a misrepresentation because the emphasis Peter makes is on the *absolute number* rather than the rate of hospitalisations among vaccinated versus unvaccinated individuals.

As an example let's use some data approximately based on the figures available from the same source as Peter's, namely NSW health.

```
# Population data (per 1,000 people for rate calculation)
total_population <- 1000
vaccination_rate <- 0.929 # 92.9% vaccination rate in NSW, Jan 2022
```

NSW DEATHS - yesterday - 21 out of 24 had received AT LEAST ONE SHOT!! - only two deaths below 65 years, one had two shots, the other had three !! #chasetruth

TODAY - 23 out of 29 deaths got the shots - only one death under 65

HEALTH.NSW.GOV.AU

News - COVID-19 (Coronavirus) statistics

Across NSW, more than 95 per cent of people aged 16 and over have received a...

COVID-19 vaccines go through many tests for safety and effectiveness and are then monitored closely.
Source: World Health Organization
[Get Vaccine Info](#)

Figure 1: Facebook 24 Jan 2022

```
vaccinated_population <- vaccination_rate * total_population
unvaccinated_population <- (1 - vaccination_rate) * total_population

# Hospitalisation numbers from NSW Health data
vaccinated_hospitalised <- 2627 + 215 # ICU + ward
unvaccinated_hospitalised <- 315 + 55 # ICU + ward

# Death numbers from NSW Health data
vaccinated_deaths <- 67
unvaccinated_deaths <- 21

unvaccinated_hospitalisation_rate <- unvaccinated_hospitalised / unvaccinated_population
```

Rate of unvaccinated in hospital is: 5.21 per 1,000 people.

```
vaccinated_hospitalisation_rate <- vaccinated_hospitalised / vaccinated_population
```

Rate of vaccinated in hospital is: 3.06 per 1,000 people.

```
hospitalisation_rate_ratio <- unvaccinated_hospitalisation_rate / vaccinated_hospitalisation_rate
```


Understanding the Numbers

The rates reveal a dramatically different picture from the absolute numbers:

- Unvaccinated hospitalisation rate: **5.21** per 1,000 people
- Vaccinated hospitalisation rate: **3.06** per 1,000 people
- **Unvaccinated people are hospitalised at 1.7 times the rate of vaccinated people**

Hospitalisation Rates per 1,000 People

Comparing vaccinated vs unvaccinated individuals




The Base Rate Fallacy

The base rate fallacy occurs when we ignore the base rate (the underlying proportion) of a population when evaluating statistics. In this case:

- **92.9%** of the population is vaccinated
- **7.1%** of the population is unvaccinated

When such a large proportion of the population is vaccinated, we would naturally expect more vaccinated people in absolute numbers, even if vaccination is highly effective. The key is to compare the **rates** within each group, not the raw counts.

Population Distribution by Vaccination Status



Death Rates


The pattern is even more pronounced when we examine death rates:

```
vaccinated_death_rate <- vaccinated_deaths / vaccinated_population
unvaccinated_death_rate <- unvaccinated_deaths / unvaccinated_population
death_rate_ratio <- unvaccinated_death_rate / vaccinated_death_rate
```

- Vaccinated death rate: 0.072 per 1,000.
- Unvaccinated death rate: 0.296 per 1,000.
- Unvaccinated are 4.1 times more likely to die from COVID-19.

Death Rates per 1,000 People

Comparing vaccinated vs unvaccinated individuals



Conclusion

The data clearly demonstrates that vaccination significantly reduces the risk of both hospitalisation and death from COVID-19. Unvaccinated individuals are hospitalised at approximately **1.7 times the rate** of vaccinated individuals, and die at approximately **4.1 times the rate**.

When evaluating public health statistics, it's essential to:

1. Consider **rates** rather than absolute numbers
2. Account for the **base rate** (population proportions)
3. Understand that with high vaccination coverage, vaccinated individuals may still represent larger absolute numbers in hospitals while having much lower risk

Focusing solely on absolute numbers, as in the Facebook post cited, leads to the base rate fallacy and fundamentally misrepresents the protective effect of vaccination.

References

- The Guardian: The simple numbers every government should use to fight anti-vaccine misinformation
- OurWorldInData: How do death rates from COVID-19 differ between people who are vaccinated and those who are not?
- COVID-19 WEEKLY SURVEILLANCE IN NSW, EPIDEMIOLOGICAL WEEK 01 ENDING 8 JANUARY 2022, Published 20 January 2022 - In this report, table 5 shows Hospitalisations, ICU admissions and deaths among cases diagnosed with COVID-19, by vaccination status, NSW, from 26 November 2021 to 8 January 2022.
- NSW Vaccination Status