Lab 9

Question 1



Question 2

```
frank@cis106:~$ echo "Total numbers of files in my home directory"
Total numbers of files in my home directory
frank@cis106:~$ cat file_report.txt
All files in my home directory
Total numbers of files in my home directory
0
frank@cis106:~$ ls -l ~ | grep -d skip * | wc -l
0
frank@cis106:~$
```

```
.config             grep             Pictures              UsersExport.csv                vscode.sh
Desktop             inClassActivity  .pki                  UsersExport.tsv                .vscode-shared
frank@cis106:~$ ls -A ~ | grep '*.*'
frank@cis106:~$ ls -A ~ > grep '*.*'
ls: cannot access '*.*': No such file or directory
frank@cis106:~$ ls -A ~ > grep .*
frank@cis106:~$ ls -A ~ | grep .* | wc -l
grep: .cache: Is a directory
grep: .config: Is a directory
grep: .dotnet: Is a directory
grep: .fonts: Is a directory
grep: .gnupg: Is a directory
grep: .local: Is a directory
grep: .mozilla: Is a directory
grep: .pki: Is a directory
grep: .ssh: Is a directory
grep: .vscode: Is a directory
grep: .vscode-shared: Is a directory
7
frank@cis106:~$ ls -A ~ | grep .* | wc -l >> file_report.txt
grep: .cache: Is a directory
grep: .config: Is a directory
grep: .dotnet: Is a directory
grep: .fonts: Is a directory
grep: .gnupg: Is a directory
grep: .local: Is a directory
grep: .mozilla: Is a directory
grep: .pki: Is a directory
grep: .ssh: Is a directory
grep: .vscode: Is a directory
grep: .vscode-shared: Is a directory
frank@cis106:~$ tail -10 file_report.txt
All files in my home directory
Total numbers of files in my home directory
0
Total number of directories in my home directory
7
frank@cis106:~$
```

Question 3

```
frank@cis106:~$ head -1 /etc/passwd
root:x:0:0:root:/root:/bin/bash
frank@cis106:~$ head -1 /etc/passwd; tail -1 /etc/passwd
root:x:0:0:root:/root:/bin/bash
vboxadd:x:997:1::/var/run/vboxadd:/bin/false
frank@cis106:~$ ls /etc/passwd
/etc/passwd
frank@cis106:~$ ls /etc/passwd
/etc/passwd
frank@cis106:~$ awk -F: '{print $1, $6, $7}' /etc/passwd
root /root /bin/bash
daemon /usr/sbin /usr/sbin/nologin
bin /bin /usr/sbin/nologin
sys /dev /usr/sbin/nologin
sync /bin /bin/sync
games /usr/games /usr/sbin/nologin
man /var/cache/man /usr/sbin/nologin
lp /var/spool/lpd /usr/sbin/nologin
mail /var/mail /usr/sbin/nologin
news /var/spool/news /usr/sbin/nologin
uucp /var/spool/uucp /usr/sbin/nologin
proxy /bin /usr/sbin/nologin
www-data /var/www /usr/sbin/nologin
backup /var/backups /usr/sbin/nologin
list /var/list /usr/sbin/nologin
irc /run/ircd /usr/sbin/nologin
_apt /nonexistent /usr/sbin/nologin
nobody /nonexistent /usr/sbin/nologin
systemd-network / /usr/sbin/nologin
dhcpcd /usr/lib/dhcpcd /bin/false
tss /var/lib/tpm /bin/false
systemd-timesync / /usr/sbin/nologin
messagebus /nonexistent /usr/sbin/nologin
dnsmasq /var/lib/misc /usr/sbin/nologin
avahi /run/avahi-daemon /usr/sbin/nologin
speech-dispatcher /run/speech-dispatcher /bin/false
usbmux /var/lib/usbmux /usr/sbin/nologin
cups-pk-helper /nonexistent /usr/sbin/nologin
fwupd-refresh /var/lib/fwupd /usr/sbin/nologin
geoclue /var/lib/geoclue /usr/sbin/nologin
gnome-remote-desktop /var/lib/gnome-remote-desktop /usr/sbin/nologin
saned /var/lib/saned /usr/sbin/nologin
```

```
frank@cis106:~$ awk -F: '{print $1, $6, $7}' /etc/passwd
root /root /bin/bash
daemon /usr/sbin /usr/sbin/nologin
bin /bin /usr/sbin/nologin
sys /dev /usr/sbin/nologin
sync /bin /bin/sync
games /usr/games /usr/sbin/nologin
man /var/cache/man /usr/sbin/nologin
lp /var/spool/lpd /usr/sbin/nologin
mail /var/mail /usr/sbin/nologin
news /var/spool/news /usr/sbin/nologin
uucp /var/spool/uucp /usr/sbin/nologin
proxy /bin /usr/sbin/nologin
www-data /var/www /usr/sbin/nologin
backup /var/backups /usr/sbin/nologin
list /var/list /usr/sbin/nologin
irc /run/ircd /usr/sbin/nologin
_apt /nonexistent /usr/sbin/nologin
nobody /nonexistent /usr/sbin/nologin
systemd-network / /usr/sbin/nologin
dhcpcd /usr/lib/dhcpcd /bin/false
tss /var/lib/tpm /bin/false
systemd-timesync / /usr/sbin/nologin
messagebus /nonexistent /usr/sbin/nologin
dnsmasq /var/lib/misc /usr/sbin/nologin
avahi /run/avahi-daemon /usr/sbin/nologin
speech-dispatcher /run/speech-dispatcher /bin/false
usbmux /var/lib/usbmux /usr/sbin/nologin
cups-pk-helper /nonexistent /usr/sbin/nologin
fwupd-refresh /var/lib/fwupd /usr/sbin/nologin
geoclue /var/lib/geoclue /usr/sbin/nologin
gnome-remote-desktop /var/lib/gnome-remote-desktop /usr/sbin/nologin
saned /var/lib/saned /usr/sbin/nologin
polkitd / /usr/sbin/nologin
rtkit /proc /usr/sbin/nologin
colord /var/lib/colord /usr/sbin/nologin
Debian-gdm /var/lib/gdm3 /bin/false
frank /home/frank /bin/bash
_flatpak /nonexistent /usr/sbin/nologin
vboxadd /var/run/vboxadd /bin/false
frank@cis106:~$
```

```
frank@cis106:~$ awk -F: '{print "The user: ",$1," logs in with: ",$6, "and is home is: ",$7}' /etc/passwd
The user:  root  logs in with:  /root and is home is:  /bin/bash
The user:  daemon  logs in with:  /usr/sbin and is home is:  /usr/sbin/nologin
The user:  bin  logs in with:  /bin and is home is:  /usr/sbin/nologin
The user:  sys  logs in with:  /dev and is home is:  /usr/sbin/nologin
The user:  sync  logs in with:  /bin and is home is:  /bin/sync
The user:  games  logs in with:  /usr/games and is home is:  /usr/sbin/nologin
The user:  man  logs in with:  /var/cache/man and is home is:  /usr/sbin/nologin
The user:  lp  logs in with:  /var/spool/lpd and is home is:  /usr/sbin/nologin
The user:  mail  logs in with:  /var/mail and is home is:  /usr/sbin/nologin
The user:  news  logs in with:  /var/spool/news and is home is:  /usr/sbin/nologin
The user:  uucp  logs in with:  /var/spool/uucp and is home is:  /usr/sbin/nologin
The user:  proxy  logs in with:  /bin and is home is:  /usr/sbin/nologin
The user:  www-data  logs in with:  /var/www and is home is:  /usr/sbin/nologin
The user:  backup  logs in with:  /var/backups and is home is:  /usr/sbin/nologin
The user:  list  logs in with:  /var/list and is home is:  /usr/sbin/nologin
The user:  irc  logs in with:  /run/ircd and is home is:  /usr/sbin/nologin
The user:  _apt  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  nobody  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  systemd-network  logs in with:  / and is home is:  /usr/sbin/nologin
The user:  dhcpcd  logs in with:  /usr/lib/dhcpcd and is home is:  /bin/false
The user:  tss  logs in with:  /var/lib/tpm and is home is:  /bin/false
The user:  systemd-timesync  logs in with:  / and is home is:  /usr/sbin/nologin
The user:  messagebus  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  dnsmasq  logs in with:  /var/lib/misc and is home is:  /usr/sbin/nologin
The user:  avahi  logs in with:  /run/avahi-daemon and is home is:  /usr/sbin/nologin
The user:  speech-dispatcher  logs in with:  /run/speech-dispatcher and is home is:  /bin/false
The user:  usbmux  logs in with:  /var/lib/usbmux and is home is:  /usr/sbin/nologin
The user:  cups-pk-helper  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  fwupd-refresh  logs in with:  /var/lib/fwupd and is home is:  /usr/sbin/nologin
The user:  geoclue  logs in with:  /var/lib/geoclue and is home is:  /usr/sbin/nologin
The user:  gnome-remote-desktop  logs in with:  /var/lib/gnome-remote-desktop and is home is:  /usr/sbin/nologin
The user:  saned  logs in with:  /var/lib/saned and is home is:  /usr/sbin/nologin
The user:  polkitd  logs in with:  / and is home is:  /usr/sbin/nologin
The user:  rtkit  logs in with:  /proc and is home is:  /usr/sbin/nologin
The user:  colord  logs in with:  /var/lib/colord and is home is:  /usr/sbin/nologin
The user:  Debian-gdm  logs in with:  /var/lib/gdm3 and is home is:  /bin/false
The user:  frank  logs in with:  /home/frank and is home is:  /bin/bash
The user:  _flatpak  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  vboxadd  logs in with:  /var/run/vboxadd and is home is:  /bin/false
frank@cis106:~$
```

```
frank@cis106:~$ cat report_users.txt
The user:  root  logs in with:  /root and is home is:  /bin/bash
The user:  daemon  logs in with:  /usr/sbin and is home is:  /usr/sbin/nologin
The user:  bin  logs in with:  /bin and is home is:  /usr/sbin/nologin
The user:  sys  logs in with:  /dev and is home is:  /usr/sbin/nologin
The user:  sync  logs in with:  /bin and is home is:  /bin/sync
The user:  games  logs in with:  /usr/games and is home is:  /usr/sbin/nologin
The user:  man  logs in with:  /var/cache/man and is home is:  /usr/sbin/nologin
The user:  lp  logs in with:  /var/spool/lpd and is home is:  /usr/sbin/nologin
The user:  mail  logs in with:  /var/mail and is home is:  /usr/sbin/nologin
The user:  news  logs in with:  /var/spool/news and is home is:  /usr/sbin/nologin
The user:  uucp  logs in with:  /var/spool/uucp and is home is:  /usr/sbin/nologin
The user:  proxy  logs in with:  /bin and is home is:  /usr/sbin/nologin
The user:  www-data  logs in with:  /var/www and is home is:  /usr/sbin/nologin
The user:  backup  logs in with:  /var/backups and is home is:  /usr/sbin/nologin
The user:  list  logs in with:  /var/list and is home is:  /usr/sbin/nologin
The user:  irc  logs in with:  /run/ircd and is home is:  /usr/sbin/nologin
The user:  _apt  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  nobody  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  systemd-network  logs in with:  / and is home is:  /usr/sbin/nologin
The user:  dhcpcd  logs in with:  /usr/lib/dhcpcd and is home is:  /bin/false
The user:  tss  logs in with:  /var/lib/tpm and is home is:  /bin/false
The user:  systemd-timesync  logs in with:  / and is home is:  /usr/sbin/nologin
The user:  messagebus  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  dnsmasq  logs in with:  /var/lib/misc and is home is:  /usr/sbin/nologin
The user:  avahi  logs in with:  /run/avahi-daemon and is home is:  /usr/sbin/nologin
The user:  speech-dispatcher  logs in with:  /run/speech-dispatcher and is home is:  /bin/false
The user:  usbmux  logs in with:  /var/lib/usbmux and is home is:  /usr/sbin/nologin
The user:  cups-pk-helper  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  fwupd-refresh  logs in with:  /var/lib/fwupd and is home is:  /usr/sbin/nologin
The user:  geoclue  logs in with:  /var/lib/geoclue and is home is:  /usr/sbin/nologin
The user:  gnome-remote-desktop  logs in with:  /var/lib/gnome-remote-desktop and is home is:  /usr/sbin/nologin
The user:  saned  logs in with:  /var/lib/saned and is home is:  /usr/sbin/nologin
The user:  polkitd  logs in with:  / and is home is:  /usr/sbin/nologin
The user:  rtkit  logs in with:  /proc and is home is:  /usr/sbin/nologin
The user:  colord  logs in with:  /var/lib/colord and is home is:  /usr/sbin/nologin
The user:  Debian-gdm  logs in with:  /var/lib/gdm3 and is home is:  /bin/false
The user:  frank  logs in with:  /home/frank and is home is:  /bin/bash
The user:  _flatpak  logs in with:  /nonexistent and is home is:  /usr/sbin/nologin
The user:  vboxadd  logs in with:  /var/run/vboxadd and is home is:  /bin/false
frank@cis106:~$
```