




Pet Store Swagger API Testing Users



Environment Variable





Create User



Get User



Update User



Delete User

Postman

File Edit View Help

Home Workspaces Reports Explore

Search Postman

Foundation Xam New Import

Collections

Petstore.swagger

POST Create User

GET Get User

PUT Update User

DEL Delete User

Petstore.swagger / Delete User

DELETE {{baseUrl}}/user/string

Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings

Headers 6 hidden

KEY	VALUE	DESCRIPTION	Bulk Edit	Presets
Accept	application/json			
Key	Value	Description		

Body Cookies Headers (8) Test Results (1/1)

200 OK 1081 ms 374 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "string"
5 }
```

Find and Replace Console

Bootcamp Runner Trash

Type here to search

32°C 2:44 PM 12/22/2023

Postman

File Edit View Help

Home Workspaces Reports Explore

Search Postman

Foundation Xam New Import

Collections

Petstore.swagger

POST Create User

GET Get User

PUT Update User

DEL Delete User

Petstore.swagger / Delete User

DELETE {{baseUrl}}/user/string

Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings

1 pm.test("Status code is 200", function () {
2 pm.response.to.have.status(200);
3 });

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

SNIPPETS Send a request Status code: Code is 200

Body Cookies Headers (8) Test Results (1/1)

200 OK 1081 ms 374 B Save Response

All Passed Skipped Failed

PASS Status code is 200

Find and Replace Console

Bootcamp Runner Trash

Type here to search

32°C 2:44 PM 12/22/2023