Referência	SIGP	Vitruvio	Diferença
290	876.95	0.0	876.95
201	4096.59	3984.67	111.920000000000007
266	0.0	1283.95	-1283.95

Referência	SIGP	Vitruvio	Diferença
201	712.52	0.0	712.52

Referência	SIGP	Vitruvio	Diferença
201	154.88	154.89	-0.009999999999990905

Referência	SIGP	Vitruvio	Diferença
201	1180.33	1180.34	-0.009999999999990905

Referência	SIGP	Vitruvio	Diferença
238	1890.41	1890.4099999999999	2.2737367544323206e-13

Referência	SIGP	Vitruvio	Diferença
145	2856.85	0.0	2856.85
290	245.87	296.27	-50.3999999999998
100	0.0	2856.85	-2856.85
103	0.0	419.96	-419.96
201	37.42	76.68	-39.2600000000000005

Referência	SIGP	Vitruvio	Diferença
201	71.95	37.42	34.53

Referência	SIGP	Vitruvio	Diferença
201	146.94	146.95	-0.009999999999990905

Referência	SIGP	Vitruvio	Diferença
201	506.91	50.92	455.99

Referência	SIGP	Vitruvio	Diferença
100	3371.12	3209.21	161.9099999999985
134	303.4	288.83	14.56999999999993
103	314.53	299.42	15.10999999999957
200	514.43	489.73	24.69999999999932
201	122.35	97.32	25.03

Referência	SIGP	Vitruvio	Diferença
131	1561.95	1486.93	75.0199999999998
100	3371.12	3209.21	161.9099999999985
134	303.4	288.83	14.56999999999999
103	1011.34	962.76	48.58000000000004
200	514.43	489.73	24.69999999999932
201	691.72	615.99	75.73000000000002

Referência	SIGP	Vitruvio	Diferença
134	136.94	0.0	136.94
1001	0.0	136.94	-136.94
144	1817.12	2746.79	-929.6700000000001

Referência	SIGP	Vitruvio	Diferença
100	3371.12	3209.21	161.9099999999985
134	303.4	288.83	14.56999999999993
200	514.43	489.73	24.69999999999932
201	103.61	80.85	22.760000000000005