

Quiz: Representing Content

[Reset Quiz](#)

By Brandon Gigous

Question 1 of 5

The `current_user._get_current_object()` method can be used to retrieve the current user instead of querying the database because it is already wrapping the user object.



True



False

Great job!

Yes! The `current_user` object is a convenient way to grab the current user object without querying the database.

[Previous Question](#)[Next Question](#)

Quiz: Representing Content

[Reset Quiz](#)

By Brandon Gigous

Question 2 of 5

To have a requirements file import another file's dependencies:



copy the file and add the dependencies you need.



ask your cat how many licks it takes to get to the center of the earth.



make a folder with requirements and add `-r <folder>` to the file inside.



add `-r <name of other file>` to the first requirements file.

You're a legend!

Yep! Just like you would use `-r` in a `pip install` command, you can also use it in a requirements file to import other dependencies.

[Previous Question](#)[Next Question](#)

Quiz: Representing Content

[Reset Quiz](#)

By Brandon Gigous

Question 3 of 5

The Faker library should be included as a dependency to production.



True



False

You're a brainiac!

Correct! Faker should not be included in a production build because the library is only needed to create content during development and debugging.

[Previous Question](#)[Next Question](#)

Quiz: Representing Content

[Reset Quiz](#)

By Brandon Gigous

Question 4 of 5

While an instance of the SQLAlchemy `Pagination` object contains all accessible data across pages, its `items` attribute contains the data in a particular page.



True



False

You're unbeatable!

Yes, and the page is determined by the `paginate()` query function, which returns a `Pagination` object.

[Previous Question](#)[Next Question](#)

Quiz: Representing Content

[Reset Quiz](#)

By Brandon Gigous

Question 5 of 5

A slug can't contain anything other than an identity for the resource and a readable string in order to be considered a slug.



True



False

You're a genius!

A slug can contain any combination of identifiers and a readable string!

[Previous Question](#)[Finish Quiz](#)