Safety summary: CDISC pilot pipeline

Table 1. Demographics (safety population)

	Placebo	Xan.High	Xan.Low
Age, mean (SD)	75.2 (8.6)	73.8 (7.9)	76.0 (8.1)
Sex: F	53 (61.6%)	35 (48.6%)	55 (57.3%)
Sex: M	33 (38.4%)	37 (51.4%)	41 (42.7%)

Table 2. Top 10 treatment-emergent adverse events

Subjects, n (%). Percentages use the safety-population N per arm.

Preferred term	Placebo	Xan.High	Xan.Low
PRURITUS	8 (9.3%)	25 (34.7%)	21 (21.9%)
APPLICATION SITE PRURITUS	6 (7.0%)	21 (29.2%)	23 (24.0%)
ERYTHEMA	8 (9.3%)	14 (19.4%)	14 (14.6%)
APPLICATION SITE ERYTHEMA	3 (3.5%)	14 (19.4%)	13 (13.5%)
RASH	5 (5.8%)	8 (11.1%)	13 (13.5%)
APPLICATION SITE DERMATITIS	5 (5.8%)	7 (9.7%)	9 (9.4%)
APPLICATION SITE IRRITATION	3 (3.5%)	9 (12.5%)	9 (9.4%)
DIZZINESS	2 (2.3%)	10 (13.9%)	9 (9.4%)
DIARRHOEA	9 (10.5%)	3 (4.2%)	5 (5.2%)
SINUS BRADYCARDIA	2 (2.3%)	8 (11.1%)	7 (7.3%)

Figure 1. Age by treatment arm





Figure 2. Top 10 treatment-emergent AEs by arm



Source: `study.sqlite`*, pipeline run 20261025155721. Lineage: RAW to SDTM to ADSL to TFL.*