Causal methods with observational data

Francisco Villamil

Research Design for Social Sciences
MA Computational Social Science, UC3M
Fall 2024

Roadmap

Intro and overview

Methods in brief

Paper discussion

Re-cap and essay guidelines

Re-cap

- 1. Problem/topic
- 2. Stories, arguments about mechanisms
- 3. Research question
- 4. Proper theory, concepts and operationalization
- 5. Measurement, unit of analyses, data sources, etc
- 6. Inference strategy
- 7. Results & interpretation

3/49

Methods and causal inference

- Most of the time is impossible to control for all relevant variables (i.e. not able to close all back-door paths)
- So what do we do? We try to find ways to control for unobserved confounding
- One option is to rely on additional controlling techniques
 - \rightarrow Matching: also depends on observables, but parametric advantages, etc (anyway, not a solution for U)
 - Fixed effects: can control for group-level unobservables, and correct issues related to ecological fallacy


Lecture 4: Causal methods 4/49

Methods and causal inference

- Another option is to find a source of exogenous variation and exploit
- There are a few methods related to causal inference not because they uncover causal relationships but because they are designed to exploit 'typical' exogenous sources of variation
- Situations where there is something that introduces variation in the treatment that is independent from confounders and you can exploit to analyse
 - → Same as randomization (of treatment assignment) in experiments
- (In H-K's *The Effect*, they're called 'template causal diagrams')


Lecture 4: Causal methods 5/49

Exogenous variation



Lecture 4: Causal methods 6/49

Exogenous variation



Lecture 4: Causal methods 7/49

Methods and causal inference

- Five techniques commonly used in causal inference
 - → two of them use for controlling (closing back-doors), and the other three to exploit 'pre-made' causal models
 - \rightarrow btw, what is controlling? when you control for Z, you remove the variation in X and Y that is *explained by Z* (see this)

Lecture 4: Causal methods 8/49

Methods and causal inference

- Five techniques commonly used in causal inference
 - ightarrow two of them use for controlling (closing back-doors), and the other three to exploit 'pre-made' causal models
 - \rightarrow btw, what is controlling? when you control for Z, you remove the variation in X and Y that is *explained by Z* (see this)
- 1. Fixed effects
- 2. Difference-in-differences
- 3. Regression discontinuity design
- 4. Instrumental variables
- Matching

Roadmap

Intro and overview


Methods in brief

Paper discussion


Re-cap and essay guidelines

- The problem with covariate adjustment is that we need to observe those variables, but we usually have unobserved confounders
- An strategy in that case is to try within-group comparisons, which blocks all group-wide confounding
- For example, imagine cases when our U variable is:
 - → city of origin, in an individual-level analysis; school effects in an analyses of students grades; individual background, in a panel survey analysis...
- It corrects for ecological fallacy (esp. Simpson's paradox)
- Estimation: dummy variable for each group


Lecture 4: Causal methods 10/49




Lecture 4: Causal methods 11/49




Lecture 4: Causal methods 12/49





Lecture 4: Causal methods 13/49







Lecture 4: Causal methods 15/49






Lecture 4: Causal methods 17/49







Lecture 4: Causal methods 19/49





- Treatments usually occur at a particular moment in time, e.g.:
 - → Minimum wage increase, terrorist attacks, influx of refugees, ...
- A naive idea would be to compare how it was *before* the treatment with how it is *after* the treatment, right?
 - ightarrow e.g. in municipalities that removed Francoist streets, how much did Vox grow between 2016 and 2019?
- or we could just compare treated vs control after treatment
 - \rightarrow e.g. did Vox get more votes in 2019 in municipalities that removed F streets?
- DiD idea: use a control group that works as a counterfactual for how much would Y have changed without treatment


Lecture 4: Causal methods 21/49











26/49

Difference-in-differences estimation

- You normally estimate it using a regression model (OLS or logit, depending on the outcome) on panel data
 - ightarrow each unit has one observation per period (at least, before/after treatment)
- Variables: time, group (treated or not), and their interaction

$$Y_{it} = \beta_0 + \beta_1 \operatorname{Treated}_i + \beta_2 \operatorname{After}_t + \beta_3 (\operatorname{Treated}_i \times \operatorname{After}_t) + \beta^\top \mathbf{x}_i + \epsilon_{it}$$

$$(1)$$

- Key assumption: control group is a good counterfactual
 - → checking parallel trends assumption

Lecture 4: Causal methods 27/49

- RDD works well when assignment into treatment depends on a cutoff along a running variable
 - → Do incumbent politicians have an electoral advantage? (vote share)
 - → What is the effect of being drafted into the military? (birth year)
 - ightarrow Effect of national policies in ethnic identification in Africa? (distance to colonial borders)
- The source of the exogenous variation:
 - → Although many variables confound the relationships between X and Y, nothing should be too different around the cutoff between treatment and control groups (local randomization assumption)

Lecture 4: Causal methods 28/49

Figure 2: RD Treatment Effect in Sharp RD Design






Figure 2: RD Treatment Effect in Sharp RD Design




• Key assumption: other confounders also vary along the running variable, but are independent to the *jump over cutoff*



Huntington-Klein, The Effect, p.508

Lecture 4: Causal methods 31/49

RDD estimates the LATE




Lecture 4: Causal methods

Threats in RDD


- Outcome → cutoff: what we study might actually affect cutoff (e.g. colonial borders and ethnic ID)
 - \rightarrow could also be a case of confounding, cutoff $\leftarrow Z \rightarrow$ outcome
- Precise sorting: maybe something is actually affecting sorting around the cutoff (next example)
- Causal effect independent of treatment: being above/below cutoff affects Y independent of the treatment we're interesting in

Lecture 4: Causal methods 33/49

Threats in RDD: precise sorting



Instrumental variables



• Probably closest idea to a 'natural experiment'

Lecture 4: Causal methods 35/49

Instrumental variables

- Find an exogenous source of variation in the treatment variable
 - \rightarrow e.g., we want to know the effect of protests on government action, and we use *rainfall* as an instrument
- Isolate that variation and use it to identify the causal effect
 - \rightarrow two-stage least squares, or 2SLS

Lecture 4: Causal methods

Instrumental variables

- Find an exogenous source of variation in the treatment variable
 - \rightarrow e.g., we want to know the effect of protests on government action, and we use *rainfall* as an instrument
- Isolate that variation and use it to identify the causal effect
 - → two-stage least squares, or 2SLS

Assumptions:

- Relevance: the instrument explains at least some part of the treatment variable
- Validity or exclusion restriction: no back door paths between the instrument and the outcome

Lecture 4: Causal methods 36/49

Matching

- Main idea behind matching: adding control variables is not the only way to control / close back doors
- When you use a subset selecting on a variable, you are controlling for that variable
 - → e.g. if you analyze income ← education and only use data from individuals who grew up in big cities, you are already controlling for urban/rural
- Matching builds on this, and it is essentially about keeping in the same only comparable observations, or matched pairs
- Example of Y ← Treatment matching on X

Lecture 4: Causal methods 37/49

Matching

- Normally you match treated units on a few control units (so you would get the ATT)
- But in some cases you do the opposite, because you have more treated units that control (and you get the ATC)
 - → Example from Ukraine survey paper
- Two basic approaches:
 - ightarrow Distance matching: you select observations that have similar values on the matching variables
 - Propensity score matching: we estimate the probability of being treated based on a set of variables, and then control/subset for that propensity score

Lecture 4: Causal methods 38/49

Overall inference strategy

- In ideal experimental setting, we actually don't need any sophisticated statistics
 - → We can just compare the *mean* of the treatment group and the *mean* of the control group, that's it

Lecture 4: Causal methods 39/49

Overall inference strategy

- In ideal experimental setting, we actually don't need any sophisticated statistics
 - → We can just compare the *mean* of the treatment group and the *mean* of the control group, that's it
- In observational data, these two types of tools (controlling + exploiting exogenous variation) are often used in combination
- But always remember these methods depend on a causal model
- Let's look at an example (from Huntington-Klein The Effect, kind of)


Lecture 4: Causal methods 39/49

- Q: Does pollution determine transport choice?
- And say we are going to observe variation across days

→ Outcome: car driving

→ Treatment: pollution levels

• Clear problem of endogeneity, no? (driving in t_{-1} , economic activity, etc)



Lecture 4: Causal methods 40/49

Chasing Clean Air: Pollution-Induced Travels in China


Shuai Chen, Yuyu Chen, Ziteng Lei, Jie-Sheng Tan-Soo

Abstract: This study uses "big" data to empirically investigate a highly effective, but underexamined way of reducing one's exposure toward air pollution—short-term travel. We determine subscribers' locations using mobile phones' signals and thereby establish linkages between air pollution and short-term population movements between cities in China. Using an instrumental variable based on daily variation in wind directions and pollution levels from distant upwind locations, we find that a one-unit increase in the origin city's air quality index (AQI) over the destination city's AQI increases short-term population flow from origin to destination by 0.15%. Further analyses provide richer characterizations of the decision-making process behind travel movements. Our findings add to the evidence base by examining in detail an understudied behavioral response toward air pollution.

JEL Codes: O15, Q53, Q56

• But it's not enough with wind direction, no?

• But it's not enough with wind direction, no?



(And city, in this case)

Lecture 4: Causal methods 42/49

- So in this case, we need to do two things:
- 1. Exploit exogenous variation
 - ightarrow In this case, using an instrumental variables approach, which isolates the variation in pollution which is explained by variation in wind direction

Lecture 4: Causal methods 43/49

- So in this case, we need to do two things:
- 1. Exploit exogenous variation
 - ightarrow In this case, using an instrumental variables approach, which isolates the variation in pollution which is explained by variation in wind direction
- 2. And control for weather, season, and city
 - ightarrow Using a regression with control variables, or matching, or fixed effects

Lecture 4: Causal methods 43/49

Roadmap

Intro and overview

Methods in brief

Paper discussion

Re-cap and essay guidelines

Paper discussion

Research Article



Do TJ policies cause backlash? Evidence from street name changes in Spain

Research and Politics
October-December 2021: I-7
The Author(s) 2021
Article reuse guidelines:
asgepub.com/journals-permissions
DOI: 10.1177/20531680211058550
journals.asgepub.com/home/rap

Francisco Villamil o and Laia Balcells2

Abstract

Memories of old conflicts often shape domestic politics long after these conflicts end. Contemporary debates about past civil wars and/or repressive regimes in different parts of the world suggest that these are sensitive topics that might increase political polarization, particularly when transitional justice policies are implemented and political parties mobilize discontentment with such policies. One such policy recently debated in Spain is removing public symbols linked to a past civil war and subsequent authoritarian regime (i.e., Francoism). However, the empirical evidence on its impact is still limited. This article attempts to fill this gap by examining the political consequences of street renaming. Using a difference-in-differences approach, we show that the removal of Francoist street names has contributed to an increase of electoral support for a new far-right party, Vox, mainly at the expense of a traditional right-wing conservative party, PP. Our results suggest that revisiting the past can cause a backlash among those ideologically aligned with the perpetrator, and that some political parties can capitalize on this.

Keywords

Transitional justice, voting, conflict memories, Spain

Lecture 4: Causal methods 45/49

Roadmap

Intro and overview

Methods in brief

Paper discussion

Re-cap and essay guidelines

• Groups? Send me an email before Oct 15th

Lecture 4: Causal methods

47/49

- Logistics:
 - \rightarrow 10-15 slots
 - \rightarrow 10min presentation + 10min feedback
 - $\,\rightarrow\,$ If less groups, we can increase time
- Questions?

- 1. Problem/topic
 - → unique to group, general issue
- 2. Stories, arguments about mechanisms
- 3. Research question
- 4. Proper theory, concepts and operationalization
- 5. Measurement, unit of analyses, data sources, etc
- Inference strategy
- 7. Results & interpretation

- 1. Problem/topic
- 2. Stories, arguments about mechanisms
 - \rightarrow testing an argument, testing 2 against each other
- 3. Research question
- 4. Proper theory, concepts and operationalization
- 5. Measurement, unit of analyses, data sources, etc
- Inference strategy
- 7. Results & interpretation

Lecture 4: Causal methods

- 1. Problem/topic
- 2. Stories, arguments about mechanisms
- 3. Research question
 - → operationalize the story you have in mind
- 4. Proper theory, concepts and operationalization
- 5. Measurement, unit of analyses, data sources, etc
- Inference strategy
- 7. Results & interpretation

- 1. Problem/topic
- 2. Stories, arguments about mechanisms
- 3. Research question
- 4. Proper theory, concepts and operationalization
 - → develop a proper argument with view to empirical test
- 5. Measurement, unit of analyses, data sources, etc
- Inference strategy
- 7. Results & interpretation

Lecture 4: Causal methods

- 1. Problem/topic
- 2. Stories, arguments about mechanisms
- 3. Research question
- 4. Proper theory, concepts and operationalization
- 5. Measurement, unit of analyses, data sources, etc
 - ightarrow ideally think about more than one strategy
- Inference strategy
- 7. Results & interpretation

- 1. Problem/topic
- 2. Stories, arguments about mechanisms
- 3. Research question
- 4. Proper theory, concepts and operationalization
- 5. Measurement, unit of analyses, data sources, etc
- 6. Inference strategy
 - $\,\rightarrow\,$ depends on previous steps: one per 'arm' or multiple strategies
- 7. Results & interpretation

- 1. Problem/topic
- 2. Stories, arguments about mechanisms
- 3. Research question
- 4. Proper theory, concepts and operationalization
- 5. Measurement, unit of analyses, data sources, etc
- 6. Inference strategy
- 7. Results & interpretation
 - ightarrow what do we really learn about the initial topic? next steps?

Lecture 4: Causal methods 49/49

- 1. Problem/topic
- 2. Stories, arguments about mechanisms
- 3. Research question
- 4. Proper theory, concepts and operationalization
- 5. Measurement, unit of analyses, data sources, etc
- Inference strategy
- 7. Results & interpretation
 - General guideline: maybe it's not realistic for you right now, but it needs to be feasible (data collection, etc)

Lecture 4: Causal methods 49/49