


Protect Houses and Apartments effectively.

Winkhaus Multi-Point Locking Systems for Doors.






Locked with steel bolts – hermetically sealed.

Bolt locking system

The bolt locking system provides costeffective intrusion resistance. Solid, forgedsteel bolts lock in position when closed and cannot be forced open individually or as a group.

Winkhaus Plus

+ Hermetically sealed when closed: effective noise and heat insulation




Locking system with eccentric roller cam – simple and effective.

Eccentric roller cam locking system

The economic locking system for main doors and side entrances: The Winkhaus eccentric roller cam. The five-point locking system wins over due to its robust technology. 4 eccentric roller cams used to close the door and a nickel-plated steel main deadbolt provide practicable protection for all types of doors. This purely mechanical locking system is operated via a conventional profile cylinder or a handle.


Winkhaus Plus

+ Closing pressure between door leaf and frame can be optimally set using adjustable eccentric roller cams



Bolt locking system

Eccentric roller cam locking system



Bolt locking system

Eccentric roller cam locking system

+ Increased noise and heat insulation

+ Adjustable eccentric roller cam for optimum closing pressure and tighter sealing

Aug. Winkhaus GmbH & Co. KG

Berkeser Straße 6 D-98617 Meiningen

T + 49 (0) 36 93 - 950 -0

F + 49 (0) 36 93 - 950 - 134

www.winkhaus.de

tuertechnik@winkhaus.de