



/api-docs

Explore

OpenAPI definition

v0 OAS 3.1

/api-docs

Servers

http://localhost:8080 - Generated server url

user-controller

GET /user/{id}

Parameters

Try it out

Name	Description
------	-------------

id * required integer(\$int64) (path)	
--	--

id

Responses

Code	Description	Links
------	-------------	-------

200	OK	No links
-----	----	----------

Media type

/

Controls Accept header.

Example Value Schema

```
{
  "username": "string",
  "firstName": "string",
  "role": {
    "roleName": "string"
  }
}
```

CodeDescriptionLinks

```
}
}
```

GET /user/all

ParametersTry it out

No parameters

Responses

CodeDescriptionLinks

200OKNo links

Media type

/

Controls Accept header.

Example ValueSchema

```
[
  {
    "username": "string",
    "email": "string",
    "firstName": "string",
    "lastName": "string",
    "role": {
      "roleName": "string",
      "briefDesc": "string"
    },
    "createdAt": "2025-04-07T02:12:09.631Z",
    "lastLogin": "2025-04-07T02:12:09.631Z"
  }
]
```

products-controller

GET /products/count

ParametersTry it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema 9007199254740991	No links

GET	/products/all	⌵
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema [{ "name": "string", "category": "string", "brand": "string", "price": 0 }]	No links

product-info-controller

GET	/product/{id}	⌵
-----	---------------	---

Parameters

Try it out

Name

Description

id * required

integer(\$int64)
(path)

id

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value Schema

```
{
  "name": "string",
  "category": "string",
  "brand": "string",
  "price": 0
}
```

GET

/product/{id}/detail



Parameters

Try it out

Name

Description

id * required

integer(\$int64)
(path)

id

Responses

Code

Description

Links

200

OK

No links

Code	Description	Links
	Media type */* Controls Accept header. Example Value Schema <pre>{ "name": "string", "category": "string", "brand": "string", "inventoryQty": 1073741824, "price": 0, "description": "string", "sku": "string", "specifications": [{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }] }</pre>	

hello



GET	/	
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links



Role_Public > Expand all **object**

User_Public > Expand all **object**

Role_Internal > Expand all **object**

User_Internal > Expand all **object**

Product_Public > Expand all **object**

Product_Internal > Expand all **object**