



Specimen ID: 104-988-9013-0
Control ID:

Acct #: 90000999 Phone: (336) 436-8645 Rte: 00
LabCorp Test Master
Test Account
5450 Millstream Road
MCLEANSVILLE NC 27301

SAMPLE REPORT 1, 139900



Patient Details

DOB: 03/15/1959
Age(y/m/d): 062/00/30
Gender: M
Patient ID:

Specimen Details

Date collected: 04/14/2021 0000 Local
Date received: 04/14/2021
Date entered: 04/14/2021
Date reported: 04/14/2021 0855 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Clinical Info: NOT DETECTED

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01
<p>This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include RT-PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.</p> <p>When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.</p>					
SARS-CoV-2, NAA 2 DAY TAT	Performed				02

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: Sanjai Nagendra, MD
02	\$\$	Testmaster Testing 3060 S Church Street, Burlington, NC 27215	Dir: Report Testing, PhD

For inquiries, the physician may contact Branch: 800-222-7566 Lab: 336-436-2762



Patient Report

Specimen ID: 104-988-9014-0
Control ID:

Acct #: 90000999 Phone: (336) 436-8645 Rte: 00
LabCorp Test Master
Test Account
5450 Millstream Road
MCLEANSVILLE NC 27301

SAMPLE REPORT 2, 139900



Patient Details

DOB: 02/02/1982
Age(y/m/d): 039/02/12
Gender: M
Patient ID:

Specimen Details

Date collected: 04/14/2021 0000 Local
Date received: 04/14/2021
Date entered: 04/14/2021
Date reported: 04/14/2021 1443 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Clinical Info: DETECTED

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Detected Abnormal		Not Detected		01
Patients who have a positive COVID-19 test result may now have treatment options. Treatment options are available for patients with mild to moderate symptoms and for hospitalized patients. Visit our website at https://www.labcorp.com/COVID19 for resources and information. This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include RT-PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner. When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.					
SARS-CoV-2, NAA 2 DAY TAT	Performed				02

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: Sanjai Nagendra, MD
02	\$\$	Testmaster Testing 3060 S Church Street, Burlington, NC 27215	Dir: Report Testing, PhD

For inquiries, the physician may contact Branch: 800-222-7566 Lab: 336-436-2762

Specimen ID: 104-988-9015-0
Control ID:

Acct #: 90000999 **Phone:** (336) 436-8645 **Rte:** 00
 LabCorp Test Master
 Test Account
 5450 Millstream Road
 MCLEANSVILLE NC 27301

SAMPLE REPORT 3, 139900
Patient Details

DOB: 07/04/1976
Age(y/m/d): 044/09/10
Gender: M
Patient ID:

Specimen Details

Date collected: 04/14/2021 0000 Local
Date received: 04/14/2021
Date entered: 04/14/2021
Date reported: 04/14/2021 0855 ET

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Clinical Info: INDETERMINATE

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

SARS-CoV-2, NAA

SARS-CoV-2, NAA Indeterminate Abnormal Not Detected 01

We are **UNABLE** to reliably determine a result for the specimen due to the inconsistent amplification of all of the required SARS-CoV-2 components from the specimen submitted. If clinically indicated, please recollect an additional specimen for testing. This nucleic acid amplification test was developed and its performance characteristics determined by LabCorp Laboratories. Nucleic acid amplification tests include RT-PCR and TMA. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

SARS-CoV-2, NAA 2 DAY TAT

Performed

02

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: Sanjai Nagendra, MD
02	\$\$	Testmaster Testing 3060 S Church Street, Burlington, NC 27215	Dir: Report Testing, PhD

For inquiries, the physician may contact **Branch: 800-222-7566 Lab: 336-436-2762**