


Adam Frazee
CSE 385
02/15/2016
Daniela Inclezan



Student

key - Student_number

Super key - (Name,class,major),(key,any other attributes)

Course

key - Course_number

Super key - (Name,hours,department),(key,any other attributes)

Prerequisite

key - Prerequisite_number

Super key - (key,Course_number)

Section

key - Section_identifier

Super key - (Course_number ,semester,year),(key,any other attributes)

Grade_Report

key - (Student_number , Section_identifier)

Super key - (key,any other attributes)

Exercise 3

Foreign keys - Serial_no , Salesperson_id

CAR	<u>Serial_no</u>	model	Manufacturer	Price
	7689	explorer	ford	2500
	8790	fiero	pontiac	850
	9509	sky	saturn	3400

OPTION	<u>Serial_no</u>	Option_name	Price
	7689	Tow	50
	8790	Spoiler	120
	9509	Sun Roof	1000

SALE	<u>Salesperson_id</u>	<u>Serial_no</u>	Date	Sale Price
	10	7689	02/14/2016	2000
	11	8790	01/15/2015	3000
	12	9509	12/28/2015	4000

SALESPERSON	<u>Salesperson_id</u>	Name	Phone
	10	Mary	555-5324
	11	Molly	555-2124
	12	John	555-1235

failed insert

Salesperson_id	<u>Serial_no</u>	Date	Sale Price
15	7689	02/15/2016	2100

Since 15 is not a valid id for SALESPERSON. The referential integrity is broken.

successful insert

Salesperson_id	<u>Serial_no</u>	Date	Sale Price
10	7689	02/01/2016	2200

However this is fine, because 10 is a defined salesperson.