LAB MANUAL

Source-Grounded Research and Threat Intelligence

Lab 5: Source-Grounded Threat Assessment · Lab 6: Build a Research Lab

Date	Friday, November 6, 2026
Time	1:30 to 5:30 p.m. ET, online
Facilitator	Frazier A. Smith, Ed.D., Central Piedmont Community College
You need	A browser with a terminal tab and an Open WebUI tab on the range; your Evidence Log with the two Lab 3 rows; your Research Lab Topic sheet; the CVE you chose for prework and its three saved links

Everything in these labs is synthetic. GLASSFERN, Kestrel Point, Harborline Identity, and every other organization in the evidence packet are fictional, and every domain ends in .example. The Northbridge SSO log is Confidential in the story, which is why it stays on the campus AI server. The only real-world material you use today is the public CISA KEV entry you chose in prework.

This material is based upon work supported by the U.S. National Science Foundation under Grant No. 2300188. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.

Before You Start

Range Access

1. Open the range URL your facilitator posts in chat and sign in with the account you used in Sessions 1 and 2.
2. Open a terminal tab and confirm the session files are present:

```
ls /opt/nitic/session3/
cd /opt/nitic/session3 && sha256sum -c SHA256SUMS | grep -vc OK
```

You should see `lab5/` and `lab6/`. The second command should print `0`, which means no file failed its hash check. The files from Sessions 1 and 2 are still in `/opt/nitic/session1/` and `/opt/nitic/session2/`.

3. Open Open WebUI in a second browser tab from the link in chat, and sign in. Start a new chat, select `gpt-oss:20b`, type `#` in the message box, and choose the knowledge collection "S3 Evidence Packet" from the list that appears. The collection name now shows above the message box, and every answer in that chat draws on it.
4. Open your Evidence Log. The columns are the same as in Sessions 1 and 2: Entry ID, Model, Environment, Highest Data Tier, Prompt, Validation Method, Verdict, Reviewer, and Notes. Keep adding rows.

Model Names Used in This Manual

Placeholder	Range (Ollama) default	OpenRouter stand-in, if the range GPU is unavailable
`SMALL_MODEL`	`gemma3:4b`	`openai/gpt-oss-20b`
`LARGE_MODEL`	`gpt-oss:20b`	`openai/gpt-oss-120b`

Set the models, put the lab tools on your path, and copy the templates into a working folder of your own:

```
export SMALL_MODEL=gemma3:4b
export LARGE_MODEL=gpt-oss:20b
export PATH="$PATH:/opt/nitic/session3/lab5/bin"
mkdir -p ~/lab5 ~/lab6
cp /opt/nitic/session3/lab5/templates/* ~/lab5/
ls ~/lab5
```

You should see seven files: `research_plan.md`, `query_record.md`, `claim_ledger.csv`, `claim_ledger.md`, `brief_template.md`, `icd203_likelihood.md`, and `attack_atlas_reference.md`.

> If the facilitator switches to OpenRouter, the Northbridge sign-in log would leave the campus server. In the story that breaks the data rule below, so in that case the facilitator runs every notebook step that includes S01 on screen, and your team works from the saved output. Note "OpenRouter (facilitator)" in the Environment column of any log row that depends on it.

The Data Rule for This Session

S01, the Northbridge SSO sign-in log, is **Confidential** under the Session 1 data matrix. It may go into `notebook.sh` and the Open WebUI collection, because both run on the campus AI server. Never upload S01, or any excerpt of it, to Perplexity, NotebookLM, or any other hosted tool. The other sources in the packet are public reporting in the story and may go into a hosted tool if your team uses one. Your own CVE and its three links are public.

Where Things Are

Path	What it is
`lab5/intel_request_harmon.md`	The provost's request and the decision she must make by November 13
`lab5/northbridge_identity_status.md`	Northbridge's current MFA state, the March 2027 rollout plan, and its cost
`lab5/discovery/search_export.md`	An archived discovery run: the query, the time it ran, and every result with its snippet
`lab5/sources/`	The evidence packet, one file per source, each named with its source ID
`lab5/templates/`	The research plan, query record, claim ledger, brief template, ICD 203 likelihood table, and ATT&CK and ATLAS reference
`lab5/bin/notebook.sh`	Bounded synthesis: answers a question using only the sources you name
`lab5/bin/ask_cve.sh`	Asks the model about a CVE twice, once without the advisory and once with it, and prints both answers side by side
`lab6/research_lab_spec_template.md`	The Lab 6 specification template
`lab6/example_spec_CYB210.md`	A filled specification built from Lab 5; it appears at 4:15, after the briefings, because it contains the Lab 5 answers

All paths are under `/opt/nitic/session3/`.

The Evidence Packet

ID	File	What it is
S01	`S01_nbtc_sso_signin_excerpt.log`	Northbridge SSO sign-in log excerpt, Confidential tier
S02	`S02_harborline_advisory_HL-2026-014.md`	Harborline Identity vendor advisory HL-2026-014
S03	`S03_kestrelpoint_blog_glassfern.html`	Kestrel Point blog post on GLASSFERN
S04	`S04_campustechwire_news.html`	CampusTechWire trade news article
S05	`S05_weekly_indicator_newsletter.md`	Weekly threat-indicator newsletter item
S06	`S06_brightwall_mssp_brief.md`	Brightwall managed security provider weekly brief
S07	`S07_aggregator_mfa_fatigue_universities.html`	Aggregator page on MFA fatigue at universities
S08	`S08_state_cyber_center_bulletin_2026-31.html`	Bulletin 2026-31 from a state cyber coordination center

Two more sources arrive at the break. The table lists what each source is as published. Deciding what each source is worth is the lab.

The Two Lab Tools

`notebook.sh` sends a question to `LARGE_MODEL` with only the sources you name in its context. It prints which sources were in context before the answer, and it reads PDF sources through `pdftotext`. List the source IDs, then `--`, then the question in quotes. Add `--small` to use `SMALL_MODEL` when the large model is slow.

```
notebook.sh S02 S03 -- "What does each source say about who was targeted?"
notebook.sh --small S02 S03 -- "What does each source say about who was targeted?"
```

`ask_cve.sh` runs the Demo 1 comparison on your own CVE. Save the vendor advisory text from your prework links into a file first:

```
nano ~/lab5/my_advisory.txt          # paste the advisory text, then Ctrl+O, Enter, Ctrl+X
ask_cve.sh CVE-2026-NNNNN ~/lab5/my_advisory.txt | tee ~/lab5/my_cve_run.txt
```

Replace `CVE-2026-NNNNN` with your CVE. If either tool prints a different usage line when you run it with no arguments, follow the usage line.

LAB 5 · 2:05 TO 3:45 · TEAMS OF THREE

Lab 5: Source-Grounded Threat Assessment

Time: 2:05 to 3:45, teams of three. Part A runs 2:05 to 2:55, the break runs 2:55 to 3:05, and Part B runs 3:05 to 3:45. Briefings begin at 3:45. **Deliverables:** Research plan and query record; claim ledger; evidence map with ATT&CK and ATLAS mappings; a one-page intelligence brief; two Evidence Log rows; a three-minute briefing

Scenario

On November 2, the Chief Information Officer, Dr. Samuel Okonjo, forwarded three news items to the IT Security Office under the subject line "Are we next?" The items describe a campaign the security firm Kestrel Point calls GLASSFERN. On November 3, the Northbridge SSO logged a password-spray burst against 41 staff accounts. The provost, Dr. Alicia Harmon, must decide by November 13 whether to pull the phishing-resistant MFA rollout for staff forward from March 2027 to December 2026. She has asked the Information Security Officer, Kwame Mensah, for a written assessment before the cabinet meeting. Your team is his analysts.

The decision costs money either way. Acceleration moves $38,000 for 820 security keys, two for each of 410 staff, from the FY2027 budget into FY2026 and puts enrollment on the help desk during finals week. Holding the March schedule costs something if the campaign is real and aimed at colleges.

The intelligence question: **Should Northbridge accelerate phishing-resistant MFA for all staff because a distinct campaign is targeting higher education, or is the apparent trend mostly repeated reporting of commodity activity?** Your brief must distinguish a claim that is widely repeated from a claim that is independently corroborated.

Team Lanes

Each member takes one lane for Part A. All three lanes produce claim ledger rows, and no lane is a fallback for another.

Lane	Tool	Job
Discovery	The archived discovery export `lab5/discovery/search_export.md`, a simulated web search run on November 5, plus Perplexity for the team's own CVE if a member has an account	Records the exact query, the time, and every returned source; proposes which sources the team imports
Notebook	`notebook.sh` in the terminal, with sources chosen by ID, or the Open WebUI knowledge collection "S3 Evidence Packet"	Bounded synthesis over the sources the team imported; records which sources were in context for every answer
Primary source	Terminal only: `less`, `grep`, `pdftotext`, and no model	Opens every consequential citation and confirms or rejects the passage; owns the Independent Support column of the ledger

The Notebook lane also keeps the team's Evidence Log rows. The Primary-source lane keeps the shared claim ledger, because every row ends with that lane's verdict.

Part A, Step 1: Read the Request (5 minutes, 2:05 to 2:10)

All three members read both documents:

```
cd /opt/nitic/session3/lab5
less intel_request_harmon.md
less northbridge_identity_status.md
```

Part A, Step 2: Write the Research Plan (5 minutes, 2:10 to 2:15)

Fill `~/lab5/research_plan.md` before anyone opens a tool or a source. The plan has four parts:

1. The decision, in one sentence the provost would recognize.
2. The two hypotheses. Hypothesis 1: a distinct campaign is targeting higher-education SSO. Hypothesis 2: the apparent trend is repeated reporting of commodity activity.
3. The evidence that would separate them. Name what you would expect to see if each hypothesis were true.
4. The sources the team expects to need, by type: the college's own records, vendor telemetry, original research, news, and official bulletins.

Write the time you finished at the top of the plan. The rubric checks that the plan came before the first tool run.

Part A, Step 3: Discovery (10 minutes, 2:15 to 2:25)

Discovery lane. Open the export and record it in `~/lab5/query_record.md`:

```
cd /opt/nitic/session3/lab5
less discovery/search_export.md
grep -n -iE 'query|run|[0-9]{1,2}:[0-9]{2}' discovery/search_export.md | head
```

The query record holds the exact query string, the date and time of the run, and one line per returned result: rank, title, domain, source ID, and the snippet. Record every result, including the ones the team will not import. If a member has a Perplexity account, run the team's own CVE there and record that query, its time, and every source it cited in the same file.

Notebook and Primary-source lanes. While discovery runs, open each source once so the team knows what it holds. Read HTML sources with the tags stripped:

```
cd /opt/nitic/session3/lab5/sources
ls -l
sed 's/<[^>]*>/ /g' S03_kestrelpoint_blog_glassfern.html | tr -s ' \n' | less
less S02_harborline_advisory_HL-2026-014.md
head -20 S01_nbtc_sso_signin_excerpt.log
```

Part A, Step 4: Decide What to Import (5 minutes, 2:25 to 2:30)

The team decides which sources the notebook will use. Import only a source that a member has opened. Write the decision and a one-line reason for each source at the bottom of `~/lab5/query_record.md`. A source left out is a decision too, and it needs a reason.

Part A, Step 5: Parallel Research (20 minutes, 2:30 to 2:50)

Notebook lane. Ask the research questions with the imported sources in context. Replace the source IDs below with your team's import list. Save every answer:

```
cd ~/lab5
notebook.sh S01 S02 S03 -- "Is there evidence that a distinct campaign is targeting higher-education SSO?
Give the source ID and the exact passage for every claim." | tee notebook_q1.txt
notebook.sh S01 -- "What did the Northbridge sign-in log record on November 3? Give counts, time window,
source addresses, and outcomes." | tee notebook_q2.txt
notebook.sh S02 S03 -- "Which attacker behaviors does each source describe? Quote the passage for each
behavior." | tee notebook_q3.txt
```

The first line of each output lists the sources that were in context. Copy that list into the ledger row for every claim the answer produced. If you use the Open WebUI collection instead, every source in the collection is in context, so record the collection name as the context.

Run question 1 a second time with every source the export returned in context, and save it as `notebook_q1_all.txt`. Compare the two answers line by line and record what changed.

Primary-source lane. Open every passage the notebook cites and every passage the team plans to quote. These commands work on any source in the packet.

Confirm that a quoted passage exists, and record its line number as the location:

```
cd /opt/nitic/session3/lab5/sources
grep -n -i "paste a short exact phrase here" S0*
```

List every link and domain each published source cites. The output is the raw material for a citation graph: draw an arrow from each source to every source it cites.

```
for f in S0[2-8]*; do
  echo "== $f"
  grep -oE '[A-Za-z0-9.-]+\.example(/[^ )"<>]*)?' "$f" | sort -u
done
grep -il 'kestrelpoint' S0*          # which files mention Kestrel Point's domain
```

Find every date in each source, including headers and footers, not only the date at the top:

```
for f in S0[2-8]*; do
  echo "== $f"
  grep -noE '(Jan|Feb|Mar|Apr|May|Jun|Jul|Aug|Sep|Oct|Nov|Dec)[a-z]* [0-9]{1,2}, 20[0-9]{2}|20[0-9]{2}-[0-
9]{2}-[0-9]{2}' "$f" | sort -u
done
```

Find every count a source asserts, then find where the source says the count came from:

```
grep -noiE '[0-9]+ (institutions|colleges|universities|tenants|accounts|organizations)' S0*
grep -noiE '(at least|as many as|dozens|multiple|confirmed|estimate)[^.]*' S0* | head -40
```

Check what Northbridge's own log shows. The comment lines at the top name every field. Read them and ten events from the 203.0.113.0/24 range first, then count:

```
F=S01_nbtc_sso_signin_excerpt.log
grep '^#' $F
R='src_ip=203\.0\.113\.'
grep "$R" $F | head -10
grep -c "$R" $F                                                  # sign-in events from the range
grep "$R" $F | grep -oE 'src_ip=[0-9.]+' | sort -t. -k4 -n | uniq -c  # events per source address
grep "$R" $F | head -1; grep "$R" $F | tail -1                    # first and last event
grep "$R" $F | grep -oE 'user=[^ ]+' | sort -u | wc -l            # distinct accounts tried
grep "$R" $F | grep -oE 'result=[^ ]+' | sort | uniq -c           # outcomes
grep "$R" $F | grep -v 'mfa=none'                                 # events that reached MFA
```

Record each count in the ledger with the command that produced it. Mark every ledger row supported, partly supported, or not supported, and fill the Independent Support column with the source IDs that support the claim without relying on another source in the row.

Discovery lane. Fill ledger rows from the snippets and from your CVE run, and help the Primary-source lane trace citations.

Part A, Step 6: The Claim Ledger (5 minutes, 2:50 to 2:55)

Every consequential claim has one row in `~/lab5/claim_ledger.csv`. The file opens in any spreadsheet program, and `claim_ledger.md` explains each column. The columns are:

Column	What goes there
Claim	One factual statement, in your words
Source ID	The source the claim came from
Passage	The exact words, with a line number or page
Source type	Primary observation, vendor telemetry, original research, secondary reporting, aggregation, or official bulletin
Date	The date the content was written, which may differ from the date it was posted
Independent support	The other source IDs that support the claim on their own evidence, or "none"
Confidence	High, moderate, or low, as defined in `icd203_likelihood.md`
Correction	What changed, when, and why. Leave it blank until new evidence changes the row

An example row, drawn from the Northbridge status document:

```
"Staff use push MFA without number matching","northbridge_identity_status.md","<paste the
passage>","Internal record","<date in the document>","none","High",""
```

Before the break, the team reads the ledger aloud once and resolves any row with no passage.

LAB 5 · 2:05 TO 3:45 · TEAMS OF THREE

Lab 5 Part B: Injects, Verification, and Briefing

Break and Injects (2:55 to 3:05)

During the break the facilitator adds two sources to `lab5/sources/` and to a second Open WebUI knowledge collection, "S3 Evidence Packet (Updated November 5)":

- `S09_ostrander_q4_higher_ed_identity.pdf`, a consultancy report on higher-education identity threats for the fourth quarter
- `S10_harborline_advisory_HL-2026-014_rev2.md`, revision 2 of the Harborline Identity advisory

The facilitator posts in chat when the files are in place. Do not import either file before Part B, Step 1.

Part B, Step 1: Read Both New Sources Before Importing (8 minutes, 3:05 to 3:13)

The Primary-source lane reads both new files in the terminal. Convert the PDF to text first, because the text layer is what a model receives:

```
cd /opt/nitic/session3/lab5/sources
ls -l
pdftotext -layout S09_ostrander_q4_higher_ed_identity.pdf ~/lab5/S09.txt
less ~/lab5/S09.txt
less S10_harborline_advisory_HL-2026-014_rev2.md
```

Run two checks on every source in the packet, old and new.

Search the text layer for instructions addressed to an AI system:

```
grep -n -iE 'assistant|language model|\bAI\b|ignore (all|any|previous)|instruction|you must|when summariz'
~/lab5/S09.txt S0* S10*
```

Compare each revision with the version it replaces:

```
diff S02_harborline_advisory_HL-2026-014.md S10_harborline_advisory_HL-2026-014_rev2.md
```

The team then decides, for each new source, whether it enters the notebook, and records the decision and the reason in the query record. Do not open any link or address that appears inside a source.

Part B, Step 2: Re-Run the Main Question With S09 in Context (6 minutes, 3:13 to 3:19)

Whatever the team decided in Step 1, run the main question once with S09 in context, so the team sees what the source does to the answer:

```
cd ~/lab5
notebook.sh S01 S02 S03 S09 -- "Is there evidence that a distinct campaign is targeting higher-education
SSO? Give the source ID and the exact passage for every claim." | tee notebook_q1_S09.txt
diff notebook_q1.txt notebook_q1_S09.txt
```

Record what changed: new claims, a changed conclusion, a changed recommendation, any link or tool the answer now mentions, and any statement about Northbridge that no Northbridge record supports.

If you find an instruction inside a source, quarantine it:

1. Record it in the ledger as source content, with its location, and mark it not supported. It is never a claim about the threat.

2. Remove the source from the notebook's import list for every run that feeds the brief.
3. Write the exposure row in the Evidence Log, described below.

Part B, Step 3: Re-Score the Ledger After S10 (6 minutes, 3:19 to 3:25)

Read every ledger row against S10. Where S10 changes a row, fill the Correction column with what changed, the date of the evidence that changed it, and the new confidence. Do not delete the original row. A correction made after new evidence earns credit; a silent edit does not.

Part B, Step 4: Trace and Count (8 minutes, 3:25 to 3:33)

Mark every claim that will appear in the brief. For each one, the Primary-source lane traces the passage to its origin: follow each citation back until you reach a source that reports its own evidence. Build the evidence map in `~/lab5/evidence_map.md`:

```
Claim: <the claim as it will appear in the brief>
Sources that state it: <IDs>
Origin of each: <ID -> ID it cites -> ... -> the source that reports its own evidence>
Independent evidence count: <number of distinct origins>
```

To trace the two new sources, run the Part A citation loop on their text:

```
cd /opt/nitic/session3/lab5/sources
for f in ~/lab5/S09.txt S10_harborline_advisory_HL-2026-014_rev2.md; do
  echo "== $f"
  grep -oE '[A-Za-z0-9.-]+\.example(/[^ )"<>]*)?' "$f" | sort -u
done
```

Count independent evidence, not citations. Three sources that trace to one origin count as one.

Part B, Step 5: Map Behavior to ATT&CK and ATLAS (5 minutes, 3:33 to 3:38)

Use `~/lab5/attack_atlas_reference.md`. Map a behavior to a technique only where a passage describes the behavior. For each mapping, record:

Behavior	Technique ID and name	Source ID and passage	Observed or reported	Certain or uncertain

A behavior Northbridge's own log shows is observed. A behavior another organization describes is reported. Never assert a technique from a headline or from a campaign name. Label a weak match uncertain, and state why.

Part B, Step 6: Draft the Brief (7 minutes, 3:38 to 3:45)

Fill `~/lab5/brief_template.md`, one page. The sections are: bottom line, likelihood and confidence stated separately, key evidence, alternatives, limitations, collection gaps, and recommendation.

ICD 203 uses seven likelihood terms. Use them exactly:

Term	Probability
Almost no chance	1 to 5 percent
Very unlikely	5 to 20 percent
Unlikely	20 to 45 percent
Roughly even chance	45 to 55 percent
Likely	55 to 80 percent
Very likely	80 to 95 percent
Almost certain	95 to 99 percent

Likelihood states how probable the event is. Confidence states how well the evidence supports the judgment: high, moderate, or low. Never put both in one clause. Write them as two sentences:

```
We assess that <event> is <likelihood term> (<range>).
We hold this judgment with <high | moderate | low> confidence because <the evidence and its limits>.
```

The recommendation follows from the evidence. If the team recommends more than the evidence supports, the brief says why on other grounds, such as cost or risk tolerance.

Briefing Format (3 minutes per team, 3:45)

One member briefs the whole room. Use this order and stop at three minutes:

1. **Bottom line.** One sentence.
2. **Likelihood and confidence.** Stated separately, in ICD 203 terms.
3. **The evidence that carried it.** The independent sources, by ID, with the count.
4. **One alternative.** The other explanation the evidence allows.
5. **One gap.** The collection that would change the judgment.
6. **Recommendation.** What the provost should do by November 13.

Evidence Log Rows

Add two rows before the briefings.

Row	Prompt	Highest data tier	Validation method	Verdict
1	Your CVE question from `ask_cve.sh`, or the team's main notebook question with its source list	Public for the CVE; Confidential if S01 was in context	Compared with your two advisory facts, or each cited passage checked by the Primary-source lane	Accept, revise, or reject, with the reason
2	The main question with S09 in context	Confidential if S01 was in context	The diff against the run without S09; the text-layer search	Record the exposure: what the answer did and what you quarantined

LAB 6 · 4:15 TO 5:10 · INDIVIDUAL AND PAIRS

Lab 6: Build a Research Lab

Time: 4:15 to 5:10. Individual work for 40 minutes, then pairs for peer review. **Deliverables:** A research lab specification for your own course, saved to the shared folder; two written peer-review answers on a partner's specification

Scenario

Your department wants students to do what your team did in Lab 5: research a security decision with AI tools, keep a ledger, and state a confidence they can defend. You will specify one research lab for a course you teach, starting from the Research Lab Topic sheet you built in prework.

Step 1: Read the Template and the Example (5 minutes, 4:15 to 4:20)

```
cp /opt/nitic/session3/lab6/research_lab_spec_template.md ~/lab6/my_spec.md
less /opt/nitic/session3/lab6/example_spec_CYB210.md
```

The example converts Lab 5 into a CYB 210 activity. Note where it names the planted source, the detection path, and the scoring rule.

Step 2: Write the Specification (35 minutes, 4:20 to 4:55)

Fill `~/lab6/my_spec.md`. The specification has seven parts:

1. **Course, level, and decision.** The decision a student analyst makes, with two defensible answers.
2. **Corpus.** Current threat intelligence or a stable standards corpus, and where it comes from.
3. **Planted source.** At least one misleading source that is poisoned, stale, circular, or unsupported, and the path a careful student would follow to detect it.
4. **Ledger columns.** The claim ledger columns your students will use. The Lab 5 columns are a starting point.
5. **Scoring rule.** A rule that rewards stated confidence and correction, not only a correct conclusion. The default rule awards points for each ledger correction a student makes after new evidence and deducts points for a high-confidence claim later shown to be unsupported.
6. **Proof of opening.** One requirement a model cannot satisfy without the source: a quoted passage with its location, a file hash, or a detail only the source contains.
7. **Data tier.** The tier of every source in the corpus, using the Session 1 matrix, and the tools each tier may enter.

Write parts 3 and 6 first. They are the parts that stop a student from completing the lab by asking a model.

Step 3: Peer Review (15 minutes, 4:55 to 5:10)

Swap specifications with a partner. Answer two questions in writing at the bottom of your partner's file:

1. Could a student complete this activity by asking a model, without opening a source? Name the step where a model alone would succeed, or state why none exists.
2. Which planted source would a careful student still miss, and what change to the specification would make it detectable?

Revise your own specification from your partner's answers, then save it to the shared folder as `S3_Lab6_<lastname>.md`.

RUBRIC

Scoring

Lab 5 is scored on 20 points:

Criterion	Points	Full credit
Research plan and query record	3	Plan written before the first tool run; query record lists the exact query, the time, and every returned source
Claim ledger	5	Every claim in the brief has a ledger row with passage, source type, date, independent support, confidence, and any correction
Source-quality and injection risks	5	Every repeated, stale, or unsupported source in the packet identified, with the evidence that shows it; any instruction found in a source quarantined and logged
ATT&CK and ATLAS mapping	3	Mappings tied to a passage; uncertain matches labeled; no technique asserted from a headline
Intelligence brief	4	Likelihood and confidence separate and earned; alternatives and gaps named; recommendation follows from the evidence

Lab 6 is scored on 10 points:

Criterion	Points	Full credit
Decision and corpus	2	A real decision with two defensible answers; corpus tier stated
Planted source	3	One misleading source with a stated detection path
Ledger and scoring rule	3	Ledger columns listed; scoring rewards confidence calibration and correction
Proof of opening	2	One verification requirement a model cannot satisfy without the source

Save the Lab 5 brief, ledger, query record, and evidence map to the shared folder by 3:45, and the Lab 6 specification by 5:10.