
NITIC
National Information Technology Innovation Center

WORKING CONNECTIONS · AI + CYBER · SESSION 2

# Curriculum Injection and Academic Integrity

Break an assignment a model can complete,
then rebuild it around what only a student can do



Friday, October 30, 2026 · 1:30 to 5:30 ET

Frazier A. Smith, Ed.D. · Central Piedmont Community College

NORTHBRIDGE TECHNICAL COLLEGE

# What Happened Since October 16

Oct 16

## Your memo

Option 2: AI use under conditions tied to data tiers and approved environments.

Oct 23

## Interim policy

The provost adopts it. Student work is Restricted. Scope note: data, not coursework.

Oct 27

## Department meeting

Dana Okafor: at least 15 of 34 Module 6 reports read as if one author wrote them.

Nov 12

## Advisory board

The chair wants evidence, a redesign, and a syllabus AI section before it meets.



She almost uploaded all 34 reports to a free AI detector. She stopped when she reread the policy you wrote.

THE AFTERNOON

# Break It, Then Rebuild It

| Time (ET) | Segment | You leave with |
|---|---|---|
| 1:30 to 1:40 | Opening and range check | A working login |
| 1:40 to 2:00 | Block 1: The Bypass, with Demo 1: Solve It Live | Reference page |
| 2:00 to 2:25 | Block 2: Detection Is Not a Strategy, with Demo 2 | Evidence we would act on |
| 2:25 to 3:10 | Lab 3: Break the Assignment | Threat model and verdict |
| 3:10 to 3:20 | Break | |
| 3:20 to 3:50 | Block 3: Redesign Principles, with Demos 3 and 4 | A lane per assignment |
| 3:50 to 5:05 | Mission 2 and Lab 4: Redesign and Guardrails | Canvas, guardrails, your own assignment |
| 5:05 to 5:30 | Readouts, lane poll, exit ticket | A department recommendation |

BEFORE WE START

# Today's Data Rule Has a New Clause

### Everything is synthetic

Northbridge, its instructors, its students, and the four submissions you will read were written for today. Nothing real goes into any tool.

### Submissions stay on campus

In the story they are education records. Every model run in Labs 3 and 4 happens on the range, and Demo 4 turns history off.

### No detectors

Nothing from the range goes into a commercial AI detector today. The published record makes the point better than one run would.

Range check: **ls /opt/nitic/session2/** shows lab3 and lab4. Thumbs-up in chat when it does.

DEMO 1 · 1:40 · THE RANGE

# Solve It Live

CYB 110, Module 6: review a firewall log excerpt, write a 400 to 600 word incident report. Four rubric rows, 20 points. Posted Fall 2023, revised August 2024.

The prompt is the one a student writes after one session on prompt structure. The model is the large one on the range. The timer is on.

| Legacy rubric row | Room's score |
|---|---|
| Identifies suspicious activity | |
| Explains the attack | |
| Recommendations | |
| Report quality | |
| Total of 20 | |

Then three greps: the scanner count, every IP the model named, and anything it says the log cannot show. Did it mention 10.30.12.118?

BLOCK 1 · THE BYPASS

# Exposure Is a Property of the Assignment

Exposed in proportion to how much of the grade rides on a product that is a function of the prompt alone. Protected in proportion to how much rides on something only the student can supply.

| Assignment type | Exposure | Why |
|---|---|---|
| Report or essay from a provided dataset or reading | High | Prompt plus data is the whole input |
| Problem set with one right answer (subnetting, conversions) | High | "Show your work" is also computable |
| Policy memo citing a standard | High | The standard is in the training data |
| Analysis of data the student collected | Medium | The data is unique; the writing is not |
| Configuration graded by whether it works | Medium | The validation step is the student's |
| Live practical, supervised | Low | The only secured condition |
| Oral defense of submitted work | Low | The student answers in their own voice |

BLOCK 1 · EVIDENCE FROM OUR OWN COURSES

# Models on the Work We Assign

## 17th of 71

Codex ranked among students on a CS1 exam, before ChatGPT existed.

Finnie-Ansley et al., ACE 2022

## 47.6%

Of 166 CS1 problems Copilot solved first try; 60.9% of the rest after a prompt edit.

Denny, Kumar, Giacaman, SIGCSE 2023

## 11 of 15

Known web vulnerabilities GPT-4 exploited autonomously as an agent. Open-weight models: zero that year.

Fang et al., 2024

## 11 min to 80%

Cybench, 2024: models solved only CTF tasks humans finish in 11 minutes. September 2025: a vendor reports above 80% on the benchmark.

Zhang et al., ICLR 2025; system card, Sept 2025

The tasks our introductory and intermediate courses assign sit inside the range models now handle. The tasks that still defeat them are the long, messy, multi-hour ones we rarely assign.

BLOCK 1 · CERTIFICATION

# The Exams Our Students Sit For

## Three chatbots, 183 Security+ questions

All three scored above the passing mark on a Security+ practice set in a 2026 study. Earlier work found one model scoring perfectly on an OSCP question set and about 82 percent on factual Cisco questions.

Felix et al., Informatics 2026; Noever and Ciolino, 2023; Tann et al., 2023

## What the certification bodies did

Not detection. OffSec bans chatbots in its exams and has proctored since 2018. CompTIA added performance-based questions to Security+ in 2013, because multiple choice was not measuring the skill.

OffSec AI usage policy, July 2026; CompTIA

The industry already assesses the way Block 3 recommends: supervised practicals for assurance, performance over recall, no reliance on detection. A syllabus that does the same is alignment, not an experiment.

BLOCK 1 · WHAT STUDENTS ARE DOING

# The Majority, Not the Margin

**54%**

Of US teens have used AI chatbots for schoolwork; one in ten do all or most of it that way.

Pew Research, Feb 2026

**85%**

Of college students used generative AI for coursework in the past year; 97% say institutions should respond.

Inside Higher Ed and Generation Lab, Aug 2025

**76%**

Of UK undergraduates think their institution would spot AI use. Block 2 says it mostly would not.

HEPI and Kortext, Feb 2025

**60 to 70%**

Reported at least one cheating behavior per month before ChatGPT. After: the same, or slightly lower.

Stanford GSE, Pope and Lee, Oct 2023

The tools changed what cheating looks like and lowered its cost. The willingness was already there in most of a class, which means a policy that assumes most students will not use the tool is not a policy.

BLOCK 1 · THE POINT

# The Design Problem Was Already There

If a model can earn the grade, the grade was measuring the product, not the competency. Products are now cheap. The expensive half of every assignment is the only half left that measures anything.

DEMO 2 · 2:00 · THE RANGE

# Detector Roulette

Ask the small model whether a text was written by AI. Three fresh chats per submission. Then paraphrase one and ask again.

### Submission C

Run 1 | Run 2 | Run 3

### Submission A

Run 1 | Run 2 | Run 3

### A, paraphrased

Run 1 | Run 2

Reveal after the tally: C was written by a person in the lab VM. A came out of a hosted model.

BLOCK 2 · THE RECORD, PART 1

# 2023: The Vendors' Own Numbers

| Date | What happened |
|---|---|
| Jan 31 | OpenAI's classifier for AI text: 26 percent of AI text caught, 9 percent of human text falsely flagged, on its own test set. |
| Apr 4 | Turnitin turns on AI detection, having claimed 97 percent detection and under 1 percent false positives. |
| May | A Texas A&M-Commerce instructor asks ChatGPT whether it wrote his students' papers; incompletes follow; several are cleared. |
| May 23, Jun 14 | Turnitin discloses about 4 percent sentence-level false positives, and higher document rates below 20 percent flagged. |
| Jul | Liang et al., Patterns: 91 TOEFL essays, seven detectors, 61.2 percent average false positive rate; 97.8 percent flagged by one or more. |
| Jul 20 | OpenAI withdraws its classifier "due to its low rate of accuracy." |
| Aug 16 | Vanderbilt disables Turnitin's detector: 1 percent of 75,000 papers is about 750 students wrongly flagged. Pittsburgh follows. |
| Dec | Weber-Wulff et al., IJEI: 14 tools, none above 80 percent accuracy; paraphrasing cuts the best to about 26. |

BLOCK 2 · THE RECORD, PART 2

# 2024 to 2026: Institutions and Courts

| Date | What happened |
|---|---|
| Apr 2024 | Turnitin: 200 million papers reviewed; about 11 percent flagged at 20 percent or more AI, 3 percent at 80 or more. |
| Nov 20, 2024 | Harris v. Adams (D. Mass.): penalties for pasted Grammarly output upheld; the plagiarism rule applied without naming AI. |
| Jan 2025 | Maryland advises against detectors in course policies: "potential indicators of misconduct, not definitive proof." |
| Sep 2025, Jan 2026 | Waterloo removes Turnitin AI detection after human text scored 100 percent AI; Curtin disables it campus-wide. |
| 2026 | UT Austin: detection software is high-risk and barred without a contract; "student work is an educational record." |
| Feb 2026 | Newby v. Adelphi (N.Y. Sup. Ct.): a finding resting on a 100 percent Turnitin score is annulled, "devoid of reason." |
| Summer 2026 | Turnitin's new license would let submissions train AI tools; Berkeley, Southampton, and Aberdeen push back; deferred to 2027. |

BLOCK 2 · WHY DETECTORS FAIL, AND ON WHOM

# Who Gets Flagged

**61.2%**

Average false positive rate of seven detectors on 91 essays by non-native English writers. US eighth-grade essays: near-perfect.

Liang et al., Patterns, 2023

**97.8%**

Of those essays flagged by at least one detector. The fix the authors found: ask a model to enrich the vocabulary.

Liang et al., Patterns, 2023

**26%**

Accuracy of the best of 14 tools after one round of machine paraphrasing. Watermark detectors collapse the same way.

Weber-Wulff et al., 2023; Sadasivan et al.

**~750**

Students a year Vanderbilt calculated it would wrongly flag at a 1 percent rate. The base rate makes screening for a rare event mostly false alarms.

Vanderbilt, Aug 2023

Detectors score how predictable the words are. Plain writers and multilingual writers produce predictable text. Locally run open-weight models carry no watermark at all, and a student who took Session 1 knows that.

BLOCK 2 · WHEN INSTITUTIONS ACTED ON SCORES

# Courts Examine the Process, Not the Detector

## Harris v. Adams, 2024

Hingham, Massachusetts. Students pasted Grammarly-generated text with invented citations into a history project. The court denied an injunction: the handbook "unmistakably prohibits" cheating and plagiarism even though it never named AI, and "it strains credulity" that the student thought it was honest.

The school won. The rule was plain. The handbook now names AI anyway.

## Newby v. Adelphi, 2026

A misconduct finding rested on a Turnitin score of 100 percent AI. The New York court annulled it as "without valid basis and devoid of reason" and ordered the record expunged, because the student never had a fair chance to respond and nothing else was weighed.

The university lost. The court did not rule on whether detectors work. It did not need to.

From opposite outcomes, the same instruction: write the rule so it covers the conduct, give the student a chance to respond, and never let a score be the finding.

BLOCK 2 · THE ACCESSIBILITY ANGLE

# Assistive Technology Is Now Generative

### Jisc, December 2024

"No AI" assessment levels "lack consideration for AI's role in assistive technology." Grammarly, funded as a disability support, is now hard to classify.

### George Mason

Grammarly licenses only for approved accommodations, and "the generative AI features have been disabled for all student accounts." The tool stays; the feature goes.

### Texas Tech, Fall 2026

Sample syllabus statements exempt "basic grammar, spelling, and punctuation features, approved assistive technologies, and approved disability accommodations."

### Goucher College

A per-course AI agreement naming the tool, the use, and the limits, signed by the student, the instructor, and accessibility services.

The same detectors and the same blanket rules fall hardest on the students with the least room to contest them. Guardrail area 6 needs a private channel, and a decision that is not the instructor's to make.

BLOCK 2 · DISCUSSION · 2:20

# What Would You Need to See Before You Acted?

## Three things a score cannot tell you

- Whether this student used AI: a probability over a text, from a model you cannot inspect, against a base rate you do not know
- Whether the use was permitted: the same text is a violation in one lane and the assignment in another
- Whether the student has the competency: the only question the grade is supposed to answer

## Class list, in chat

Evidence we would act on:

1. _____
2. _____
3. _____
4. _____

LAB 3 · 2:25 TO 3:10 · TEAMS OF THREE

# Break the Assignment

2:25 · 8 min

## Predict

Score per rubric row, before running. What the catalog promises; what the rubric rewards

2:33 · 15 min

## Run and check

Lazy prompt on the small model; CO-STAR on the large. Score both. Every IP, count, and "failed" claim tested by command

2:48 · 15 min

## Read the pile

Four submissions on the legacy rubric and on three competency questions. Guess the origin. Reveal at 3:05

3:03 · 7

## Verdict

Claims to measure; actually measures; one sentence for the chair

**Runner** operates the models and saves outputs

**Checker** validates every claim by command

**Recorder** owns the threat-model sheet and the log

LAB 3 · THE CHECKER'S LOOP

# Every Number Is a Claim; the Log Is the Only Source

```
grep -c DROP nbtc-fw01_excerpt.log

grep -o 'SRC=[0-9.]*' nbtc-fw01_excerpt.log | sort |
uniq -c | sort -rn

for ip in $(grep -oE '([0-9]{1,3}\.){3}[0-9]{1,3}'
~/lab3/solve_large.txt | sort -u); do printf '%-16s
%s\n' "$ip" "$(grep -c "$ip" nbtc-
fw01_excerpt.log)"; done

grep -niE 'fail|brute|unsuccessful'
~/lab3/solve_large.txt

grep -c 10.30.12.118 ~/lab3/solve_large.txt
```

### A zero beside an address

An invented fact. No amount of prose quality covers it.

### "Failed," "brute force"

The firewall records connections, not logins. The log cannot support the claim.

### 10.30.12.118

A lab workstation reaching the SIS database port at 3:14 a.m. Did the author look past the obvious?

LAB 3 · THE REVEAL · 3:05

# The Rubric Inverts the Order

| Sub. | Origin | Legacy | What validation by command found |
|---|---|---|---|
| A | Hosted model, CO-STAR prompt | 19 | "More than thirty" attempts (25). VPN logins "all failed" (unknowable). Host 192.168.1.105 is not in the log. Never mentions the lab workstation. |
| B | Small model, lazy prompt | 16 | Scanner "a known malicious IP" (invented reputation). "25 ports" (23). Port 443 "blocked" (accepted). Misses the VPN burst and the lab host. |
| C | Human, in the lab VM with grep | 12 | Every number correct. Leads with the lab host and says why. States what the log cannot show. Lost points for tone and a missing title block. |
| D | Hybrid: model-drafted, hand-corrected, disclosed | 18 | Every number correct. Lab host mentioned, not prioritized. Disclosure names a consumer tool. |

By the legacy rubric

**A, D, B, C**

By the competency the catalog promises

**C, D, then A and B**

3:10 TO 3:20

# Break

When we return: three kinds of evidence a student can produce with zero new tools, and a five-minute conversation that does what no detector can.



DEMO 3 · 3:20 · THE RANGE

# Process Evidence, Zero New Tools

### script transcript

Start and end timestamps, every command, every typo, every comment to self. What a person thinking looks like.

Shows: sequence, errors, duration. Not: who typed.

### Timestamped history

HISTTIMEFORMAT set once in .bashrc. A sequence across sessions, and the gap between the log review and the first draft.

Shows: when, on this account. Not: the source of the text.

### Chat export and disclosure

What the student asked, what the model said, what they did with it. Four elements: tools, purpose, extent, oversight.

Shows: whether the use matched the lane. Not: understanding.

Scenario 7: a four-minute transcript, no errors, every command right, four minutes before submission. Evidence is not proof. It changes the conversation from accusation to questions.

DEMO 4 · 3:26 · THE RANGE, HISTORY OFF

# The Oral Defense Generator

Submission D and the log go into the large model on the campus server with Temporary Chat on. The prompt asks for five questions only the author could answer well, each tied to a claim in this report.

Then we validate: is that claim actually in the report? Strike any question that invents one. Keep three.

| | |
|---|---|
| **90 s** | to generate |
| **60 s** | to check each question against the report |
| **5 min** | to ask, in the synchronous session, ten students per section |

Scenario 3: Hannah disclosed ChatGPT. She cannot answer the question about recommendation 4. What does your syllabus say happens now?

BLOCK 3 · REDESIGN PRINCIPLES

# Five Properties, Each With a Module 6 Move

| Property | The question it answers | Module 6 move |
|---|---|---|
| Authentic performance | Would a professional produce this, for this audience, under this constraint? | A handoff note to a named lead who can make one change this week |
| Decision-making | Two defensible answers, and the grade rewards the justification? | Rank three findings; defend the ranking against a supplied pushback |
| Process evidence | Can the instructor see how the work was done? | Transcript, timestamped history, drafts, chat export |
| Technical validation | Does the student have to prove a claim or a fix works? | Load the rule in the course VM, replay traffic, attach the drop line |
| Student accountability | Does the student answer for the work in their own voice? | Five-minute check-in on their own note; ten per section |



Each property moves part of the grade to something only the student can supply, and each costs minutes. Lab 4 counts them.

BLOCK 3 · FRAMEWORK 1

# The AI Assessment Scale

| Level | Name (2024) | What the student may do with AI | Module 6 reading |
|---|---|---|---|
| 1 | No AI | Nothing. Conditions prevent it: in person, supervised, live | A live log-review practical in the synchronous session |
| 2 | AI Planning | Brainstorm, outline, research; the submitted work is the student's own | Ask what port 1433 is; write the note yourself |
| 3 | AI Collaboration | Draft, get feedback, refine; the student evaluates and edits; use is documented | Note, evidence, validation, check-in |
| 4 | Full AI | AI completes the task; the student directs, evaluates, and is accountable | The model writes the note; the grade is the critique and the validation |
| 5 | AI Exploration | AI is the object of study | Lab 3 itself |

**Per assessment, printed on it.** Not a course-level line.

**Validity at every level** if the assessment is designed for it.

**Security only at Level 1.** Everything else is open.

# Two Lanes

## Lane 1: Secured

Supervised, in person or live, no aids. Used sparingly, for assurance that program-level outcomes have been met. AIAS Level 1.

Interactive oral, live lab practical, invigilated test

## Lane 2: Open

Any tool allowed, AI use acknowledged, the process documented. Assessment for learning, where most assessment should sit. AIAS Levels 2 to 5.

Take-home note with disclosure and process evidence

The sentence for your curriculum committee: an unsupervised take-home task labeled "no AI" is neither secured nor valid, so the label is not a policy.

BLOCK 3 · ACCOUNTABILITY AT SCALE

# Orals Work, and They Can Be Afforded

## 77%

Of Dublin City University students rated interactive orals good or very good at discouraging cheating; 82% at encouraging integrity. 322 students, seven modules.

Ward et al., 2024

## 10 to 15 min

Assesses about as much as a 3,000-word essay. Online video orals can be defeated by live deepfakes: keep them synchronous and unpredictable.

Kalman, Miller, Liu, Teaching@Sydney, 2024

## Under $1

Per exam for NYU Stern's voice-AI orals across 73 students. TAMIGO's LLM-drafted viva questions were "highly effective" with enough context.

Ipeirotis and Rizakos, 2026; TAMIGO, 2024

## 10 per section

Our version: the model drafts, the instructor validates and asks, the student answers. Random sample plus volunteers, inside the synchronous session.

Demo 4

Three levers keep a redesign under double the time: sample rather than inspect everything, move accountability into time the course already has, and automate locally what a model drafts well and you then verify.



NITIC

BLOCK 3 · PRACTICE · 3:44

# Pick a Level and a Lane, in Chat

### Subnetting worksheet

NET 110. Given 172.16.0.0/16, address six buildings. Show your work. 20 points.

### Packet-capture analysis

Of a capture the student made on their own VM. Identify three protocols and one anomaly.

### Password policy memo

Two pages for a 40-person firm, citing NIST SP 800-63B. 20 points.

Post three answers: a level (1 to 5) and a lane for each. The spread is the discussion.

SCENARIO MISSION 2 · 3:50

# The Module 6 Problem

Your team is the Computer Technologies Department's redesign group. The advisory board meets November 12. The chair needs three things, and the dean has one constraint.

NITIC
National Information Technology Innovation Center

MISSION 2 · THE CHAIR'S REQUEST

# Three Deliverables Before November 12

1

## Evidence

Can Module 6 be completed by a model without the competency the catalog promises? Your Lab 3 threat model.

2

## A redesigned Module 6

Runnable in Spring 2027 by adjuncts with the existing course VMs, at no more than double the instructor time per student.

3

## A department syllabus AI section

Seven areas: acceptable use, attribution, disclosure, prohibited data, evidence retention, accessibility, academic integrity. For CYB, NET, and CIS.

⚠ The dean's constraint: nothing may conflict with the interim AI data policy, FERPA, or the college's ADA Title II obligations.

MISSION 2 · WHAT THE DEPARTMENT HAS

# Assets and Constraints

| Asset | Details |
|---|---|
| Course VMs | Every CYB 110 student has a Linux VM with root, a firewall, and packet-capture tools |
| Northbridge AI Server | Ollama and Open WebUI on campus, approved for Restricted data with history off |
| The interim data policy | Student work is Restricted; third-party tools, including detectors, need a FERPA-compliant contract |
| The current syllabus | An academic integrity section unchanged since 2019: "use of unauthorized aids is prohibited" |
| Staffing | Four CYB 110 sections in spring, three taught by adjuncts; a 75-minute weekly synchronous session |
| The per-student log generator | On the range: same log structure, different addresses and times, one of three planted findings per student ID |

**Designer** owns the canvas and presents

**Policy lead** owns the guardrails and the policy check

**Runner and Recorder** runs the viva prompt, keeps the log

# FERPA and the Tools You Upload To

## Student work is a record

Sending it to a third party is a disclosure. Without consent it needs the school-official exception: a function the college would otherwise do with employees, direct control, authorized use only, no redisclosure. That is a contract, not a free website.

34 CFR 99.31(a)(1)(i)(B); PTAC, 2014

## Institutions have said so

UT Austin: detection software is high-risk and barred without a contract. USC, April 2026: uploading student information to a generative AI platform "may constitute a violation of FERPA." Utah: de-identify first, contracted tools only.

Student Guide, Part 6

That is why Demo 4 ran on the campus server with history off, and why Dana Okafor stopped. Your area 4 guardrail binds the instructor as well as the student.

# ADA Title II: The Dates Moved

The rule, April 2024

## WCAG 2.1 AA

For the web content and apps of state and local governments, including public community colleges. Course content and required tools are in scope.

Populations of 50,000 or more

## April 26, 2027

Moved from April 24, 2026 by the interim final rule of April 20, 2026.

Smaller entities and special districts

## April 26, 2028

Moved from April 26, 2027. The population is the governing city or state's, not enrollment.

If you quote 2026 and 2027, you are quoting the superseded dates. And any evidence requirement needs a path a screen-reader user can take: a terminal transcript is text; a screen recording is not.

# Attribution, Disclosure, and Retention Have Published Forms

| Area | Practice to borrow |
| --- | --- |
| Attribution | APA, MLA, and Chicago all publish AI citation formats; none treats the tool as an author. MLA puts the prompt as the title of the source and the tool as the container. |
| Disclosure | Elon and AAC&U, Student Guide to AI (2025): tools, purpose, extent, oversight. Loughborough requires "I acknowledge the use of…" with prompts and output. Western Michigan (March 2026) and Messiah (2025) require an AI statement on every syllabus. |
| Retention | Stony Brook: keep time-stamped drafts; a flagged paper means a revision-history conversation. Cornell: "save the chats." QAA (2023): a lack of evidence of how tools were used can itself be a misconduct question. |
| Accessibility | Texas Tech exempts approved assistive technologies and accommodations; Goucher signs a per-course AI agreement with accessibility services; George Mason disables generative features rather than banning the tool. |
| Integrity process | Name the conduct, start with evidence and a conversation, give the student a chance to respond, and say what you will not rely on: no finding rests on a detector score. |

MISSION 2 · DELIVERABLE 3

# Seven Guardrail Areas, Each With a Question to Answer

| # | Area | The text must answer |
|---|---|---|
| 1 | Acceptable AI use | Which uses are allowed and which are not; how a student finds the lane for a specific assignment |
| 2 | Attribution | How AI contributions are credited, in what format, under which style guide |
| 3 | Disclosure | What the student states (tools, purpose, extent, oversight), where, and what happens without it |
| 4 | Prohibited data | What may never be pasted into a tool; which environments are approved; consistent with the data policy |
| 5 | Evidence retention | What process evidence is kept, how long, in what form, when it may be requested |
| 6 | Accessibility | How approved assistive technology relates to the rules; who decides; a private way to ask |
| 7 | Academic integrity | What counts as a violation; how a concern is raised; what evidence is and is not relied on; the chance to respond; consequences |

Two to five sentences each, in language a student can act on. Then test every area against a scenario; that is where drafts break.

LAB 4 · 4:05 TO 5:05 · TEAMS OF THREE, THEN INDIVIDUAL

# Five Stages, One Hour

4:05 · 12 min

## Lane

Level, lane, canvas A to D

4:17 · 15 min

## Evidence

Canvas E to H; run the viva prompt; rewrite the rubric

4:32 · 15 min

## Guardrails

Seven areas, each tested against a scenario

4:47 · 15 min

## The sprint

Individual: your own assignment on the canvas, C and E first

5:02 · 3

## Log

Rows and transcript

Before Stage 1: **script -a ~/lab4/lab4_transcript.txt**. You will leave with an hour of your own process evidence.

LAB 4 · THE REDESIGN CANVAS

# Nine Sections; C and E Change the Most

**A. Competency**
What the catalog promises; what the legacy version measures

**B. Lane**
AIAS level, lane, one-sentence reason, the line students read

**C. Authentic performance**
Real artifact, audience, constraint, and what is unique per student

**D. Decision**
Two defensible answers; the rubric rewards the justification

**E. Process evidence**
What is submitted besides the product; how kept; when reviewed

**F. Technical validation**
What the student proves works, and the graded output

**G. Accountability**
The moment the student answers; three author-only questions

**H. Rubric rewrite**
Four rows, 20 points, measuring what the lane can claim

**I. Cost check**
Minutes before and after; what is sampled, moved, or automated

LAB 4 · STAGE 3

# Eight Scenarios to Break Your Draft Against

| | | | |
|---|---|---|---|
| 1 | A grammar tool added a "rewrite for clarity" button. No accommodation on file. | 2 | The whole log pasted into a free consumer chatbot with the lazy prompt. |
| 3 | Disclosed AI help; cannot say why port 1433 matters in the check-in. | 4 | An AI-drafted nftables rule, loaded, tested, captured, and documented. |
| 5 | The instructor wants to upload all 34 reports to a free detector "just to see." | 6 | An approved summarizer versus a syllabus line that says "no AI on Module 6." |
| 7 | A four-minute transcript with no errors, four minutes before submission. Numbers all right. | 8 | A study group shared one chat; three reports with two identical sentences. |

For each: which area applies, what your text says happens, and whether the student and the instructor would reach the same conclusion from it. Where they would not, revise.

DEBRIEF · 5:05 · 90 SECONDS PER TEAM

# Readouts

1

### The lane

Which AIAS level and lane you gave Module 6, and the one-sentence reason.

2

### The rubric row

The single criterion that changed the most: the legacy wording and yours.

3

### The guardrail sentence

One sentence from your seven areas you are proud of, and the scenario it survived.

Ninety seconds each, hard stop. Tally of levels on screen as teams report; the spread is the debrief.

DEBRIEF · THE POLL

# Which Level Did Your Team Give Module 6?

**1**

### No AI

A live practical. Defensible. What happens to students who miss the session?

**2**

### AI Planning

Lookup allowed, product the student's. How is "the student's" shown?

**3**

### AI Collaboration

The expected center: evidence, validation, and an oral check carry the claim.

**4**

### Full AI

Worth arguing. If the model writes the note, what does the grade measure?

**5**

### AI Exploration

Lab 3 as a student assignment. A different course outcome.

DEBRIEF · 5:18

# What Real Institutions Did

| Institution | What they did |
|---|---|
| University of Sydney | Two lanes as policy from 2025; AI allowed by default outside exams; the lane printed on every assessment |
| British University Vietnam | Piloted the AI Assessment Scale; fewer GenAI misconduct cases, more confident staff |
| Western Michigan; Messiah | An AI statement required on every syllabus (March 2026; 2025) |
| Loughborough | A required acknowledgment statement with prompts and output; omission is misconduct |
| Stony Brook; Cornell | Keep time-stamped drafts; save the chats; a flag means a conversation about revision history |
| Vanderbilt, Pittsburgh, Maryland, Waterloo, Curtin, UT Austin | Detection disabled, discouraged, or barred without a contract, 2023 to 2026 |
| Berkeley, Southampton, Aberdeen | Pushed back on a vendor clause letting student work train AI; deferred to 2027 |

Every published move is one of the five properties or one of the seven areas. None is a detector.

DEMO 5 · OPTIONAL · THE RANGE

# The Rubric Grades the Rubric

## Legacy rubric, applied by the model

Submission A (AI)

**about 19**

Submission C (human)

**12 to 14**

## One criterion rewritten

"Identifies and prioritizes the finding with the highest potential impact to the institution, citing the log lines that support it, and states what the log cannot show."

A

**falls**

C

**rises**

You did not change the students or the model. You changed what the assignment measures.

5:23 · FOR YOUR OWN COURSES

# If You Teach Toward CompTIA SecAI+

| TODAY | SECAI+ OBJECTIVE IT SERVES |
|---|---|
| **Block 1 and Lab 3: the bypass** | 1.1 AI types and techniques; 3.2 how AI enables or enhances attack vectors: the same capability writes a report and a phishing email |
| **Block 2: detection** | 4.2 Risks: hallucination, bias, shadow AI; a free detector with student records is shadow AI |
| **Demo 4 and the viva prompt** | 2.3 Access controls; 4.1 private versus public models, applied to an education record |
| **Guardrails** | 4.1 Governance by data classification; 4.3 compliance, sanctioned versus unsanctioned use |
| **Process evidence and the Evidence Log** | 2.5 Monitoring and auditing: a transcript, a chat export, and a disclosure are an audit trail |

SecAI+ (CY0-001) launched February 17, 2026 and has no objective on academic misuse; assessment policy for a security program is governance of how its own people use AI. Full map in the Student Guide, Part 8.

5:25 · THREE QUESTIONS

# Exit Ticket

1. Which of the seven guardrail areas are you least sure how to write for your own course, and why?

2. Which assignment will you redesign first, and which of the five properties does it most need?

3. From 1 to 5, how ready are you to run Lab 3 or Lab 4 with your own students? What would move you up one point?

Form link in chat. The same questions are on the last page of the Participant Packet.

NITIC
National Information Technology Innovation Center

NOVEMBER 6 · SESSION 3

# The Invented IP Address Is a Retrieval Problem

Next session Northbridge grounds its models in the college's own documentation and live threat intelligence, and the mission tests whether the answers get better or just more confident. Bring your Evidence Log.

This material is based upon work supported by the U.S. National Science Foundation under Grant No. 2300188. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.