
NITIC
National Information Technology Innovation Center



WORKING CONNECTIONS · AI + CYBER · SESSION 4

# AI-Assisted Cyber Operations and Authorized Testing

Friday, November 13, 2026 · 1:30 to 5:30 ET  Frazier A. Smith, Ed.D. · Central Piedmont Community College

This material is based upon work supported by the National Science Foundation under Grant No. 2300188.

OPENING · THE NORTHBRIDGE STORY

# Northbridge Since November 6

| Date | What happened |
|---|---|
| Nov 9 | A staging deployment of the student-support portal leaves a backup file in a web-served folder. |
| Nov 10 | At 9:01 p.m., requests reach the staging portal and the staging API from a campus VPN address. |
| Nov 11 | Portal developers report odd access-log entries to the IT Security Office. A network engineer sweeps the whole staging subnet without authorization. |
| Nov 12 | Provost Dr. Alicia Harmon and CIO Dr. Samuel Okonjo ask for a go or no-go on the December 1 pilot by November 16. Kwame Mensah signs a limited authorization for today. |
| Today | You are his assessment team. The security office recorded the authorized captures, and one consequential test waits for his written approval. |

THE AFTERNOON

# Agenda

| Time (ET) | Segment | You leave with |
|---|---|---|
| 1:30 to 1:45 | Opening, poll, scope read-back | A signed scope read-back |
| 1:45 to 2:05 | Block 1: Evidence Before Interpretation, Demo 1, GTG-1002 | Where the approval gate sits |
| 2:05 to 2:55 | Lab 7 Part A: inventory, hypotheses, validation, approval | Observation log, hypothesis record, approval request |
| 2:55 to 3:05 | Break: the approved result and two injects arrive | |
| 3:05 to 4:00 | Lab 7 Part B: Demo 3, team work, Demo 4 | Timeline, finding, detection and remediation |
| 4:00 to 4:25 | Briefings and the reveal | A go or no-go recommendation |
| 4:25 to 5:10 | Lab 8: Redesign a Legacy Lab as Purple Team | A purple-team lab canvas |
| 5:10 to 5:30 | Debrief, poll, exit ticket | The Session 5 preview |

THE DECISION

# Go or No-Go for the December 1 Pilot

**Should the AI-enabled student-support portal start its December 1 pilot as planned, start only after named conditions are met, or wait?**

### What delay costs

The pilot puts an AI assistant in front of first-year students in two programs for financial aid, advising, and tutoring questions before spring registration. The vendor contract prices the pilot by start date.

### What going ahead costs

The staging environment becomes production. Anything exposed in staging goes live with it. Someone on the campus VPN sent requests to staging on November 10, and nobody has explained them yet.

Recommend go, go with named conditions, or no-go, with your confidence. Written findings go to Kwame Mensah by 4:25.

POLL · BEFORE ANY OUTPUT

# Your Estimate Before Any Output

## How likely is it that the staging portal has a vulnerability serious enough to delay the pilot?

| | | | | | | |
|---|---|---|---|---|---|---|
| **Almost no chance**<br>1 to 5% | **Very unlikely**<br>5 to 20% | **Unlikely**<br>20 to 45% | **Roughly even chance**<br>45 to 55% | **Likely**<br>55 to 80% | **Very likely**<br>80 to 95% | **Almost certain**<br>95 to 99% |

Answer before you open any capture, from what you have heard so far.

Write your answer in your Evidence Log. The same poll runs again after the briefings.

OPENING · HOW LAB 7 WORKS

# Nobody Scans Today

**The Northbridge IT Security Office recorded these captures inside the authorized window from its assessment workstation. Today's lab is about interpretation, scope, and evidence, not about running scanners.**

### Recorded inside the window

Marcus Bell of the IT Security Office ran every authorized capture from the assessment workstation `sec-scan01`, the only authorized source of test traffic.

### Authentic tool output

Each capture is real nmap and curl output from the staging services, saved unedited under a header that names the tool, the command, the target, and the start time with its zone.

### Your work

Read the output, ask the campus model for ranked hypotheses, test each claim against other evidence, and request approval for the one consequential test.

Do not run any network command against any address from the range.

OPENING · LAB7/RULES_OF_ENGAGEMENT.MD

# Rules of Engagement: Seven Elements and the Approval Rule

| Element | Today's value |
|---|---|
| Target | `portal-stg.northbridge-tc.example`, 10.40.13.10, TCP 80, and `api-stg.northbridge-tc.example`, 10.40.13.11, TCP 8080. Nothing else. Test traffic comes only from `sec-scan01`, 10.40.13.50. |
| Time window | Friday, November 13, 2:00 to 4:00 p.m. Eastern Time (19:00 to 21:00 UTC). A capture outside the window is not evidence. |
| Allowed techniques | Name resolution, TCP connect service enumeration by the operator, read-only HEAD and GET of five listed paths, review of the package inventory and telemetry, analysis on the campus AI server. |
| Prohibited actions | Any other address, including every public one. SYN, UDP, and OS scans. Intrusive scripts and attack payloads. Opening files from a listing. Any credential. Hosted AI services. |
| Data rules | Captures, telemetry, and inventory are Confidential and stay on the campus servers. Describe an exposed file by name, size, and timestamp only. |
| Approval rule | Any other path, any request that may expose restricted information, and any state-changing test waits for Kwame Mensah's written approval. A model's recommendation is never approval. |
| Stop conditions | A result or step points outside the two targets. A target slows or errors. Data looks real. A tool or model proposes an action outside the document. |
| Reporting path | Stops and notifications go to Mensah in the session chat as they happen. The written finding goes to him by 4:25 p.m. |

OPENING · BREAKOUT ROOMS · 7 MINUTES · DUE 1:45

# Scope Read-Back Is the First Scored Act

| # | Proposed action |
|---|---|
| 1 | Review the operator's nmap -sT -sV capture of 10.40.13.11 taken at 2:04 p.m. |
| 2 | Ask the campus AI server to rank hypotheses about the API banner. |
| 3 | Paste the portal access log into a hosted chatbot to get a second opinion. |
| 4 | Use the nmap results for 10.40.13.20 from the November 11 sweep to describe the subnet. |
| 5 | Request `http://portal-stg.northbridge-tc.example/backup/`. |
| 6 | Send a traversal request to the API to see whether the banner is true. |

Classify each action as in scope, out of scope, or requires approval, and name the deciding element. Write one sentence per element in `templates/scope_readback.md`, sign with names and time, and post it in the shared folder.

BLOCK 1 · DEMO 1 · 6 MINUTES · FERNWOOD TEST SITE

# Demo 1: Raw Output, Then Hypotheses

```
# Fernwood test site, synthetic web-server log export
# Saved before any model run. Times: local time
19:02:11  198.51.100.10  GET /search?q=history    200  1.2 KB
19:02:30  198.51.100.10  GET /search?q=o%27brien  500  0.3 KB
19:02:45  198.51.100.10  GET /search?q=obrien     200  1.1 KB
```

Observed: a search with an apostrophe returned 500, and the same search without it returned 200. The log does not say why.

### The check

Which sentence in each answer did the log not support?

### Request 1

What is wrong with this server?

### Request 2: four parts

The raw output, the scope, two to four ranked hypotheses, and for each one the evidence and the least invasive next step inside scope.

BLOCK 1 · FIVE MINUTES

# Approval Gates, the Least Invasive Method, and Purple-Team Translation

### Consequential test

A test whose effects reach beyond reading. It changes data, can disrupt a service, uses a credential, or exposes information the data rules restrict.

### Approval gate

Holds a consequential test until a named person who owns the risk says yes in writing.

### Least invasive method

The test that demonstrates the finding with the smallest effect.

### Four parts of an approval request

1. The finding so far, with a pointer to the raw output
2. The proposed test and its expected effect
3. A less invasive alternative
4. How the target returns to its prior state

### Purple-team translation

1. A detection idea
2. A remediation with an owner
3. A validation step that repeats the original observation
4. A confidence statement

BLOCK 1 · THE CASE · ANTHROPIC, NOVEMBER 2025

# GTG-1002: Where the Humans Sat

**About 30**
Targets in the campaign

**A handful**
Validated intrusions

**80 to 90%**
Tactical operations performed by the AI

**4 to 6**
Critical human decision points per campaign

### The human gates

- Approve the move from reconnaissance to exploitation
- Authorize use of harvested credentials
- Decide the scope of exfiltration



### The over-claiming

The report says Claude "frequently overstated findings and occasionally fabricated data." Claimed credentials did not work.

BLOCK 1 · WILLISON, JUNE 16, 2025

# The Lethal Trifecta

### Access to private data

An assessment agent that can read captures, configuration files, or a SIEM.

### Exposure to untrusted content

A web page, a log field, or a service banner the agent reads, written by someone else.

### Ability to externally communicate

A tool that runs commands, sends requests, or posts messages.

### OWASP Top 10 for Agentic Applications, December 9, 2025

- ASI01 Agent Goal Hijack: text inside content the agent reads changes the goal it pursues.
- ASI02 Tool Misuse: the agent uses a legitimate tool in a way the operator did not authorize.

BLOCK 1 · DISCUSSION · 9 MINUTES

# Where the Approval Gate Belongs in an Agentic Workflow

**1**

### The model proposes

A tool call: a command, a request, or an action on a host.

**2**

### Code checks the scope

The target list, the prohibited techniques, and the approval rule, before anything runs.

**3**

### A named human approves

The person who owns the risk says yes in writing to a four-part request.

**4**

### The tool runs

Its result is checked against the raw output before anyone reports it.

### Blocked

Outside the target, or a prohibited technique. No approval converts it.

### Held for approval

Consequential: it changes data, uses a credential, or exposes restricted information.

### Allowed

Read-only and inside the scope. The result still needs validation.

The gate sits before execution of any consequential tool call. Code checks the call against the written scope, and a named human who owns the risk approves it.

LAB 7 · 2:05 TO 4:00 · TEAMS OF THREE

# Lab 7: Authorized Assessment of the Staging Portal

### Operator of record

Keeps the observation log and runs every command on the range.

### Analyst

Runs `hypothesize.sh` and keeps the hypothesis record.

### Scope officer

Checks every step against the rules of engagement and owns the approval request and any stop call.

| Time | Part A step |
|---|---|
| 2:05 | 1. Inventory the two in-scope hosts, and classify every capture before you use it. |
| 2:13 | 2. Record the raw output before any AI: tool, command, target, time with zone, hash. |
| 2:20 | 3. Ask the campus model for ranked hypotheses. Mark each next step against the scope. |
| 2:30 | 4. Validate service identity with at least two pieces of evidence the banner did not supply. |
| 2:40 | 5. Write the approval request. Post it to Kwame Mensah in the chat by 2:45. |
| 2:45 | 6. Start the timeline in UTC from the telemetry. Do not convert time zones yet. |

LAB 7 · /OPT/NITIC/SESSION4/LAB7 · COPY TO ~/LAB7

# What Is in the Lab 7 Folder

| Path | What it is |
|---|---|
| `authorization_mensah_2026-11-12.md`<br>`rules_of_engagement.md` | The authorization and its rules of engagement |
| `pilot_decision_request.md` | The provost's and CIO's request for a go or no-go by November 16 |
| `staging_network_note.md` | The network team's description of the staging subnet, its sensor, and its gateway |
| `captures/C00_network_team_sweep_2026-11-11.txt` | Network team sweep, November 11 |
| `captures/C01` to `C06` | The authorized captures: name resolution, nmap -sT -sV of each target, HTTP responses from each target, the staging package inventory |
| `telemetry/` | The staging sensor's Zeek and Suricata logs and the portal's nginx access log, November 10 to 12, all in UTC |
| `bin/hypothesize.sh` | Sends named captures and the rules of engagement to the campus model with the four-part request |
| `templates/` | Read-back, observation log, hypotheses, approval request, timeline, finding, detection and remediation |

LAB 7 · STEP 5 · A WORKED EXAMPLE FROM FERNWOOD

# The Approval Request

**1** **Finding so far, with a pointer**

A search with an apostrophe returned 500, and the same search without it returned 200. Log export, lines 2 and 3, 19:02 local time.

**2** **Proposed test and expected effect**

Submit one form value that would create a record in the test database. Expected effect: one new synthetic record.

**3** **Less invasive alternative**

Repeat the identical search once and read the server error log. Both are read-only. A query syntax error there may make the record test unnecessary.

**4** **Return to prior state**

Delete the test record by its ID, then confirm that the record count matches the count before the test.



**Approved**

The approver states exactly what may run.



**Returned**

The approver names the one missing part. Resubmit.



**Denied**

The approver names the reason. Do not resubmit the same test.

BREAK · 2:55 TO 3:05

# Break: The Approved Result and Two Injects at 2:55

`captures/C07_curl_backup_index_APPROVED_1449.txt` · approved teams only

`injects/I1_vulnwatch_export_api-stg.csv` · every team

`injects/I2_soc_escalation_2026-11-13.md` · every team

Read both injects before you change anything. Teams without an approval post a complete request first. Part B starts at 3:05.

NITIC
National Information Technology Innovation Center

LAB 7 · PART B · 3:05 TO 4:00

# Part B: Purple-Team Extension

**3:05 · Demo 3**

Live SOC: AI triage with an approval gate. Watch, no commands.

**3:20 · Steps 1 to 6**

Team work in breakout rooms.

**3:47 · Demo 4**

From finding to detection. Write your detection idea first.

**3:55 · Step 7**

Finish the write-up. Findings to Mensah by 4:25.

1. Read both injects. For each, write what it claims, what evidence it rests on, and whether that evidence is independent of yours.
2. Revise the hypotheses after I1 and record any correction.
3. Refuse any proposed action against an address outside the scope, from a model or a teammate, and escalate it to Kwame Mensah with the deciding element.
4. Reconcile the timeline on one UTC clock.
5. Correlate the approved finding with the telemetry.
6. Draft the detection idea: data source, condition, expected false positives.
7. Write the remediation with an owner, the validation step, the confidence statement, and the recommendation.

PART B · DEMO 3 · 3:05 TO 3:20 · FACILITATOR LAB VM

# Demo 3: Live SOC, AI Triage With an Approval Gate

A Wazuh SIEM runs on a facilitator lab VM with a local model. It ingests synthetic events for one lab endpoint, `web-01`. No Northbridge host and no range file is involved.

**1 Alerts**

A service scan, an SSH password-guessing burst, and a web path scan reach the SIEM as alerts.

**2 Triage note and evidence check**

The model writes what happened, source and target, ATT&CK techniques, severity, confidence, and alert IDs. Each claim is checked against the alert's raw log line.

**3 Approval and rollback**

The agent proposes a block, prints a four-part request, and waits for a typed approval. A code guard refuses addresses outside the allowlist. The block runs, then rolls back.

**4 Injected text in a log field**

An event carries text addressed to AI analysts. The model's answer is shown, then the deterministic layer that holds either way.

PART B · DEMO 3 · THE EVIDENCE CHECK

# Checking the Triage Note Against the Alerts

| Claim in the triage note | What must support it |
|---|---|
| What happened | The rule description of each cited alert |
| Source and target | The source address and agent name in each cited alert, matching its raw log line |
| ATT&CK technique | The MITRE field of the cited rule. A technique no cited rule names is the model's inference |
| Severity and confidence | The rule levels. The model's confidence is an inference and is labeled as one |
| Success, intent, or attribution | No alert says this unless a raw log line shows it |



**Allowlist**

Code refuses any action on an address outside the lab allowlist.



**Required evidence IDs**

A claim with no alert ID behind it is not accepted.



**Approval gate**

The block waits for a typed approval from a person.

PART B · STEP 4 · RECONCILIATION

# Reconciling Two Records of One Event

Put every event on one UTC timeline: source file and sensor, time as recorded, zone, corrected UTC, source address as recorded, and the client after reconciliation.

### Time zone

Which zone each record uses, and the conversion of each time to UTC.

### Clock

Whether each sensor's clock was synchronized, and the offset when one was not.

### Sensor placement

Where each sensor sits relative to address translation, and which source address it can see.

### False-positive alternative

Whether the record shows that an attack succeeded, or only that a request matched a signature.

PART B · DEMO 4 · 3:47 TO 3:55 · FACILITATOR LAB VM

# Demo 4: From Finding to Detection

### The description the model receives

Alert on a 200 response for any path under `/backup/` or ending in `.bak` on the portal, from any source other than `sec-scan01`.

### The draft

The local model writes a Wazuh rule from the description.

### Positive lines: the rule must fire

- The November 10 request for `/backup/`
- The November 10 request for `portal_config.bak`

### Negative lines: the rule must stay silent

- The approved 2:49 p.m. request from 10.40.13.50
- A 404 for `portal_config.old`
- An ordinary `GET /`

### The test

Wazuh's rule tester runs every line. Each line is marked as fired or silent, and any wrong result is corrected.

### The install

The rule goes in only after a typed approval.

BRIEFINGS · 4:00 TO 4:25 · THREE MINUTES PER TEAM

# Briefing: Scope, Evidence, Remediation

**30s** **Scope**
What the team was authorized to do, and one thing it refused or escalated, with the deciding element.

**60s** **Evidence**
The one finding with its capture pointer and the telemetry correlation. The verdict on the API banner with its two strongest pieces of evidence.

**60s** **Remediation**
The detection idea, the remediation and its owner, the validation step, and the confidence statement.

**30s** **Recommendation**
Go, conditional go with named conditions, or no-go for December 1.

Written findings go to Kwame Mensah in the shared folder by 4:25.

THE REVEAL · FILE BY FILE

# What the Captures Show

| File | What it shows | Use it |
|---|---|---|
| C00 | November 11 sweep of the whole /24 from netops-ws07. It touched the HR replica, 10.40.13.20 | No. Outside window and target |
| C01 | Both target names resolve to 10.40.13.10 and 10.40.13.11 | Yes |
| C02 | Port 80 reported as nginx 1.24.0. No other open port | Yes |
| C03 | Port 8080 reported as Apache httpd 2.4.49 | Yes, as a claim to test |
| C04 | nginx banner and 404 page. `robots.txt` disallows `/backup/` | Yes |
| C05 | `/version` reports nb-support-api on Python 3.12. JSON error bodies. No Date header | Yes |
| C06 | nginx 1.24.0 on portal-stg. No apache2 package on api-stg | Yes |
| C07 | The `/backup/` index lists `portal_config.bak`, 412 bytes, 09-Nov-2026 16:42 | Yes, after approval |
| Telemetry | The November 10 requests, the traversal attempts answered with 400, and the backup file served | Yes, after reconciling |

THE REVEAL · THE API BANNER

# The Banner That Named a Real CVE

```
# C03, nmap -sT -sV
8080/tcp open  http    Apache httpd 2.4.49 ((Unix))
# C05, GET /version
{"service":"nb-support-api","build":"2026.11.2","runtime":"python 3.12"}
# C05, GET of a path that does not exist
{"error":"not_found","service":"nb-support-api"}
# C06, api-stg
dpkg-query: no packages found matching apache2*
# Telemetry, November 10 traversal attempts
HTTP 400, 86-byte JSON error from the application
```



### CVE-2021-41773

Path traversal in Apache HTTP Server 2.4.49 only, fixed in 2.4.50 on October 4, 2021. NVD CVSS 3.1 base score 9.8, Critical. In the CISA KEV catalog since November 3, 2021.



### The verdict

The service is a Python JSON API. The banner is false, so the CVE does not apply. A scanner that read the same header adds no evidence.

THE REVEAL · THE X-FORWARDED-FOR HEADER

# The Address 203.0.113.77 in the X-Forwarded-For Header

```
# Zeek http.log, proxied field, API requests A1 to A5
X-FORWARDED-FOR -> 203.0.113.77
# Suricata eve.json, the same requests
"xff":"203.0.113.77"
```

The November 10 requests to the API carried this header. The client that sent them was 10.20.200.14 on the campus VPN.

### A public address

203.0.113.77 is not in element 1, and every public address is prohibited.

### A client-supplied header

`X-Forwarded-For` carries whatever the requester writes. The address is unverified and may belong to no one involved.

### The response

Refuse any proposal to scan or probe it, from a model or a teammate. Record the stop, and escalate to Kwame Mensah.

THE REVEAL · REQUEST A2, THE FIRST TRAVERSAL ATTEMPT

# One Event, Two Clocks, Two Addresses

| Record | Time as recorded | Source address | Says |
|---|---|---|---|
| Zeek and Suricata, stg-sensor01 | 02:01:46 UTC, November 11 | 10.40.13.1 | 400, 86 bytes |
| SOC alert, core-sensor02 | 9:03:20 p.m. EST, November 10 | 10.20.200.14 | Possible successful exploitation |
| True time | 02:03:20 UTC, November 11 | 10.20.200.14 | An attempt the API rejected |

### Time zone

9:03:20 p.m. EST is 02:03:20 UTC the next day.

### Clock

The staging sensor runs 94 seconds slow. It has had no NTP since October 30.

### Placement

The gateway translates 10.20.200.14 to 10.40.13.1 before the staging sensor sees it.

### False positive

The API answered 400 with its own JSON error, and no Apache is installed.

The finding: at 02:01:31 UTC on November 11, the portal served `portal_config.bak`, 412 bytes, to the same client, and no alert fired.

LAB 8 · 4:25 TO 5:10 · INDIVIDUAL, THEN PAIRS

# Lab 8: Redesign a Legacy Lab as Purple Team

## The redesign must include

1. Authorization: all seven elements and the approval rule, and a scope read-back as the first scored act
2. Known expected findings, with at least one planted misconception and its detection path
3. AI-use boundaries: what students may ask, which data tier goes to which model, where the gate sits
4. At least two validation checkpoints that need independent evidence
5. A defensive extension: detection, remediation, validation, and the telemetry they need
6. A reset to a known state between students and sections
7. Troubleshooting notes for the three most likely failures

### Start from your inventory

Copy each Legacy Lab Inventory field into the matching canvas field, then change it.

### The canvas

`lab8/purple_team_lab_canvas.md` carries twelve fields, from learner and prerequisite to workforce alignment. An example canvas appears at 4:25.

### Safety review, last 10 minutes

Could a student following this canvas touch anything outside the authorized assets? Could a student pass the validation checkpoints by asking a model, without looking at the evidence?

RUBRICS

# Scoring: Lab 7 and Lab 8

## Lab 7 · 20 points

| Criterion | Pts |
|---|---|
| Scope and authorization: read-back, six actions, C00 excluded, out-of-scope proposals refused | 4 |
| Raw-output record: tool, command, target, zoned time, and hash before any model run | 3 |
| Hypotheses and validation: two independent pieces of evidence, corrections recorded | 5 |
| Approval and the least invasive finding: four parts, index only, name, size, and time | 3 |
| Purple-team translation and briefing: timeline, detection, remediation, validation, confidence | 5 |

## Lab 8 · 10 points

| Criterion | Pts |
|---|---|
| Authorization and stop conditions a student can observe | 2 |
| Expected findings and one planted misconception with a detection path | 2 |
| AI-use boundaries: data tiers per model, gate placement, suggestion is not approval | 2 |
| Validation and defensive extension: two checkpoints a model cannot satisfy alone | 2 |
| Reset, troubleshooting, and an accessibility path to the same performance | 2 |

DEBRIEF · 5:10 TO 5:30

# Debrief, Exit Ticket, and Session 5

## Debrief

- Which raw evidence mattered most?
- What did the AI infer that the tool did not report?
- Where should an approval gate sit in an agentic workflow?
- How did the offensive result improve defense?
- Would a novice understand why the test is legal here and not elsewhere?

## Exit ticket

1. The planted misconception you will put in your redesigned lab
2. Where the approval gate sits in it
3. Your readiness to run Lab 7 with students, from 1 to 5

### Session 5 · November 20

The student-support portal is back. A developer has an AI-assisted patch for it with passing unit tests, and Northbridge must decide whether to merge it.