PARTICIPANT PACKET

Source-Grounded Research and Threat Intelligence

Session 3 of AI + Cyber: AI Powered Cybersecurity

Date	Friday, November 6, 2026
Time	1:30 to 5:30 p.m. ET, online
Facilitator	Frazier A. Smith, Ed.D., Central Piedmont Community College
Labs	Lab 5: Source-Grounded Threat Assessment Lab 6: Build a Research Lab

Data rule for this session. Every source in the evidence packet is synthetic. GLASSFERN, Kestrel Point, Harborline Identity, and every other organization in the packet are fictional, and every domain ends in `.example`. S01, the Northbridge SSO sign-in log, is Confidential in the story, so it stays on the campus AI server. The only real-world material you use today is the public CISA KEV entry you chose in prework and the demo CVE, which is also public.

This material is based upon work supported by the U.S. National Science Foundation under Grant No. 2300188. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.

SESSION 3

Session at a Glance

Session 2 asked whether an instructor can trust model output as evidence of student learning. Today asks whether an analyst can trust model output as evidence about a threat, and whether grounding the model in sources fixes the problem or only makes the answer sound better supported. You will research a decision for Northbridge in three lanes, keep a claim ledger, absorb two new sources at the break, verify every consequential citation, map the behavior to MITRE ATT&CK and ATLAS, and brief a confidence-qualified assessment. In Lab 6 you convert the workflow into a research lab for your own course.

Time (ET)	Segment	You leave with
1:30 to 1:40	Opening: Northbridge since October 30, the intelligence question, your first estimate, range login check	Your first estimate
1:40 to 2:05	Block 1: Four Jobs, with Demo 1 and Demo 2	Which tool did which job
2:05 to 2:55	Lab 5 Part A: Parallel Research	Research plan, query record, ledger rows
2:55 to 3:05	Break; two new sources arrive	
3:05 to 3:45	Lab 5 Part B: Verification	Evidence map, ATT&CK and ATLAS mappings, brief
3:45 to 4:15	Briefings, three minutes per team, then the reveal	A confidence-qualified assessment
4:15 to 5:10	Lab 6: Build a Research Lab	A research lab for your own course
5:10 to 5:30	Debrief, second estimate, exit ticket, Session 4 preview	Exit ticket

By 5:30 You Will Be Able To

1. Distinguish discovery, retrieval, synthesis, and validation, and state which of the four a given tool performed.
2. Evaluate a source's provenance and date, and verify that a cited passage supports the exact claim attached to it.
3. Detect indirect prompt injection in retrieved content, stale reporting, and circular corroboration, and record each in a claim ledger.
4. Write a threat assessment that separates confidence from likelihood using the Intelligence Community Directive 203 (ICD 203) vocabulary and names alternatives, limitations, and collection gaps.
5. Specify a research lab for your own course that includes a misleading source, a claim ledger, and a scoring rule for confidence and correction.

What You Need

You need a browser with a terminal tab and an Open WebUI tab on the range, the Lab Manual, and your copy of the Session 3 Research Workbook. Bring your Evidence Log with the two Lab 3 rows, your Research Lab Topic sheet, and the CVE you chose for prework with its three saved links. Every model run happens on the instructor-hosted lab server.

> **Takeaway artifacts you can adapt for your own college:** a research plan and query record, a claim ledger, an evidence map with ATT&CK and ATLAS mappings, a one-page intelligence brief, a research lab specification for one of your courses, and new rows in the AI Evidence Log.

OPENING · 1:30

Northbridge Since October 30

Date	What happened
Oct 30	Lab 3: a well-prompted model wrote a polished incident report that named an IP address the log does not contain.
Nov 2	The Chief Information Officer, Dr. Samuel Okonjo, forwards three news items about a campaign called GLASSFERN to the IT Security Office. The subject line reads "Are we next?"
Nov 3	The Northbridge single sign-on (SSO) service logs a password-spray burst against 41 staff accounts between 2:10 and 2:48 a.m.
Nov 4	The provost, Dr. Alicia Harmon, asks the Information Security Officer, Kwame Mensah, for a written assessment before the November 13 cabinet meeting.
Today	You are his analysts. The college's own documents and current threat reports are on the range.

The Intelligence Question

> Should Northbridge accelerate phishing-resistant multifactor authentication (MFA) for all staff because a distinct campaign is targeting higher education, or is the apparent trend mostly repeated reporting of commodity activity?

Dr. Harmon must decide by November 13 whether to pull the phishing-resistant MFA rollout for staff forward from March 2027 to December 2026. Both choices cost something.

Choice	What it costs
Accelerate to December	$38,000 for 820 security keys, two for each of 410 staff, moves from the FY2027 budget into FY2026. Enrollment lands on the help desk during finals week.
Hold the March schedule	Staff keep push MFA without number matching for four more months. The cost is nothing if the campaign is noise and a great deal if it is real and aimed at colleges.

Your brief must separate a claim that is widely repeated from a claim that is independently corroborated.

Your Estimate

How likely is it that a distinct campaign is targeting higher-education SSO? Mark one ICD 203 term before research and the same question again after the briefings.

	Almost no chance	Very unlikely	Unlikely	Roughly even chance	Likely	Very likely	Almost certain
Before research	☐	☐	☐	☐	☐	☐	☐
After the briefings	☐	☐	☐	☐	☐	☐	☐

What moved your estimate, or why it did not move:

BLOCK 1 · REFERENCE

Four Jobs: Discovery, Retrieval, Synthesis, and Validation

Job	What it does	Tools in the room	What it cannot tell you
Discovery	Finds candidate sources on the open web	Search engines, Perplexity	Whether a source is original or repeated
Retrieval	Selects passages from a fixed corpus and puts them in front of the model	The "R" in retrieval-augmented generation (RAG); Open WebUI knowledge collections	Whether the passage it chose is the right one
Synthesis	Writes an answer from the passages it was given	NotebookLM, `notebook.sh`, Open WebUI	Whether the sources deserve belief
Validation	Checks that a passage supports a claim and that its source deserves its weight	You	Nothing; this job belongs to the analyst

> A grounded answer cites a passage. The citation shows where a claim came from. It does not show that the claim is true.

Class Line: Which Job Each Tool Did

Mark every job each tool performed today. Add one tool from your own work that someone treated as a validator.

Tool	Discovery	Retrieval	Synthesis	Validation
Perplexity				
NotebookLM				
`notebook.sh` on the range				
Open WebUI with a knowledge collection				
The archived discovery export				

BLOCK 1 · DEMO 1 · 8 MINUTES

Demo 1: The Same CVE With and Without the Advisory

CVE-2026-104935 is an authentication bypass by spoofing in Ivanti Connect Secure (ICS), the SSL VPN appliance many colleges run. A remote, unauthenticated attacker can execute arbitrary commands. Attackers chained it with CVE-2026-111357, a privilege escalation to root, and CVE-2026-118527, a predictable file name flaw, in the wild in October 2026. Every file for the demo is in `/opt/nitic/session3/demo_cve/`, and all of it is public.

The model, `gpt-oss:20b`, answers one question twice: the affected versions, the fixed version, and the date the CVE entered the CISA Known Exploited Vulnerabilities (KEV) catalog. Run 1 asks the question alone. Run 2 asks it with the vendor advisory text in the prompt.

```
cd /opt/nitic/session3/demo_cve
/opt/nitic/session3/lab5/bin/ask_cve.sh CVE-2026-104935 advisory_ivanti.txt
```

Two Facts From the Ivanti Advisory

Fact	What the advisory says
Affected versions	ICS 22.8R2.4 and prior, 25.1.1.1 and prior, and 25.1.2.2 and prior. ICS 22.7R2.14 and prior is not affected.
Fixed versions	22.8R2.5, 25.1.1.2, and 25.1.3.0 or 25.1.3.1. Since October 29, 22.8R2.6 and 25.1.1.3 fix all three chained CVEs.

CISA added CVE-2026-104935 to the KEV catalog on October 13, 2026, with a due date of October 16, 2026. That date is in the KEV entry, not in the advisory.

Where the Sources Disagree

Source	What it says
CVE record	"Before version 25.1.3.0," which reads as if 25.1.1.2 were still affected. The advisory lists 25.1.1.2 as fixed.
CISA alert, revised October 30	"25.1.1.2 and prior, 25.1.2.2 and prior, and 22.8R2.5 and prior." The alert covers all three chained CVEs, so its range is wider than the advisory's range for CVE-2026-104935 alone.
KEV entry	The notes field links to `https:/forums.ivanti.com/...` with one slash missing. That link fails.

Each source is accurate for its own scope. A claim ledger row therefore needs the source, the passage, and the scope.

What the Two Runs Said

Run 1, the question alone	
Run 2, with the advisory	
Your own CVE: did run 2 match your two facts?	

BLOCK 1 · DEMO 2 · 7 MINUTES

Demo 2: Web Discovery Versus a Bounded Notebook

The same CVE runs through Perplexity on the open web and through a notebook that holds only the three saved links: the KEV entry, the vendor advisory, and the NVD page.

	Perplexity, open web	Notebook, three saved links only
Corpus	Whatever its search returns today	KEV entry, vendor advisory, NVD page
Jobs done	Discovery and synthesis	Synthesis only
Strength	Finds sources you did not know existed	Every claim traces to a document you read
Failure	Cites a secondary page that repeats the advisory, or an older page	Silent on anything outside the three documents
Data rule	Public sources only	Public in NotebookLM; any tier on the campus server

Record the exact query and the time for every discovery run. The same query tomorrow returns a different list.

Perplexity: two citations opened on screen. Was each the advisory or a page that summarizes it?	
Notebook: a question the three documents cannot answer, and what the notebook did	

The Data Rule, Applied to a Corpus

A source's tier under the Session 1 matrix decides which tool may read it. Uploading a document to a notebook tool is the same act as pasting it into a chat.

Source	Tier	Where it may go today
The CISA KEV entry and advisory you chose, and the demo CVE files	Public	Any tool, including Perplexity and NotebookLM
The synthetic threat reports, S02 onward	Public in the story	Any tool; they are on the range for convenience
S01, the Northbridge SSO sign-in log	Confidential	The campus AI server only: `notebook.sh` or the Open WebUI collection. Never Perplexity, NotebookLM, or any other hosted tool, and never an excerpt of it
Your own college's documents	Your matrix decides	The take-home, public tier only

> A bounded notebook reads every word of every source you give it. Choosing the corpus is the data decision.

LAB 5 · 2:05 TO 3:45 · TEAMS OF THREE

Lab 5: Source-Grounded Threat Assessment

On November 3 the Northbridge SSO logged a password-spray burst against 41 staff accounts. Three news items say a campaign called GLASSFERN is targeting colleges. Your team writes the assessment the provost reads before November 13. The commands are in the Lab Manual; this packet holds the forms.

Team Lanes

Each member takes one lane for Part A. All three lanes produce claim ledger rows, and no lane is a fallback for another.

Lane	Tool	Job	Name
Discovery	The archived discovery export `lab5/discovery/search_export.md`, plus Perplexity for the team's own CVE	Records the exact query, the time, and every returned source; proposes which sources the team imports	
Notebook	`notebook.sh`, or the Open WebUI collection "S3 Evidence Packet"	Bounded synthesis over the imported sources; records which sources were in context for every answer; keeps the Evidence Log rows	
Primary source	Terminal only: `less`, `grep`, `pdftotext`; no model	Opens every consequential citation and confirms or rejects the passage; owns the Independent Support column and the shared ledger	

The Evidence Packet

ID	File in `lab5/sources/`	What it is, as published
S01	`S01_nbtc_sso_signin_excerpt.log`	Northbridge SSO sign-in log excerpt, Confidential tier
S02	`S02_harborline_advisory_HL-2026-014.md`	Harborline Identity vendor advisory HL-2026-014
S03	`S03_kestrelpoint_blog_glassfern.html`	Kestrel Point blog post on GLASSFERN
S04	`S04_campustechwire_news.html`	CampusTechWire trade news article
S05	`S05_weekly_indicator_newsletter.md`	Weekly threat-indicator newsletter item
S06	`S06_brightwall_mssp_brief.md`	Brightwall managed security provider weekly brief
S07	`S07_aggregator_mfa_fatigue_universities.html`	Aggregator page on MFA fatigue at universities
S08	`S08_state_cyber_center_bulletin_2026-31.html`	Bulletin 2026-31 from a state cyber coordination center

Two more sources arrive at the break. The table lists what each source is as published. Deciding what each source is worth is the lab.

Timing: 2:05 read the request and write the plan · 2:15 discovery and the import decision · 2:30 parallel research and the ledger · 2:55 break, two new sources arrive · 3:05 Part B verification and the brief · 3:45 briefings.

LAB 5 · PART A · BEFORE ANY TOOL

Research Plan

Write the plan before anyone opens a tool or a source. The rubric checks that the plan came first.

Time the plan was finished (ET)	
The decision, in one sentence the provost would recognize	
Hypothesis 1	A distinct campaign is targeting higher-education SSO.
Hypothesis 2	The apparent trend is repeated reporting of commodity activity.

If we found	It would favor	Where we might find it

One example of separating evidence: Hypothesis 1 predicts the same indicators at several colleges and in few other sectors. Hypothesis 2 predicts the same kit across many sectors.

Source or source type we expect to need	Why	Data tier	Allowed in which tool

Query Record

Log every discovery query, every notebook question, and every exposure. Record the exact wording, not a paraphrase.

Discovery Run

Tool		**Date and time run**	
Exact query			

Rank	Title and domain	Source ID	Opened	Imported	Reason

Notebook Runs

#	Sources in context	Exact question	Sources the answer cited	Anything no source in context says
N1				
N2				
N3				

Exposures

Any instruction, link, or request found inside a source, which tool read it, and what that tool did with it.

Source	Location	What the content said or asked	Tool that read it	What the tool did	Action taken

LAB 5 · PART A · CLAIM_LEDGER.CSV

The Claim Ledger

Every consequential claim has one row. The Primary-source lane keeps the shared ledger and marks every row supported, partly supported, or not supported.

Column	What goes there
Claim	One factual statement, in your words
Source ID	The source the claim came from; one source per row, and a new row for each additional source that makes the same claim
Passage	The exact words, in quotation marks, with a line number or page; copied from the file, not from a model's answer
Source type	Primary observation, vendor telemetry, original research, news report, newsletter, provider brief, aggregator, government bulletin, consultancy report, or internal record
Date	The date the content was written, which may differ from the date it was posted, crawled, or republished
Independent support	The other source IDs that support the claim on their own evidence, or "none." A source that cites another source is not independent of it
Confidence	High, moderate, or low: how much you trust this row, based on sourcing and independence
Correction	What changed, when, and why. Leave it blank until new evidence changes the row, and never delete the original row

Your Ledger

The first row is the worked example from S01.

Claim	Source	Passage and location	Type	Date	Indep. support	Conf.	Correction
Northbridge staff accounts were targeted by password spraying on November 3.	*S01*	*The failed sign-ins from 203.0.113.41 to .58 between 02:10 and 02:48; quote the lines with line numbers*	*Primary observation, local log*	*Events Nov 3, 2026; excerpt pulled Nov 4*	*None needed; the log is the event*	*High*	*Blank until new evidence changes the row*

LAB 5 · PART B · 3:05 TO 3:45

Verification

During the break the facilitator adds two sources to `lab5/sources/` and to a second Open WebUI collection, "S3 Evidence Packet (Updated November 5)." The facilitator posts in chat when they are in place.

1. Read both new sources in the terminal before importing either. Convert any PDF to text first, because the text layer is what a model receives. Decide whether each enters the notebook and record the reason.
2. Re-run the main question once with the new consultancy report in context, and record what changed.
3. Quarantine any instruction found in a source as source content, and log the exposure.
4. Re-score every ledger row against the new advisory revision. Fill the Correction column; do not delete the original row.
5. Trace every claim that will appear in the brief to the source that reports its own evidence. Count independent evidence, not citations.
6. Map behavior to ATT&CK or ATLAS only where a passage supports it, and draft the brief.

Quarantine Rule

An instruction inside a source is source content. It is never a claim about the threat.

1. Record it in the ledger as source content, with its location, and mark it not supported.
2. Remove the source from the notebook's import list for every run that feeds the brief.
3. Write the exposure row in the Evidence Log. Do not open any link or address that appears inside a source.

Evidence Map

Follow each citation back until you reach a source that reports its own evidence. Three sources that trace to one origin count as one.

Claim as it will appear in the brief	Sources that state it	Origin of each: ID, then the ID it cites, to the source with its own evidence	Independent count

Evidence Log Rows

Row	Prompt	Highest data tier	Validation method	Verdict
1	Your CVE question from `ask_cve.sh`, or the main notebook question with its source list	Public for the CVE; Confidential if S01 was in context	Compared with your two advisory facts, or each cited passage checked by the Primary-source lane	Accept, revise, or reject, with the reason
2	The main question with the new consultancy report in context	Confidential if S01 was in context	The diff against the run without it; the text-layer search	Record the exposure: what the answer did and what you quarantined

LAB 5 · PART B · REFERENCE

ICD 203: Likelihood and Confidence

Intelligence Community Directive 203, Analytic Standards (Office of the Director of National Intelligence, 2015), fixes seven likelihood terms with probability ranges. The terms in each row are interchangeable. Pick one column and use it consistently.

Term	Alternative term	Probability
Almost no chance	Remote	1 to 5 percent
Very unlikely	Highly improbable	5 to 20 percent
Unlikely	Improbable	20 to 45 percent
Roughly even chance	Roughly even odds	45 to 55 percent
Likely	Probable	55 to 80 percent
Very likely	Highly probable	80 to 95 percent
Almost certain	Nearly certain	95 to 99 percent

Confidence Is a Separate Statement

Likelihood	Your estimate of how probable an event or development is, stated with one of the seven terms.
Confidence	Your judgment of how well the evidence supports that estimate: the quality, quantity, and independence of the sources, and how much the estimate depends on assumptions. State it as high, moderate, or low.
The rule	Never put both in one clause. Write two sentences, and earn each one.

A judgment can be likely with low confidence, when thin sourcing points one way. A judgment can be unlikely with high confidence, when strong evidence points against it.

```
We assess that <event> is <likelihood term> (<range>).
We hold this judgment with <high | moderate | low> confidence because <the evidence and its limits>.
```

Practice: Rewrite as Two Sentences

"We have high confidence that the attack is likely."

Mapping Behavior to ATT&CK and ATLAS

The seven techniques in `attack_atlas_reference.md` are the ones you are most likely to consider. A technique on this list is a candidate, not a finding. The MITRE catalogs at attack.mitre.org and atlas.mitre.org hold the authoritative definitions.

ID	Name	What it describes
`T1078`	Valid Accounts	The adversary uses credentials for an existing account to gain or keep access. The technique requires that the adversary actually authenticated with the account.
`T1110.003`	Brute Force: Password Spraying	The adversary tries one or a few common passwords against many accounts, staying under per-account lockout thresholds. Logs show one source, or a small group of sources, failing against many usernames in a short window.
`T1621`	Multi-Factor Authentication Request Generation	The adversary, already holding a valid password, triggers repeated MFA prompts, often push notifications, in the hope that the user approves one. Logs show MFA challenges the user did not start, often at night.
`T1557`	Adversary-in-the-Middle	The adversary positions itself between the user and a legitimate service so it can read or alter traffic. For identity, this usually means a reverse proxy that relays a real sign-in page.
`T1539`	Steal Web Session Cookie	The adversary obtains a session cookie issued after authentication and reuses it to access the service without repeating the sign-in or MFA.
`T1566.002`	Phishing: Spearphishing Link	The adversary sends a message containing a link that leads the user to adversary-controlled content, such as a credential-harvesting page.
`AML.T0051.001`	LLM Prompt Injection: Indirect	ATLAS. The adversary places instructions in content that an AI system will retrieve or read later, such as a web page, a document, or an email, so the instructions reach the model without the user typing them. The goal is to change what the model says or does for the user.

Mapping Rules

1. Map a behavior to a technique only where a passage in your ledger describes the behavior. Record the source ID and the lines.
2. A behavior Northbridge's own log shows is **observed**. A behavior another organization describes is **reported**.
3. A technique named in a source's own table is a claim by that source, not an observation by you.
4. Never assert a technique from a headline or from a campaign name. A plausible next step is not an observed one.
5. Label a weak match uncertain, and state why.

Your Mappings

Behavior, in your words	Technique ID	Source ID and passage	Observed or reported	Certain or uncertain, and why

The Intelligence Brief and the Briefing

One page, to Dr. Alicia Harmon, Provost, from the IT Security Office, on GLASSFERN and the staff MFA rollout. Every claim in the brief must have a row in the claim ledger.

Team	
Bottom line: the judgment and the recommendation, in two sentences	

Judgment	Likelihood: ICD 203 term and range	Confidence	Why this confidence

Key evidence	Source ID and passage location	Independent?

Alternatives considered	
Limitations	
Collection gaps: what would raise your confidence, and how you would get it	
Recommendation: what the provost should do by November 13, and its cost	

The recommendation follows from the evidence. If the team recommends more than the evidence supports, the brief says why on other grounds, such as cost or risk tolerance.

Briefing Format: Three Minutes per Team, 3:45

One member briefs the whole room in this order and stops at three minutes.

1. **Bottom line.** One sentence.
2. **Likelihood and confidence.** Two sentences, in ICD 203 terms.
3. **The evidence that carried it.** The independent sources, by ID, with the count.
4. **One alternative.** The other explanation the evidence allows.
5. **One gap.** The collection that would change the judgment.
6. **Recommendation.** Accelerate, hold, or a targeted middle, and its cost.

LAB 6 · 4:15 TO 5:10 · INDIVIDUAL AND PAIRS

Lab 6: Build a Research Lab

Your department wants students to do what your team did in Lab 5: research a security decision with AI tools, keep a ledger, and state a confidence they can defend. Specify one research lab for a course you teach, starting from your Research Lab Topic sheet. The template is `lab6/research_lab_spec_template.md`. A filled example, `lab6/example_spec_CYB210.md`, appears at 4:15, after the briefings, because it contains the Lab 5 answers. Write elements 3 and 6 first, because they stop a student from completing the lab by asking a model.

Required element	Your draft
1. Course, level, and decision The decision a student analyst makes, with two defensible answers, and who it is for	
2. Corpus Current threat intelligence or a stable standards corpus; where students get it; how you keep it current	
3. Planted source At least one poisoned, stale, circular, or unsupported source, and the path a careful student follows to detect it	
4. Ledger columns The columns students use; the Lab 5 columns are a starting point	
5. Scoring rule Points for stated confidence and for correction, not only for a correct conclusion	
6. Proof of opening One requirement a model cannot satisfy without the source	
7. Data tier The tier of every source under the Session 1 matrix, and the tools each tier may enter	

Default Scoring Rule

- Award points for each ledger correction a student makes after new evidence arrives.
- Deduct points for each high-confidence claim later shown to be unsupported.
- Do not deduct for a low-confidence claim that turns out wrong.
- Give a correct conclusion with no ledger little credit.

Release the planted source partway through the activity. The Correction column then measures whether students re-checked.

Proof the Student Opened the Source

Accept any one of three forms: a quoted passage with its location by page, line, or timestamp; the file's SHA-256 hash, recorded at download; or a detail only the source contains, such as a footer date or a revision number.

LAB 6 · PEER REVIEW · 4:55 TO 5:10

Peer Review

Swap specifications with a partner. Answer both questions in writing at the bottom of your partner's file, then revise your own from your partner's answers. Save it to the shared folder as `S3_Lab6_<lastname>.md`.

Partner reviewed	

1. Could a student complete this activity by asking a model, without opening a source? Name the step where a model alone would succeed, or state why none exists.

2. Which planted source would a careful student still miss, and what change to the specification would make it detectable?

What I Changed After Review

SCORING

Lab 5 (20 Points) and Lab 6 (10 Points)

Lab 5: Source-Grounded Threat Assessment

Criterion	Points	Full credit	Score
Research plan and query record	3	Plan written before the first tool run; query record lists the exact query, the time, and every returned source	
Claim ledger	5	Every claim in the brief has a ledger row with passage, source type, date, independent support, confidence, and any correction	
Source-quality and injection risks	5	Every repeated, stale, or unsupported source in the packet identified, with the evidence that shows it; any instruction found in a source quarantined and logged	
ATT&CK and ATLAS mapping	3	Mappings tied to a passage; uncertain matches labeled; no technique asserted from a headline	
Intelligence brief	4	Likelihood and confidence separate and earned; alternatives and gaps named; recommendation follows from the evidence	
		Total of 20	

Lab 6: Build a Research Lab

Criterion	Points	Full credit	Score
Decision and corpus	2	A real decision with two defensible answers; corpus tier stated	
Planted source	3	One misleading source with a stated detection path	
Ledger and scoring rule	3	Ledger columns listed; scoring rewards confidence calibration and correction	
Proof of opening	2	One verification requirement a model cannot satisfy without the source	
		Total of 10	

> Save the Lab 5 brief, ledger, query record, and evidence map to the shared folder by 3:45, and the Lab 6 specification by 5:10.

5:10 · DEBRIEF

Debrief, Exit Ticket, and Session 4

The Record Behind Today

Source	What it establishes
Mezzi, Massacci, and Tuma, 2025	Three frontier models run on 350 threat reports were inconsistent and overconfident.
NIST AI 600-1, July 2024	Confabulation is a named risk, with suggested actions a policy committee can adopt.
ODNI ICD 203, 2015	Seven likelihood terms with ranges; confidence and likelihood are stated separately.
Lewis et al., 2020	The paper that introduced retrieval-augmented generation.
Greshake et al., 2023	Instructions in retrieved content reach the model as instructions.
EchoLeak, CVE-2025-32711, June 11, 2025	The production case: an indexed email turned Copilot against its own user.

Full citations are in PREWORK.md and the Session 1 Student Guide.

Exit Ticket

Submit through the form link in chat, or answer here and photograph the page.

1. The corpus you will use for your research lab

2. The planted source you are least sure students will catch, and why

3. Your readiness to run Lab 5 with your own students

□ 1 □ 2 □ 3 □ 4 □ 5 What would move you up one point?

> **Session 4 preview: AI-Assisted Cyber Operations, November 13.** Northbridge's security office wants AI help with scan and telemetry analysis inside the isolated range. One tool on its list is an agent that runs commands on its own. Bring your Session 2 revised activity and your Legacy Lab Inventory sheet.