# Implement phase 05 only

• Project: Sonrisa

• Storage: active

• Session ID: 01a191f0-3e28-7933-b213-932f491e81e4

• Started: 2026-10-31T12:30:03.795Z

• Updated: 2026-10-31T12:49:06.427Z

• Model: gpt-6.1-sol

*This PDF is a classified, derived reading view. Raw JSONL remains the canonical lossless representation when included.*

## Automatic runtime context – ENVIRONMENT – 2026-10-31T12:30:32.148Z

<environment_context>
<cwd>D:\Temp\Sonrisa</cwd>
<shell>powershell</shell>
<current_date>2026-10-31</current_date>
<timezone>Europe/Budapest</timezone>
<filesystem><workspace_roots><root>D:\Temp\Sonrisa</root></workspace_roots><permission_profile type="managed"><file_system type="restricted"><entry access="read"><special>:root</special></entry><entry access="write"><path>D:\Temp\Sonrisa</path></entry><entry access="write"><special>:slash_tmp</special></entry><entry access="write"><special>:tmpdir</special></entry><entry access="read"><path>D:\Temp\Sonrisa\.git</path></entry><entry access="read"><path>D:\Temp\Sonrisa\.agents</path></entry><entry access="read"><path>D:\Temp\Sonrisa\.codex</path></entry><entry access="read"><path>D:\Temp\Sonrisa\.aws</path></entry></file_system></permission_profile></filesystem>
</environment_context>

## Automatic runtime context – 2026-10-31T12:30:32.159Z

<external_codex_apps_open_page>{"page_id":null}</external_codex_apps_open_page>

## User – 2026-10-31T12:30:32.167Z

Implement Phase 05 only, following `AGENTS.md`, `PROJECT_CONTEXT.md`, `PHASES.md`, and `phases/04-channels.md`.\
Review the existing repository, explain your implementation plan, and ask any blocking questions before coding.\
Complete the phase's acceptance criteria, run available tests, update `IMPLEMENTATION_STATUS.md`, and stop for my explicit validation. Do not implement any subsequent phases.

## Assistant – 2026-10-31T12:30:35.123Z

I'll review the repository guidance and phase definitions, then explain the implementation plan and flag any blocking questions before coding.

## Assistant – 2026-10-31T12:31:00.231Z

Phase 04 is recorded as approved, and the working tree is clean. The channels specification is `codex_alerts_plan/phases/05-channels.md`; `phases/04-channels.md` does not exist. I'll follow Phase 05.

Existing code provides `IChannelSender`, fake Email/Slack senders, persisted delivery outcomes, and the three-attempt retry policy. Identity users already have email addresses; Slack destinations are not defined.

My implementation plan:

1. Replace runtime fake registrations with Email and Slack adapters, keeping routing provider-independent.
2. Add shared message formatting, destination/configuration validation, and sanitized failure reasons.
3. Add environment configuration and controlled local demonstrations.
4. Test formatting, destinations, sender selection, failures and retry compatibility; run build, unit tests and formatting checks.
5. Update `IMPLEMENTATION_STATUS.md` to `AWAITING HUMAN VALIDATION` and stop.

Three blocking decisions need your answer before coding:

1. **Slack:** Is a separate incoming webhook per application user acceptable, mapped by user ID in server configuration? Each webhook targets its configured Slack channel. Or do you require individual Slack DMs?
2. **Email:** May I use MailKit over SMTP, send to the existing Identity email address, and provide Mailpit as the local mail catcher?
3. **Validation:** Are Mailpit plus a local fake Slack HTTP endpoint sufficient, or must validation include real external deliveries?

I have made no edits. AGENTS.md [local file not included] requires: "Do not guess on such decisions; stop and wait for their response." The Phase 05 specification also explicitly makes these transport and destination choices blocking.

## User – 2026-10-31T12:35:45.075Z

Slack: I belive a webhook targetting a channel is fine, if multiple user sets the same channel we can let the system send multiple messages for now, write it up as a design decession that this needs to be cleared before production

Mail: Mailkit and Mailpit is perfect
Validation: local fake mocked systems are acceptedable for the MVP

## Assistant – 2026-10-31T12:35:49.112Z

I'll use per-user Slack webhook mappings, Identity email addresses, MailKit and Mailpit, with local mocked validation. I'll document that users sharing a Slack channel receive separate messages and that this needs a production decision.

## Assistant – 2026-10-31T12:36:25.284Z

No blocking questions remain. I'll keep Slack webhook mappings in server configuration, keyed by application user ID, so this phase needs no schema change or settings UI. Sender failures will use safe error codes and the existing three-attempt limit. A controlled unit test will exercise both adapters through the dispatcher using fake SMTP and HTTP clients and inspect the persisted outcomes.

## Assistant – 2026-10-31T12:39:31.059Z

The adapters and focused tests are in place. The first build passed with two nullable warnings to fix. Restore also flagged a vulnerable cryptography dependency pulled in by MailKit; I pinned its patched .NET 10 version, and restore now passes without those warnings. The test run is underway.

## Assistant – 2026-10-31T12:41:01.984Z

The updated build has zero warnings. The first test run passed all 75 tests; the next run includes one additional SMTP rejection test. Coverage includes safe formatting, per-user destinations, shared Slack channels, sanitized failures and retry limits. The Compose configuration check also passed with Mailpit enabled. I'm finishing the validation guide and handoff record.

## Assistant – 2026-10-31T12:44:08.666Z

Phase 05 is complete and **AWAITING HUMAN VALIDATION**.

Implemented MailKit Email and per-user Slack webhook adapters, Mailpit configuration, safe formatting and sanitized failures. The existing three-attempt limit remains intact. Shared Slack destinations intentionally receive multiple messages; the required production decision is documented.

Validation passed:

- Build: zero warnings/errors.
- Unit tests: **76 passed**.
- Controlled mock sample: Email and Slack each persisted as succeeded after one attempt.

- Formatting, Compose configuration and Git whitespace checks passed.

Real providers and a running Mailpit container were not exercised; validation used the agreed local mocks.

See the validation guide [local file not included] and implementation status with changed files [local file not included].

Please validate Phase 05 and provide approval or corrections. No subsequent phase was implemented.

## User – 2026-10-31T12:47:10.681Z

mark the slack message sending as something to validate after the MVP, if sending the entire content in multiple messages are acceptable behaviour

## Assistant – 2026-10-31T12:47:14.392Z

I'll record a post-MVP Slack decision: whether sending the full alert content across multiple messages is acceptable. The current single-message truncation behavior will stay as implemented.

## Assistant – 2026-10-31T12:47:33.769Z

Recorded as a post-MVP validation item: whether sending full alert content across multiple Slack messages is acceptable, including readability, message volume and partial-send retries.

Updated the project context, Phase 05 guide and implementation status. Current single-message truncation remains unchanged. Phase 05 still awaits your validation.

## User – 2026-10-31T12:48:40.360Z

rest of the implementation is approved, update status files

## Assistant – 2026-10-31T12:48:43.618Z

I'll mark Phase 05 as approved, retaining the post-MVP Slack validation item and leaving Phase 06 unstarted.

## Assistant – 2026-10-31T12:49:06.385Z

Phase 05 is now marked **APPROVED** in the implementation status, README and phase guide.

The post-MVP Slack validation item remains deferred. Phase 06 is **NOT STARTED**. Documentation whitespace checks passed.