

Rapport trivy — images durcies Fred

9 images · scan du 2026-10-02 · généré le 02/10/2026 16:54 · entre parenthèses : vulnérabilités qui ont un correctif

5 (3)
critiques

51 (48)
hautes

43 (41)
moyennes

2 (2)
basses

3/9
images sans CVE

Synthèse par image

Image	Critique	Haute	Moyenne	Basse	Total
<u>control-plane-backend</u>	1 (1)	11 (11)	10 (9)	0	22
<u>fred-agents</u>	1 (1)	11 (11)	10 (9)	0	22
<u>frontend</u>	0	0	0	0	0
<u>knowledge-flow-backend</u>	3 (1)	11 (8)	9 (9)	2 (2)	25
<u>openfga</u>	0	0	0	0	0
<u>postgres</u>	0	0	0	0	0
<u>seaweedfs</u>	0	12 (12)	8 (8)	0	20
<u>temporal-admin-tools</u>	0	4 (4)	4 (4)	0	8
<u>temporal-server</u>	0	2 (2)	2 (2)	0	4

Paquets à mettre à jour

Une ligne par paquet, toutes images confondues ; gravité = la plus haute de ses CVE.

Gravité	Paquet	Origine	Installé	Corrigé en	CVE	Images
Critique	PyJWT	Python	2.13.0, 2.14.0	2.14.0, 2.15.0	13	control-plane-backend, fred-agents, knowledge-flow-backend
Critique	chromadb	Python	1.5.9	aucun correctif	4	knowledge-flow-backend
Critique	sentence-transformers	Python	5.1.1	5.6.0	1	knowledge-flow-backend
Haute	pyo3	Rust (cargo)	0.25.1	0.29.0	2	control-plane-backend, fred-agents
Haute	quinn-proto	Rust (cargo)	0.11.14	0.11.15	1	control-plane-backend, fred-agents, knowledge-flow-backend
Haute	quinn-proto	binaire Rust	0.11.14	0.11.15	1	control-plane-backend, fred-agents, knowledge-flow-backend
Haute	seaweedfs	système (wolfi)	4.32-r0	4.34-r1, 4.36-r1, 4.36-r2, 4.38-r1, 4.38-r2, 4.41-r1, 4.41-r2, 4.45-r2, 4.45-r3, 4.46-r1	20	seaweedfs
Haute	temporal-server	système (wolfi)	1.31.0-r2	1.31.0-r3, 1.31.2-r0, 1.31.2-r1	4	temporal-server
Haute	temporal-server-schema	système (wolfi)	1.31.0-r2	1.31.0-r3, 1.31.2-r0, 1.31.2-r1	4	temporal-admin-tools
Haute	temporal-sql-tool	système (wolfi)	1.31.0-r2	1.31.0-r3, 1.31.2-r0, 1.31.2-r1	4	temporal-admin-tools
Haute	transformers	Python	4.53.3	5.0.0rc3, 5.10.0, 5.3.0, 5.5.0	5	knowledge-flow-backend
Haute	urllib3	Python	2.7.0	2.8.0	3	control-plane-backend, fred-agents, knowledge-flow-backend
Moyenne	oauthlib	Python	3.3.1	4.0.0	2	knowledge-flow-backend
Moyenne	opentelemetry_sdk	Rust (cargo)	0.31.0	0.32.1	1	control-plane-backend, fred-agents, knowledge-flow-backend
Moyenne	setuptools	Python	82.0.1	83.0.0	1	knowledge-flow-backend

Gravité	Paquet	Origine	Installé	Corrigé en	CVE	Images
Moyenne	torch	Python	2.7.1+cpu	2.10.0, 2.13.0, 2.8.0, 2.9.1	4	knowledge-flow-backend

Détail par image

control-plane-backend

fred-hardened/control-plane-backend:latest · wolfi 20230201

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Critique	CVE-2026-102268	PyJWT Python	2.13.0	2.14.0	PyJWT is a Python implementation of JSON Web Token standards. Prior to ...
Haute	CVE-2026-102266	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Authentication bypass via empty HMAC key acceptance
Haute	CVE-2026-102267	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Verification key substitution via unvalidated JWKS redirects
Haute	CVE-2026-102271	PyJWT Python	2.13.0	2.14.0	pyjwt: PyJWT: Authentication bypass via acceptance of DER public keys as HMAC secrets
Haute	CVE-2026-102272	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Token forgery via improper Unicode byte-order mark handling
Haute	CVE-2026-102273	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Token forgery via acceptance of public JWK containers as HMAC secrets
Haute	GHSA-36hh-v3qg-5jg4	pyo3 Rust (cargo)	0.25.1	0.29.0	PyO3 has an Out-of-bounds Read in `nth` / `nth_back` for `PyList` and `PyTuple` iterators
Haute	GHSA-4w2j-m93h-cj5j	quinn-proto binaire Rust	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Haute	GHSA-4w2j-m93h-cj5j	quinn-proto binaire Rust	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly
Haute	GHSA-4w2j-m93h-cj5j	quinn-proto Rust (cargo)	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly
Haute	CVE-2026-97687	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Traffic interception via HTTPS proxy TLS configuration override
Haute	CVE-2026-97689	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Denial of Service via unbounded memory allocation in chunk parser
Moyenne	CVE-2026-101917	PyJWT Python	2.13.0	2.14.0	pyjwt: PyJWT: Denial of Service via outbound request amplification on unknown key identifiers
Moyenne	CVE-2026-101918	PyJWT Python	2.13.0	2.15.0	pyjwt: PyJWT: Denial of Service via deeply nested JSON token payload
Moyenne	CVE-2026-102265	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Denial of Service via deeply nested token headers
Moyenne	CVE-2026-102269	PyJWT Python	2.13.0	2.14.0	pyjwt: PyJWT: Token revocation bypass via non-canonical signature decoding
Moyenne	CVE-2026-102270	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Denial of Service via regular expression backtracking in is_pem_format
Moyenne	CVE-2026-102274	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Denial of Service via malformed RSA key in JWK set
Moyenne	CVE-2026-103001	PyJWT Python	2.13.0	–	pyjwt: pyjwt: Token validation bypass via options dictionary mutation
Moyenne	CVE-2026-48504	opentelemetry_sdk Rust (cargo)	0.31.0	0.32.1	opentelemetry_sdk has unbounded memory allocation in W3C Baggage propagation
Moyenne	GHSA-chgr-c6px-7xpp	pyo3 Rust (cargo)	0.25.1	0.29.0	PyO3 has a missing `Sync` bound on `PyCFunction::new_closure` closures

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Moyenne	<u>CVE-2026-97688</u>	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Denial of Service via infinite loop during chunked Deflate decoding

fred-agents

fred-hardened/fred-agents:latest · wolfi 20230201

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Critique	<u>CVE-2026-102268</u>	PyJWT Python	2.13.0	2.14.0	PyJWT is a Python implementation of JSON Web Token standards. Prior to ...
Haute	<u>CVE-2026-102266</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Authentication bypass via empty HMAC key acceptance
Haute	<u>CVE-2026-102267</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Verification key substitution via unvalidated JWKS redirects
Haute	<u>CVE-2026-102271</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: PyJWT: Authentication bypass via acceptance of DER public keys as HMAC secrets
Haute	<u>CVE-2026-102272</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Token forgery via improper Unicode byte-order mark handling
Haute	<u>CVE-2026-102273</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Token forgery via acceptance of public JWK containers as HMAC secrets
Haute	<u>GHSA-36hh-v3qg-5jq4</u>	pyo3 Rust (cargo)	0.25.1	0.29.0	PyO3 has an Out-of-bounds Read in `nth` / `nth_back` for `PyList` and `PyTuple` iterators
Haute	<u>GHSA-4w2j-m93h-cj5j</u>	quinn-proto binaire Rust	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly
Haute	<u>GHSA-4w2j-m93h-cj5j</u>	quinn-proto binaire Rust	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly
Haute	<u>GHSA-4w2j-m93h-cj5j</u>	quinn-proto Rust (cargo)	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Haute	<u>CVE-2026-97687</u>	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Traffic interception via HTTPS proxy TLS configuration override
Haute	<u>CVE-2026-97689</u>	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Denial of Service via unbounded memory allocation in chunk parser
Moyenne	<u>CVE-2026-101917</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: PyJWT: Denial of Service via outbound request amplification on unknown key identifiers
Moyenne	<u>CVE-2026-101918</u>	PyJWT Python	2.13.0	2.15.0	pyjwt: PyJWT: Denial of Service via deeply nested JSON token payload
Moyenne	<u>CVE-2026-102265</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Denial of Service via deeply nested token headers
Moyenne	<u>CVE-2026-102269</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: PyJWT: Token revocation bypass via non-canonical signature decoding
Moyenne	<u>CVE-2026-102270</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Denial of Service via regular expression backtracking in is_pem_format
Moyenne	<u>CVE-2026-102274</u>	PyJWT Python	2.13.0	2.14.0	pyjwt: pyjwt: Denial of Service via malformed RSA key in JWK set
Moyenne	<u>CVE-2026-103001</u>	PyJWT Python	2.13.0	–	pyjwt: pyjwt: Token validation bypass via options dictionary mutation
Moyenne	<u>CVE-2026-48504</u>	opentelemetry_sdk Rust (cargo)	0.31.0	0.32.1	opentelemetry_sdk has unbounded memory allocation in W3C Baggage propagation
Moyenne	<u>GHSA-chgr-c6px-7xpp</u>	pyo3 Rust (cargo)	0.25.1	0.29.0	PyO3 has a missing `Sync` bound on `PyCFunction::new_closure` closures
Moyenne	<u>CVE-2026-97688</u>	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Denial of Service via infinite loop during chunked Deflate decoding

frontend

fred-hardened/frontend:latest · wolfi 20230201

Aucune vulnérabilité détectée.

knowledge-flow-backend

fred-hardened/knowledge-flow-backend:latest · wolfi 20230201

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Critique	CVE-2026-45829	chromadb Python	1.5.9	–	chromadb: ChromaDB Python Project: Arbitrary code execution via pre-authentication code injection
Critique	CVE-2026-45833	chromadb Python	1.5.9	–	chromadb: ChromaDB: Arbitrary Code Execution via Code Injection
Critique	CVE-2026-68770	sentence-transformers Python	5.1.1	5.6.0	sentence-transformers: sentence-transformers: Remote Code Execution via Security Control Bypass
Haute	CVE-2026-45830	chromadb Python	1.5.9	–	chromadb: ChromaDB: Unauthorized data manipulation due to improper authorization validation
Haute	CVE-2026-45831	chromadb Python	1.5.9	–	ChromaDB: ChromaDB: Unauthorized cross-tenant actions due to improper authorization checks
Haute	GHSA-4w2j-m93h-cj5j	quinn-proto binaire Rust	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly
Haute	GHSA-4w2j-m93h-cj5j	quinn-proto binaire Rust	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly
Haute	GHSA-4w2j-m93h-cj5j	quinn-proto Rust (cargo)	0.11.14	0.11.15	Quinn: Remote memory exhaustion in quinn-proto from unbounded out-of-order stream reassembly
Haute	CVE-2026-4372	transformers Python	4.53.3	5.3.0	HuggingFace transformers vulnerable to remote code execution
Haute	CVE-2026-5241	transformers Python	4.53.3	5.5.0	python-transformers: python-transformers: Arbitrary code execution due to overridden trust_remote_code setting

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Haute	CVE-2026-80047	transformers Python	4.53.3	–	Hugging Face Transformers downloads custom generation code before trust consent
Haute	CVE-2026-9856	transformers Python	4.53.3	5.10.0	Transformers save_pretrained path traversal allows arbitrary file writes through chat template names
Haute	CVE-2026-97687	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Traffic interception via HTTPS proxy TLS configuration override
Haute	CVE-2026-97689	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Denial of Service via unbounded memory allocation in chunk parser
Moyenne	CVE-2026-101918	PyJWT Python	2.14.0	2.15.0	pyjwt: PyJWT: Denial of Service via deeply nested JSON token payload
Moyenne	CVE-2026-49264	oauthlib Python	3.3.1	4.0.0	Oauthlib : Unsafe JSONP callback injection in RevocationEndpoint allows arbitrary JavaScript response generation
Moyenne	CVE-2026-49265	oauthlib Python	3.3.1	4.0.0	Oauthlib: Timing Attack Vulnerability in PKCE code_verifier Comparison (CWE-208)
Moyenne	CVE-2026-48504	opentelemetry_sdk Rust (cargo)	0.31.0	0.32.1	opentelemetry_sdk has unbounded memory allocation in W3C Baggage propagation
Moyenne	CVE-2026-59890	setuptools Python	82.0.1	83.0.0	setuptools: setuptools: MANIFEST.in exclusion bypass in sdist via Unicode normalization collision (NFC/NFD)
Moyenne	CVE-2025-2999	torch Python	2.7.1+cpu	2.9.1	A vulnerability was found in PyTorch 2.6.0. It has been rated as criti ...
Moyenne	CVE-2025-3730	torch Python	2.7.1+cpu	2.8.0	A vulnerability, which was classified as problematic, was found in PyT ...
Moyenne	CVE-2026-1839	transformers Python	4.53.3	5.0.0rc3	transformers: HuggingFace Transformers: Arbitrary code execution via malicious checkpoint file
Moyenne	CVE-2026-97688	urllib3 Python	2.7.0	2.8.0	urllib3: urllib3: Denial of Service via infinite loop during chunked Deflate decoding

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Basse	CVE-2025-3000	torch Python	2.7.1+cpu	2.13.0	A vulnerability classified as critical has been found in PyTorch 2.6.0 ...
Basse	CVE-2025-3001	torch Python	2.7.1+cpu	2.10.0	A vulnerability classified as critical was found in PyTorch 2.6.0. Thi ...

openfga

fred-hardened/openfga:latest · wolfi 20230201

Aucune vulnérabilité détectée.

postgres

fred-hardened/postgres:latest · wolfi 20230201

Aucune vulnérabilité détectée.

seaweedfs

fred-hardened/seaweedfs:latest · wolfi 20230201

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Haute	CVE-2026-33818	seaweedfs système (wolfi)	4.32-r0	4.41-r1	encoding/asn1: golang: Go encoding/asn1: Denial of Service via excessive recursion in Unmarshal
Haute	CVE-2026-41178	seaweedfs système (wolfi)	4.32-r0	4.38-r1	github.com/open-telemetry/opentelemetry-go: go.opentelemetry.io/otel/baggage: go.opentelemetry.io/otel/propagation: OpenTelemetry-Go: Denial of Service via oversized baggage headers
Haute	CVE-2026-43871	seaweedfs système (wolfi)	4.32-r0	4.45-r3	thrift: Apache Thrift: Denial of Service via infinite loop

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Haute	<u>CVE-2026-46600</u>	seaweedfs système (wolfi)	4.32-r0	4.41-r1	golang.org/x/net/dns/dnsmessage: golang.org/x/net/dns/dnsmessage: Denial of Service via invalid DNS record parsing
Haute	<u>CVE-2026-46602</u>	seaweedfs système (wolfi)	4.32-r0	4.36-r2	The TIFF decoder does not set a limit on the size of tiles in tiled im ...
Haute	<u>CVE-2026-46603</u>	seaweedfs système (wolfi)	4.32-r0	4.41-r2	golang.org/x/image/vp8l: golang.org/x/image/vp8l: Denial of Service via excessive memory allocation
Haute	<u>CVE-2026-56853</u>	seaweedfs système (wolfi)	4.32-r0	4.41-r1	net/http: golang: Go net/http: Unencrypted HTTP/2 connections vulnerable to Denial of Service
Haute	<u>CVE-2026-56858</u>	seaweedfs système (wolfi)	4.32-r0	4.41-r1	html/template: golang: Go html/template: Cross-Site Scripting via pathological input
Haute	<u>CVE-2026-56859</u>	seaweedfs système (wolfi)	4.32-r0	4.41-r1	encoding/xml: golang: Go: Denial of Service via XML decoding recursion depth issue
Haute	<u>CVE-2026-56860</u>	seaweedfs système (wolfi)	4.32-r0	4.41-r1	net/url: golang: golang net/url: Denial of Service from quadratic complexity in path resolution
Haute	<u>CVE-2026-56862</u>	seaweedfs système (wolfi)	4.32-r0	4.41-r1	crypto/tls: golang: Golang crypto/tls: Denial of Service via indefinite KeyUpdate messages
Haute	<u>CVE-2026-84445</u>	seaweedfs système (wolfi)	4.32-r0	4.46-r1	google.golang.org/grpc: gRPC-Go: Denial of Service via malformed RPC requests

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Moyenne	CVE-2026-33813	seaweedfs système (wolfi)	4.32-r0	4.36-r1	golang.org/x/image: golang: golang.org/x/image: Denial of Service via malformed WEBP image parsing
Moyenne	CVE-2026-42500	seaweedfs système (wolfi)	4.32-r0	4.34-r1	golang.org/x/image/bmp: golang: golang.org/x/image/bmp: Denial of Service via out-of-range palette index in BMP decoding
Moyenne	CVE-2026-42505	seaweedfs système (wolfi)	4.32-r0	4.38-r2	crypto/tls: golang: Go crypto/tls: Information disclosure in Encrypted Client Hello
Moyenne	CVE-2026-46599	seaweedfs système (wolfi)	4.32-r0	4.34-r1	golang.org/x/image/tiff: golang.org/x/image/tiff: Denial of Service via crafted PackBits-compressed data
Moyenne	CVE-2026-46601	seaweedfs système (wolfi)	4.32-r0	4.36-r2	golang.org/x/image/webp: golang.org/x/image/webp: Denial of Service via malformed VP8 chunk in WebP images
Moyenne	CVE-2026-46604	seaweedfs système (wolfi)	4.32-r0	4.36-r2	golang.org/x/image/tiff: golang.org/x/image/tiff: Denial of Service via invalid TIFF image
Moyenne	CVE-2026-56855	seaweedfs système (wolfi)	4.32-r0	4.45-r2	golang.org/x/crypto/ssh: golang.org/x/crypto/ssh: Denial of Service via crafted messages
Moyenne	CVE-2026-78662	seaweedfs système (wolfi)	4.32-r0	4.45-r2	golang.org/x/crypto/ssh: golang.org/x/crypto/ssh: Denial of Service via channel request flooding

temporal-admin-tools

fred-hardened/temporal-admin-tools:latest · wolfi 20230201

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Haute	CVE-2026-27145	temporal-server-schema système (wolfi)	1.31.0-r2	1.31.0-r3	crypto/x509: golang: golang crypto/x509: Denial of Service via excessive processing of DNS SAN entries
Haute	CVE-2026-41178	temporal-server-schema système (wolfi)	1.31.0-r2	1.31.2-r1	github.com/open-telemetry/opentelemetry-go: go.opentelemetry.io/otel/baggage: go.opentelemetry.io/otel/propagation: OpenTelemetry-Go: Denial of Service via oversized baggage headers
Haute	CVE-2026-27145	temporal-sql-tool système (wolfi)	1.31.0-r2	1.31.0-r3	crypto/x509: golang: golang crypto/x509: Denial of Service via excessive processing of DNS SAN entries
Haute	CVE-2026-41178	temporal-sql-tool système (wolfi)	1.31.0-r2	1.31.2-r1	github.com/open-telemetry/opentelemetry-go: go.opentelemetry.io/otel/baggage: go.opentelemetry.io/otel/propagation: OpenTelemetry-Go: Denial of Service via oversized baggage headers
Moyenne	CVE-2026-42505	temporal-server-schema système (wolfi)	1.31.0-r2	1.31.2-r0	crypto/tls: golang: Go crypto/tls: Information disclosure in Encrypted Client Hello
Moyenne	CVE-2026-42507	temporal-server-schema système (wolfi)	1.31.0-r2	1.31.0-r3	net/textproto: golang: Golang net/textproto: Misleading error messages via input injection
Moyenne	CVE-2026-42505	temporal-sql-tool système (wolfi)	1.31.0-r2	1.31.2-r0	crypto/tls: golang: Go crypto/tls: Information disclosure in Encrypted Client Hello
Moyenne	CVE-2026-42507	temporal-sql-tool système (wolfi)	1.31.0-r2	1.31.0-r3	net/textproto: golang: Golang net/textproto: Misleading error messages via input injection

temporal-server

fred-hardened/temporal-server:latest · wolfi 20230201

Gravité	CVE	Paquet	Installé	Corrigé en	Description
Haute	CVE-2026-27145	temporal-server système (wolfi)	1.31.0-r2	1.31.0-r3	crypto/x509: golang: golang crypto/x509: Denial of Service via excessive processing of DNS SAN entries
Haute	CVE-2026-41178	temporal-server système (wolfi)	1.31.0-r2	1.31.2-r1	github.com/open-telemetry/opentelemetry-go: go.opentelemetry.io/otel/baggage: go.opentelemetry.io/otel/propagation: OpenTelemetry-Go: Denial of Service via oversized baggage headers
Moyenne	CVE-2026-42505	temporal-server système (wolfi)	1.31.0-r2	1.31.2-r0	crypto/tls: golang: Go crypto/tls: Information disclosure in Encrypted Client Hello
Moyenne	CVE-2026-42507	temporal-server système (wolfi)	1.31.0-r2	1.31.0-r3	net/textproto: golang: Golang net/textproto: Misleading error messages via input injection

Vulnérabilités sans correctif

Aucune version corrigée n'est publiée : à suivre, ou à couvrir par une autre mesure.

Gravité	CVE	Paquet	Installé	Images	Description
Critique	CVE-2026-45829	chromadb Python	1.5.9	knowledge-flow-backend	chromadb: ChromaDB Python Project: Arbitrary code execution via pre-authentication code injection
Critique	CVE-2026-45833	chromadb Python	1.5.9	knowledge-flow-backend	chromadb: ChromaDB: Arbitrary Code Execution via Code Injection
Haute	CVE-2026-45830	chromadb Python	1.5.9	knowledge-flow-backend	chromadb: ChromaDB: Unauthorized data manipulation due to improper authorization validation
Haute	CVE-2026-45831	chromadb Python	1.5.9	knowledge-flow-backend	ChromaDB: ChromaDB: Unauthorized cross-tenant actions due to improper authorization checks

Gravité	CVE	Paquet	Installé	Images	Description
Haute	<u>CVE-2026-80047</u>	transformers Python	4.53.3	knowledge-flow-backend	Hugging Face Transformers downloads custom generation code before trust consent
Moyenne	<u>CVE-2026-103001</u>	PyJWT Python	2.13.0	control-plane-backend, fred-agents	pyjwt: pyjwt: Token validation bypass via options dictionary mutation