ICRA Results - Merged Report

Directory: /home/projects/ICRA/result
Files included: 32

cluster_time

cluster_time_case1.png *(81.5 KB)*



cluster_time_case2.png *(80.7 KB)*



cluster_time_case3.png *(95.1 KB)*


Cluster creation CPU time vs N (case3)
1e−7
3.75
3.50
3.25
3.00
2.75
2.50
2.25
2.00
CPU time (s)
icra
wca
dca
20
40
60
80
100
Number of nodes (N)

delay

delay_case1.png *(77.1 KB)*



delay_case2.png *(85.1 KB)*



delay_case3.png *(82.8 KB)*


End-to-end delay vs N (case3)
icra
wca
dca
0.016
0.014
0.012
0.010
0.008
0.006
Avg delay (s)
20
40
60
80
100
Number of nodes (N)

icra

icra_weight_summary.png *(66.0 KB)*



isolation

isolation_case1.png *(92.9 KB)*



isolation_case2.png *(86.8 KB)*



isolation_case3.png *(77.5 KB)*


Isolation clusters (avg) vs N (case3)
icra
wca
dca
Isolation clusters (avg)
25.0
22.5
20.0
17.5
15.0
12.5
10.0
7.5
20
40
60
80
100
Number of nodes (N)

lifetime

lifetime_case1.png *(97.4 KB)*



lifetime_case2.png *(83.3 KB)*



lifetime_case3.png *(94.0 KB)*


Network lifetime vs N (case3)
icra
wca
dca
First-dead time (s)
1300
1250
1200
1150
1100
1050
20
40
60
80
100
Number of nodes (N)

metrics

metrics.csv *(3.4 KB)*

scenario	N	protocol	cluster_creation_time_s	avg_role_changes	network_lifetime_s	dead_nodes	isolation_clusters_avg	avg_end_to_end_delay_s	packet_delivery_ratio
case1	10	icra	2.0910668051025519e-07	4.6	481.0	10	8	0.005096	0.013793103448275862
case1	10	wca	1.6469343487794202e-07	5.1	351.0	10	9	0.005096	0.0379746835443038
case1	10	dca	1.764266441265742e-07	3.8	313.0	10	8	0.005096	0.007575757575757576
case1	20	icra	2.5230663595721127e-07	6.7	295.0	20	13	0.005096	0.02631578947368421
case1	20	wca	2.0395995913228642e-07	10.75	411.0	20	14	0.005733000000000001	0.05177993527508091
case1	20	dca	1.8431989398474495e-07	5.9	320.0	20	17	0.005096	0.01838235294117647
case1	50	icra	2.6111990640250347e-07	12.2	344.0	50	24	0.008046315789473684	0.028528528528528527
case1	50	wca	2.4320014442006746e-07	16.9	311.0	50	20	0.005641999999999999	0.03748326639892905
case1	50	dca	2.739333043185373e-07	14.78	375.0	50	25	0.006473297297297295	0.047619047619047616
case1	100	icra	3.0784006715596964e-07	14.15	287.0	100	26	0.014059499999999987	0.08169219547775347
case1	100	wca	4.131199481586615e-07	19.08	303.0	96	21	0.006673333333333326	0.0462046204620462
case1	100	dca	3.1768009648658337e-07	17.5	359.0	100	24	0.006337333333333327	0.044930875576036866
case2	10	icra	1.9782666640821844e-07	14.2	1059.0	10	9	0.005096	0.02654867256637168
case2	10	wca	1.7665358124456057e-07	6.3	999.0	10	8	0.005096	0.022222222222222223
case2	10	dca	4.0081336919683965e-07	13.0	1039.0	10	8	0.005945333333333333	0.031746031746031744
case2	20	icra	2.28106703919669e-07	15.45	1069.0	20	16	0.005880000000000001	0.029213483146067417
case2	20	wca	1.832399721024558e-07	14.85	1019.0	20	15	0.005662222222222223	0.021897810218978103
case2	20	dca	3.7050658041456094e-07	17.7	1079.0	20	15	0.005379111111111112	0.04035874439461883
case2	50	icra	2.729065939395999e-07	25.3	1089.0	50	26	0.008068666666666663	0.041884816753926704
case2	50	wca	2.4396019095244506e-07	26.56	1169.0	49	20	0.006090341463414631	0.031538461538461536
case2	50	dca	4.180666534618164e-07	27.46	1189.0	50	25	0.0060319999999999966	0.03789636504253674
case2	100	icra	3.0820003303233536e-07	24.81	1059.0	100	26	0.012991654320987638	0.07241841752346893
case2	100	wca	4.3226665487357724e-07	30.36	1179.0	64	20	0.006454933333333325	0.036231884057971016
case2	100	dca	4.0327999158762393e-07	33.27	1329.0	100	26	0.0061713027522935695	0.037926235212247736
case3	10	icra	2.378932792150105e-07	10.0	1039.0	10	9	0.006228444444444445	0.05056179775280899
case3	10	wca	2.065466590768968e-07	7.3	1039.0	10	9	0.005096	0.03587443946188341
case3	10	dca	1.8821340442324678e-07	12.7	1049.0	10	8	0.005096	0.031578947368421054
case3	20	icra	2.614266122691333e-07	15.2	1059.0	20	16	0.005520666666666668	0.02771362586605081
case3	20	wca	2.0789329331212987e-07	16.25	1029.0	20	15	0.005559272727272727	0.025522041763341066
case3	20	dca	2.3266654655647775e-07	17.65	1069.0	20	16	0.007644000000000001	0.013888888888888888
case3	50	icra	3.4117324200148383e-07	24.4	1099.0	50	26	0.009221333333333328	0.038461538461538464
case3	50	wca	3.583599270010988e-07	28.12	1199.0	50	20	0.006242599999999996	0.03003003003003003
case3	50	dca	2.668933302629739e-07	28.8	1179.0	50	26	0.0065292499999999995	0.02616516762060507
case3	100	icra	2.9945333759921295e-07	24.67	1049.0	100	26	0.016449782383419664	0.08717253839205058
case3	100	wca	3.717068951421728e-07	31.05	1319.0	69	20	0.006142499999999993	0.03891591382904795
case3	100	dca	3.152000620805969e-07	33.17	1329.0	100	26	0.007272416666666657	0.033287101248266296

pdr

pdr_case1.png *(86.8 KB)*



pdr_case2.png *(77.1 KB)*



pdr_case3.png *(89.2 KB)*


Packet delivery ratio vs N (case3)
icra
wca
dca
PDR
0.09
0.08
0.07
0.06
0.05
0.04
0.03
0.02
20
40
60
80
100
Number of nodes (N)

role_changes

role_changes_case1.png *(90.8 KB)*



role_changes_case2.png *(84.8 KB)*



role_changes_case3.png *(86.1 KB)*


Avg role changes vs N (case3)
icra
wca
dca
Avg role changes per node
10
15
20
25
30
20
40
60
80
100
Number of nodes (N)

weights_icra

weights_icra_case1_N10.csv *(2.0 KB)*

round	w1	w2	w3	w4
0	0.45	0.1	0.45	0.0
1	0.25	0.25	0.25	0.25
2	0.4	0.2	0.25	0.15000000000000002
3	0.25	0.25	0.25	0.25
4	0.25	0.25	0.25	0.25
5	0.25	0.25	0.25	0.25
6	0.25	0.25	0.25	0.25
7	0.25	0.25	0.25	0.25
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.0	0.4	0.4	0.2
12	0.25	0.25	0.25	0.25
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.25	0.25	0.25	0.25
16	0.25	0.25	0.25	0.25
17	0.25	0.25	0.25	0.25
18	0.25	0.25	0.25	0.25
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.30000000000000004	0.0	0.30000000000000004	0.4
27	0.25	0.25	0.25	0.25
28	0.25	0.25	0.25	0.25
29	0.25	0.25	0.25	0.25
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.2	0.15000000000000002	0.5	0.15000000000000002
33	0.25	0.25	0.25	0.25
34	0.65	0.0	0.35000000000000003	0.0
35	0.35000000000000003	0.35000000000000003	0.30000000000000004	0.0
36	0.25	0.25	0.25	0.25
37	0.30000000000000004	0.2	0.30000000000000004	0.2
38	0.25	0.25	0.25	0.25
39	0.25	0.25	0.25	0.25
40	0.25	0.25	0.25	0.25
41	0.25	0.25	0.25	0.25
42	0.25	0.25	0.25	0.25
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.45	0.0	0.30000000000000004
46	0.25	0.25	0.25	0.25
47	0.25	0.25	0.25	0.25
48	0.25	0.25	0.25	0.25
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.25	0.25	0.25	0.25
54	0.25	0.25	0.25	0.25
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.25	0.2	0.25	0.30000000000000004
59	0.25	0.25	0.25	0.25
60	0.25	0.25	0.25	0.25
61	0.25	0.25	0.25	0.25
62	0.25	0.25	0.25	0.25
63	0.25	0.35000000000000003	0.1	0.30000000000000004
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25
67	0.25	0.25	0.25	0.25
68	0.25	0.25	0.25	0.25
69	0.25	0.25	0.25	0.25
70	0.25	0.25	0.25	0.25
71	0.25	0.25	0.25	0.25
72	0.15000000000000002	0.30000000000000004	0.30000000000000004	0.25
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25

weights_icra_case1_N100.csv ***(2.1 KB)***

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.25	0.25	0.25	0.25
2	0.25	0.25	0.25	0.25
3	0.0	0.0	0.65	0.35000000000000003
4	0.25	0.25	0.25	0.25
5	0.25	0.25	0.25	0.25
6	0.25	0.25	0.25	0.25
7	0.25	0.25	0.25	0.25
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.0	0.15000000000000002	0.8500000000000001	0.0
12	0.15000000000000002	0.45	0.15000000000000002	0.25
13	0.25	0.25	0.25	0.25
14	0.8500000000000001	0.0	0.15000000000000002	0.0
15	0.25	0.25	0.25	0.25
16	0.25	0.25	0.25	0.25
17	0.25	0.25	0.25	0.25
18	0.0	0.55	0.0	0.45
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.2	0.15000000000000002	0.05	0.6000000000000001
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.25	0.25	0.25	0.25
29	0.25	0.25	0.25	0.25
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.25	0.1	0.05	0.6000000000000001
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.25	0.25	0.25	0.25
36	0.25	0.55	0.05	0.15000000000000002
37	0.25	0.25	0.25	0.25
38	0.25	0.25	0.25	0.25
39	0.25	0.25	0.25	0.25
40	0.05	0.25	0.65	0.05
41	0.1	0.6000000000000001	0.15000000000000002	0.15000000000000002
42	0.30000000000000004	0.1	0.35000000000000003	0.25
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.15000000000000002	0.55	0.1	0.2
48	0.25	0.25	0.25	0.25
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.30000000000000004	0.2	0.2	0.30000000000000004
53	0.25	0.25	0.25	0.25
54	0.05	0.4	0.55	0.0
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.25	0.0	0.45	0.30000000000000004
59	0.25	0.25	0.25	0.25
60	0.25	0.25	0.25	0.25
61	0.25	0.25	0.25	0.25
62	0.25	0.25	0.25	0.25
63	0.25	0.25	0.25	0.25
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25
67	0.25	0.25	0.25	0.25
68	0.25	0.25	0.25	0.25
69	0.25	0.25	0.25	0.25
70	0.25	0.25	0.25	0.25
71	0.25	0.25	0.25	0.25
72	0.25	0.25	0.25	0.25
73	0.25	0.25	0.25	0.25
74	0.0	0.30000000000000004	0.35000000000000003	0.35000000000000003

weights_icra_case1_N20.csv *(1.9 KB)*

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.25	0.25	0.25	0.25
2	0.0	0.8	0.0	0.2
3	0.25	0.25	0.25	0.25
4	0.1	0.0	0.25	0.65
5	0.25	0.25	0.25	0.25
6	0.25	0.25	0.25	0.25
7	0.4	0.1	0.0	0.5
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.25	0.25	0.25	0.25
12	0.2	0.2	0.25	0.35000000000000003
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.25	0.25	0.25	0.25
16	0.25	0.25	0.25	0.25
17	0.2	0.45	0.0	0.35000000000000003
18	0.25	0.25	0.25	0.25
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.25	0.25	0.25	0.25
24	0.5	0.0	0.15000000000000002	0.35000000000000003
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.25	0.25	0.25	0.25
29	0.25	0.25	0.25	0.25
30	0.05	0.35000000000000003	0.05	0.55
31	0.25	0.25	0.25	0.25
32	0.25	0.25	0.25	0.25
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.25	0.25	0.25	0.25
36	0.2	0.15000000000000002	0.45	0.2
37	0.25	0.25	0.25	0.25
38	0.25	0.25	0.25	0.25
39	0.25	0.25	0.25	0.25
40	0.25	0.25	0.25	0.25
41	0.35000000000000003	0.35000000000000003	0.05	0.25
42	0.25	0.25	0.25	0.25
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.25	0.25	0.25	0.25
48	0.45	0.05	0.25	0.25
49	0.45	0.30000000000000004	0.25	0.0

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.0	0.4	0.0	0.6000000000000001
52	0.25	0.25	0.25	0.25
53	0.25	0.25	0.25	0.25
54	0.25	0.25	0.25	0.25
55	0.1	0.75	0.15000000000000002	0.0
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.25	0.25	0.25	0.25
59	0.25	0.25	0.25	0.25
60	0.25	0.25	0.25	0.25
61	0.25	0.25	0.25	0.25
62	0.25	0.25	0.25	0.25
63	0.25	0.25	0.25	0.25
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25
67	0.25	0.25	0.25	0.25
68	0.25	0.25	0.25	0.25
69	0.25	0.25	0.25	0.25
70	0.25	0.25	0.25	0.25
71	0.30000000000000004	0.0	0.7000000000000001	0.0
72	0.25	0.25	0.25	0.25
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25

weights_icra_case1_N50.csv ***(2.0 KB)***

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.7000000000000001	0.0	0.2	0.1
2	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25
4	0.25	0.25	0.25	0.25
5	0.25	0.25	0.25	0.25
6	0.2	0.35000000000000003	0.25	0.2
7	0.2	0.05	0.6000000000000001	0.15000000000000002
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.75	0.25	0.0	0.0
12	0.25	0.25	0.25	0.25
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.25	0.25	0.25	0.25
16	0.25	0.25	0.25	0.25
17	0.15000000000000002	0.15000000000000002	0.35000000000000003	0.35000000000000003
18	0.25	0.25	0.25	0.25
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.25	0.25	0.25	0.25
29	0.25	0.25	0.25	0.25
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.25	0.25	0.25	0.25
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.25	0.25	0.25	0.25
36	0.25	0.25	0.25	0.25
37	0.25	0.25	0.25	0.25
38	0.35000000000000003	0.2	0.05	0.4
39	0.25	0.25	0.25	0.25
40	0.25	0.25	0.25	0.25
41	0.25	0.25	0.25	0.25
42	0.15000000000000002	0.25	0.5	0.1
43	0.25	0.25	0.25	0.25
44	0.05	0.25	0.6000000000000001	0.1
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.25	0.25	0.25	0.25
48	0.25	0.25	0.25	0.25
49	0.5	0.25	0.2	0.05

round	w1	w2	w3	w4
50	0.35000000000000003	0.45	0.0	0.2
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.25	0.25	0.25	0.25
54	0.25	0.25	0.25	0.25
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.25	0.25	0.25	0.25
59	0.25	0.25	0.25	0.25
60	0.25	0.25	0.25	0.25
61	0.30000000000000004	0.1	0.6000000000000001	0.0
62	0.25	0.25	0.25	0.25
63	0.25	0.25	0.25	0.25
64	0.25	0.25	0.25	0.25
65	0.25	0.05	0.2	0.5
66	0.25	0.25	0.25	0.25
67	0.25	0.25	0.25	0.25
68	0.25	0.30000000000000004	0.4	0.05
69	0.25	0.25	0.25	0.25
70	0.2	0.05	0.15000000000000002	0.6000000000000001
71	0.25	0.25	0.25	0.25
72	0.35000000000000003	0.0	0.15000000000000002	0.5
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25

weights_icra_case2_N10.csv *(2.0 KB)*

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.25	0.25	0.25	0.25
2	0.1	0.8500000000000001	0.05	0.0
3	0.05	0.05	0.15000000000000002	0.75
4	0.25	0.25	0.25	0.25
5	0.5	0.25	0.2	0.05
6	0.15000000000000002	0.15000000000000002	0.25	0.45
7	0.25	0.25	0.25	0.25
8	0.25	0.25	0.25	0.25
9	0.4	0.1	0.30000000000000004	0.2
10	0.30000000000000004	0.05	0.35000000000000003	0.30000000000000004
11	0.25	0.25	0.25	0.25
12	0.25	0.25	0.25	0.25
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.25	0.25	0.25	0.25
16	0.25	0.25	0.25	0.25
17	0.25	0.25	0.25	0.25
18	0.0	0.35000000000000003	0.1	0.55
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.25	0.25	0.25	0.25
29	0.0	0.30000000000000004	0.1	0.6000000000000001
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.25	0.25	0.25	0.25
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.25	0.25	0.25	0.25
36	0.25	0.25	0.25	0.25
37	0.05	0.2	0.05	0.7000000000000001
38	0.0	0.25	0.75	0.0
39	0.1	0.2	0.30000000000000004	0.4
40	0.25	0.25	0.25	0.25
41	0.25	0.25	0.25	0.25
42	0.25	0.25	0.25	0.25
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.4	0.2	0.2	0.2
47	0.25	0.25	0.25	0.25
48	0.25	0.25	0.25	0.25
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.6000000000000001	0.1	0.30000000000000004	0.0
53	0.35000000000000003	0.45	0.05	0.15000000000000002
54	0.25	0.25	0.25	0.25
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.45	0.25	0.25	0.05
59	0.25	0.25	0.25	0.25
60	0.25	0.25	0.25	0.25
61	0.25	0.25	0.25	0.25
62	0.25	0.25	0.25	0.25
63	0.25	0.25	0.25	0.25
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25
67	0.05	0.2	0.2	0.55
68	0.25	0.25	0.25	0.25
69	0.1	0.15000000000000002	0.0	0.75
70	0.0	0.1	0.0	0.9
71	0.1	0.30000000000000004	0.0	0.6000000000000001
72	0.25	0.25	0.25	0.25
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25

weights_icra_case2_N100.csv ***(1.9 KB)***

round	w1	w2	w3	w4
0	0.45	0.30000000000000004	0.1	0.15000000000000002
1	0.25	0.25	0.25	0.25
2	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25
4	0.25	0.25	0.25	0.25
5	0.25	0.25	0.25	0.25
6	0.25	0.25	0.25	0.25
7	0.05	0.25	0.65	0.05
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.25	0.25	0.25	0.25
12	0.25	0.25	0.25	0.25
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.25	0.25	0.25	0.25
16	0.35000000000000003	0.05	0.2	0.4
17	0.25	0.25	0.25	0.25
18	0.25	0.25	0.25	0.25
19	0.6000000000000001	0.1	0.0	0.30000000000000004
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.55	0.2	0.1	0.15000000000000002
27	0.1	0.8	0.0	0.1
28	0.25	0.25	0.25	0.25
29	0.0	0.8500000000000001	0.15000000000000002	0.0
30	0.2	0.25	0.0	0.55
31	0.25	0.25	0.25	0.25
32	0.25	0.25	0.25	0.25
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.25	0.25	0.25	0.25
36	0.1	0.2	0.15000000000000002	0.55
37	0.8	0.15000000000000002	0.0	0.05
38	0.4	0.0	0.35000000000000003	0.25
39	0.25	0.25	0.25	0.25
40	0.25	0.25	0.25	0.25
41	0.25	0.25	0.25	0.25
42	0.2	0.30000000000000004	0.25	0.25
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.25	0.25	0.25	0.25
48	0.55	0.05	0.30000000000000004	0.1
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.25	0.25	0.25	0.25
54	0.25	0.25	0.25	0.25
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.25	0.25	0.25	0.25
59	0.25	0.25	0.25	0.25
60	0.25	0.25	0.25	0.25
61	0.25	0.25	0.25	0.25
62	0.25	0.25	0.25	0.25
63	0.5	0.0	0.0	0.5
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.2	0.05	0.1	0.65
67	0.25	0.25	0.25	0.25
68	0.25	0.25	0.25	0.25
69	0.25	0.25	0.25	0.25
70	0.25	0.25	0.25	0.25
71	0.25	0.25	0.25	0.25
72	0.1	0.8	0.1	0.0
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25

weights_icra_case2_N20.csv *(2.0 KB)*

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.25	0.25	0.25	0.25
2	0.25	0.25	0.25	0.25
3	0.2	0.4	0.25	0.15000000000000002
4	0.25	0.25	0.25	0.25
5	0.25	0.25	0.25	0.25
6	0.25	0.25	0.25	0.25
7	0.25	0.45	0.30000000000000004	0.0
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.0	0.45	0.35000000000000003	0.2
12	0.25	0.25	0.25	0.25
13	0.1	0.2	0.05	0.65
14	0.05	0.8	0.1	0.05
15	0.25	0.25	0.25	0.25
16	0.25	0.25	0.25	0.25
17	0.25	0.25	0.25	0.25
18	0.30000000000000004	0.30000000000000004	0.15000000000000002	0.25
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.35000000000000003	0.25	0.35000000000000003	0.05
28	0.25	0.25	0.25	0.25
29	0.25	0.25	0.25	0.25
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.25	0.25	0.25	0.25
33	0.2	0.15000000000000002	0.65	0.0
34	0.55	0.2	0.05	0.2
35	0.25	0.25	0.25	0.25
36	0.25	0.25	0.25	0.25
37	0.25	0.25	0.25	0.25
38	0.25	0.25	0.25	0.25
39	0.25	0.25	0.25	0.25
40	0.05	0.15000000000000002	0.65	0.15000000000000002
41	0.25	0.25	0.25	0.25
42	0.25	0.25	0.25	0.25
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.25	0.25	0.25	0.25
48	0.25	0.25	0.25	0.25
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.25	0.25	0.25	0.25
54	0.25	0.25	0.25	0.25
55	0.2	0.25	0.1	0.45
56	0.4	0.1	0.25	0.25
57	0.15000000000000002	0.1	0.55	0.2
58	0.25	0.25	0.25	0.25
59	0.05	0.30000000000000004	0.05	0.6000000000000001
60	0.2	0.25	0.1	0.45
61	0.25	0.25	0.25	0.25
62	0.1	0.2	0.15000000000000002	0.55
63	0.25	0.25	0.25	0.25
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25
67	0.25	0.25	0.25	0.25
68	0.1	0.0	0.9	0.0
69	0.25	0.25	0.25	0.25
70	0.25	0.25	0.25	0.25
71	0.25	0.25	0.25	0.25
72	0.25	0.25	0.25	0.25
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25

weights_icra_case2_N50.csv ***(1.9 KB)***

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.25	0.25	0.25	0.25
2	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25
4	0.25	0.25	0.25	0.25
5	0.25	0.25	0.25	0.25
6	0.25	0.25	0.25	0.25
7	0.25	0.25	0.25	0.25
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.25	0.25	0.25	0.25
12	0.25	0.25	0.25	0.25
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.25	0.25	0.25	0.25
16	0.25	0.25	0.25	0.25
17	0.25	0.25	0.25	0.25
18	0.0	0.8500000000000001	0.15000000000000002	0.0
19	0.25	0.25	0.25	0.25
20	0.7000000000000001	0.05	0.2	0.05
21	0.25	0.35000000000000003	0.05	0.35000000000000003
22	0.0	0.1	0.4	0.5
23	0.15000000000000002	0.05	0.55	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.15000000000000002	0.4	0.4	0.05
29	0.25	0.25	0.25	0.25
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.25	0.25	0.25	0.25
33	0.25	0.25	0.25	0.25
34	0.1	0.0	0.75	0.15000000000000002
35	0.25	0.25	0.25	0.25
36	0.65	0.0	0.35000000000000003	0.0
37	0.25	0.25	0.25	0.25
38	0.25	0.25	0.25	0.25
39	0.25	0.25	0.25	0.25
40	0.25	0.25	0.25	0.25
41	0.25	0.25	0.25	0.25
42	0.4	0.05	0.45	0.1
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.25	0.25	0.25	0.25
48	0.25	0.25	0.25	0.25
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.2	0.4	0.35000000000000003	0.05
54	0.5	0.2	0.1	0.2
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.25	0.25	0.25	0.25
59	0.15000000000000002	0.30000000000000004	0.4	0.15000000000000002
60	0.25	0.25	0.25	0.25
61	0.25	0.25	0.25	0.25
62	0.25	0.25	0.25	0.25
63	0.25	0.25	0.25	0.25
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25
67	0.25	0.25	0.25	0.25
68	0.25	0.25	0.25	0.25
69	0.25	0.25	0.25	0.25
70	0.0	0.25	0.4	0.35000000000000003
71	0.25	0.25	0.25	0.25
72	0.25	0.25	0.25	0.25
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25

weights_icra_case3_N10.csv ***(2.2 KB)***

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.25	0.25	0.25	0.25
2	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25
4	0.25	0.5	0.1	0.15000000000000002
5	0.25	0.25	0.25	0.25
6	0.25	0.25	0.25	0.25
7	0.25	0.25	0.25	0.25
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.25	0.25	0.25	0.25
12	0.5	0.35000000000000003	0.1	0.05
13	0.0	0.2	0.15000000000000002	0.65
14	0.25	0.25	0.25	0.25
15	0.4	0.1	0.2	0.30000000000000004
16	0.25	0.25	0.25	0.25
17	0.25	0.25	0.25	0.25
18	0.25	0.25	0.25	0.25
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.6000000000000001	0.2	0.05	0.15000000000000002
22	0.0	0.05	0.55	0.4
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.25	0.25	0.25	0.25
29	0.0	0.55	0.05	0.4
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.30000000000000004	0.05	0.1	0.55
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.4	0.55	0.0	0.05
36	0.25	0.25	0.25	0.25
37	0.25	0.25	0.25	0.25
38	0.25	0.25	0.4	0.1
39	0.25	0.25	0.25	0.25
40	0.25	0.25	0.25	0.25
41	0.25	0.25	0.25	0.25
42	0.25	0.25	0.25	0.25
43	0.25	0.25	0.25	0.25
44	0.2	0.15000000000000002	0.4	0.25
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.25	0.25	0.25	0.25
48	0.25	0.25	0.25	0.25
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.0	0.75	0.15000000000000002	0.1
54	0.05	0.65	0.15000000000000002	0.15000000000000002
55	0.0	0.75	0.15000000000000002	0.1
56	0.0	0.75	0.15000000000000002	0.1
57	0.0	0.75	0.15000000000000002	0.1
58	0.25	0.15000000000000002	0.0	0.6000000000000001
59	0.0	0.75	0.15000000000000002	0.1
60	0.4	0.05	0.55	0.0
61	0.0	0.75	0.15000000000000002	0.1
62	0.0	0.75	0.15000000000000002	0.1
63	0.0	0.75	0.15000000000000002	0.1
64	0.0	0.75	0.15000000000000002	0.1
65	0.0	0.75	0.15000000000000002	0.1
66	0.0	0.75	0.15000000000000002	0.1
67	0.0	0.75	0.15000000000000002	0.1
68	0.0	0.75	0.15000000000000002	0.1
69	0.0	0.75	0.15000000000000002	0.1
70	0.0	0.75	0.15000000000000002	0.1
71	0.2	0.2	0.0	0.6000000000000001
72	0.0	0.75	0.15000000000000002	0.1
73	0.0	0.75	0.15000000000000002	0.1
74	0.0	0.75	0.15000000000000002	0.1

weights_icra_case3_N100.csv ***(2.0 KB)***

round	w1	w2	w3	w4
0	0.05	0.45	0.0	0.5
1	0.05	0.30000000000000004	0.55	0.1
2	0.25	0.25	0.25	0.25
3	0.2	0.35000000000000003	0.4	0.05
4	0.35000000000000003	0.05	0.6000000000000001	0.0
5	0.25	0.25	0.25	0.25
6	0.25	0.25	0.25	0.25
7	0.25	0.25	0.25	0.25
8	0.15000000000000002	0.1	0.15000000000000002	0.6000000000000001
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.25	0.25	0.25	0.25
12	0.25	0.25	0.25	0.25
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.45	0.15000000000000002	0.2	0.2
16	0.25	0.25	0.25	0.25
17	0.25	0.25	0.25	0.25
18	0.0	0.35000000000000003	0.65	0.0
19	0.25	0.25	0.25	0.25
20	0.30000000000000004	0.15000000000000002	0.05	0.5
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.1	0.55	0.25	0.1
29	0.25	0.25	0.25	0.25
30	0.25	0.25	0.25	0.25
31	0.75	0.2	0.05	0.0
32	0.25	0.25	0.25	0.25
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.7000000000000001	0.0	0.1	0.2
36	0.25	0.25	0.25	0.25
37	0.25	0.25	0.25	0.25
38	0.25	0.25	0.25	0.25
39	0.25	0.25	0.25	0.25
40	0.25	0.25	0.25	0.25
41	0.55	0.0	0.25	0.2
42	0.25	0.25	0.25	0.25
43	0.15000000000000002	0.25	0.30000000000000004	0.30000000000000004
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.05	0.5	0.15000000000000002	0.30000000000000004
48	0.25	0.25	0.25	0.25
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.25	0.25	0.25	0.25
54	0.25	0.25	0.25	0.25
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.25	0.25	0.25	0.25
59	0.25	0.25	0.25	0.25
60	0.1	0.6000000000000001	0.05	0.25
61	0.25	0.25	0.25	0.25
62	0.25	0.25	0.25	0.25
63	0.25	0.25	0.25	0.25
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25
67	0.25	0.25	0.25	0.25
68	0.25	0.25	0.25	0.25
69	0.25	0.25	0.25	0.25
70	0.25	0.25	0.25	0.25
71	0.25	0.25	0.25	0.25
72	0.30000000000000004	0.1	0.1	0.5
73	0.25	0.25	0.25	0.25
74	0.0	0.45	0.35000000000000003	0.2

weights_icra_case3_N20.csv ***(2.0 KB)***

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.25	0.25	0.25	0.25
2	0.25	0.25	0.25	0.25
3	0.25	0.25	0.25	0.25
4	0.25	0.25	0.25	0.25
5	0.5	0.25	0.05	0.2
6	0.65	0.05	0.2	0.1
7	0.25	0.25	0.25	0.25
8	0.25	0.25	0.25	0.25
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.25	0.25	0.25	0.25
12	0.30000000000000004	0.35000000000000003	0.1	0.25
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.25	0.25	0.25	0.25
16	0.25	0.25	0.25	0.25
17	0.25	0.25	0.25	0.25
18	0.2	0.15000000000000002	0.65	0.0
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.30000000000000004	0.2	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.25	0.25	0.25	0.25
29	0.25	0.25	0.25	0.25
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.25	0.25	0.25	0.25
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.25	0.25	0.25	0.25
36	0.25	0.25	0.25	0.25
37	0.25	0.25	0.25	0.25
38	0.25	0.25	0.25	0.25
39	0.55	0.30000000000000004	0.05	0.1
40	0.25	0.25	0.25	0.25
41	0.1	0.0	0.5	0.4
42	0.25	0.25	0.25	0.25
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.0	0.25	0.75	0.0
47	0.25	0.25	0.25	0.25
48	0.55	0.05	0.15000000000000002	0.25
49	0.15000000000000002	0.1	0.4	0.35000000000000003

round	w1	w2	w3	w4
50	0.25	0.25	0.25	0.25
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.25	0.25	0.25	0.25
54	0.25	0.25	0.25	0.25
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.25	0.25	0.25	0.25
58	0.35000000000000003	0.25	0.4	0.0
59	0.25	0.25	0.25	0.25
60	0.25	0.25	0.25	0.25
61	0.25	0.25	0.25	0.25
62	0.0	0.35000000000000003	0.30000000000000004	0.35000000000000003
63	0.25	0.25	0.25	0.25
64	0.55	0.35000000000000003	0.05	0.05
65	0.25	0.25	0.25	0.25
66	0.0	0.75	0.1	0.15000000000000002
67	0.25	0.25	0.25	0.25
68	0.25	0.25	0.25	0.25
69	0.25	0.25	0.25	0.25
70	0.6000000000000001	0.1	0.2	0.1
71	0.25	0.25	0.25	0.25
72	0.25	0.25	0.25	0.25
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25

weights_icra_case3_N50.csv ***(2.1 KB)***

round	w1	w2	w3	w4
0	0.25	0.25	0.25	0.25
1	0.1	0.30000000000000004	0.05	0.55
2	0.25	0.25	0.25	0.25
3	0.05	0.25	0.25	0.45
4	0.25	0.25	0.25	0.25
5	0.45	0.15000000000000002	0.0	0.4
6	0.25	0.25	0.25	0.25
7	0.25	0.25	0.25	0.25
8	0.05	0.35000000000000003	0.6000000000000001	0.0
9	0.25	0.25	0.25	0.25
10	0.25	0.25	0.25	0.25
11	0.15000000000000002	0.25	0.6000000000000001	0.0
12	0.25	0.25	0.25	0.25
13	0.25	0.25	0.25	0.25
14	0.25	0.25	0.25	0.25
15	0.15000000000000002	0.5	0.2	0.15000000000000002
16	0.25	0.25	0.25	0.25
17	0.2	0.35000000000000003	0.35000000000000003	0.1
18	0.25	0.25	0.25	0.25
19	0.25	0.25	0.25	0.25
20	0.25	0.25	0.25	0.25
21	0.25	0.25	0.25	0.25
22	0.25	0.25	0.25	0.25
23	0.25	0.25	0.25	0.25
24	0.25	0.25	0.25	0.25
25	0.25	0.25	0.25	0.25
26	0.25	0.25	0.25	0.25
27	0.25	0.25	0.25	0.25
28	0.55	0.35000000000000003	0.1	0.0
29	0.25	0.25	0.25	0.25
30	0.25	0.25	0.25	0.25
31	0.25	0.25	0.25	0.25
32	0.1	0.30000000000000004	0.4	0.2
33	0.25	0.25	0.25	0.25
34	0.25	0.25	0.25	0.25
35	0.25	0.25	0.25	0.25
36	0.25	0.25	0.25	0.25
37	0.25	0.25	0.25	0.25
38	0.25	0.25	0.25	0.25
39	0.25	0.25	0.25	0.25
40	0.25	0.25	0.25	0.25
41	0.25	0.25	0.25	0.25
42	0.25	0.25	0.25	0.25
43	0.25	0.25	0.25	0.25
44	0.25	0.25	0.25	0.25
45	0.25	0.25	0.25	0.25
46	0.25	0.25	0.25	0.25
47	0.25	0.25	0.25	0.25
48	0.25	0.25	0.25	0.25
49	0.25	0.25	0.25	0.25

round	w1	w2	w3	w4
50	0.35000000000000003	0.35000000000000003	0.05	0.25
51	0.25	0.25	0.25	0.25
52	0.25	0.25	0.25	0.25
53	0.25	0.25	0.25	0.25
54	0.2	0.25	0.4	0.15000000000000002
55	0.25	0.25	0.25	0.25
56	0.25	0.25	0.25	0.25
57	0.6000000000000001	0.15000000000000002	0.05	0.2
58	0.25	0.25	0.25	0.25
59	0.25	0.25	0.25	0.25
60	0.1	0.25	0.0	0.65
61	0.25	0.25	0.25	0.25
62	0.25	0.25	0.25	0.25
63	0.25	0.25	0.25	0.25
64	0.25	0.25	0.25	0.25
65	0.25	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25
67	0.25	0.25	0.25	0.25
68	0.25	0.25	0.25	0.25
69	0.15000000000000002	0.8500000000000001	0.0	0.0
70	0.25	0.25	0.25	0.25
71	0.0	0.15000000000000002	0.35000000000000003	0.5
72	0.15000000000000002	0.2	0.1	0.55
73	0.25	0.25	0.25	0.25
74	0.25	0.25	0.25	0.25