








10-24 Flat head machine screw clearance holes		PROJECT Air Piston			
		TITLE Base			
APPROVED	SIZE A		CODE	DWG NO	REV
CHECKED					
DRAWN	Max Summers	2/29/2024	SCALE 1:1	WEIGHT	SHEET 1/1



				PROJECT			
				Air Piston			
				TITLE			
				Piston			
APPROVED				SIZE	CODE	DWG NO	REV
CHECKED				A			
DRAWN	Max Summers	3/13/2024	SCALE 1:1	WEIGHT		SHEET 1/1	



Pivot uses 5/16-24 hardware
Special thread depth
considerations to be taken

PROJECT

Air Piston

TITLE

Bore

APPROVED

CHECKED

DRAWN

Max Summers

2/29/2024

SIZE

A

CODE




DWG NO

REV


SCALE 1:1

WEIGHT



SHEET 1/1



		PROJECT			
		Air Piston			
		TITLE			
		eccentric/crank			
APPROVED		SIZE	CODE	DWG NO	REV
CHECKED		A			
DRAWN	Max Summers	2/29/2024	SCALE 1:1	WEIGHT	SHEET 1/1



		PROJECT			
		Air Piston			
		TITLE			
		Flywheel			
APPROVED		SIZE	CODE	DWG NO	REV
CHECKED		A			
DRAWN	Max Summers 2/29/2024	SCALE 1:1		WEIGHT	SHEET 1/1



				PROJECT			
				Air Piston			
				TITLE			
				Shaft			
APPROVED				SIZE	CODE	DWG NO	REV
CHECKED				A			
DRAWN	Max Summers	4/3/2024	SCALE	1:1	WEIGHT	SHEET 1/1	