Preorder System

Quick user guide

What it does

Customers order imported goods during a shipping round and pay by M-Pesa. They follow the shipment by SMS and collect at the shop with a pickup code. Admins run the rounds, approve payments and release orders.

1. Logging in

1. Open the site (https://preorder.reggycodas.com).
2. Enter your phone number. Customers can sign up the same way.
3. Enter the code sent by SMS. The first admin is the **ADMIN_PHONE** set in the server settings.

Role	Can do
Customer	Browse products, order, pay, track shipment, cancel until the round closes.
Shop staff	Collection desk and order lookup.
Admin	Everything, including rounds, payments, products and people.

2. For customers

1. Pick products in the open round and go to checkout.
2. Choose **Pick up** (free, collect at the shop) or **Delivery** (enter your address and a phone number; a delivery fee may apply).
3. Pay with **M-Pesa** (or from the M-Pesa menu using Paybill, with your order number such as PO1001 as the account number).
4. You get an SMS when your payment is received, when the goods are **on the way**, and when they are **ready**.
5. **Pickup:** go to the shop, show the 6-digit code from the SMS and collect. A friend can collect for you with the code. **Delivery:** no code is needed; we call you to arrange the delivery.
6. Tap **I want this** on Coming soon items to tell the shop what to import next.

Note: orders that are not fully paid when the round closes are cancelled automatically. You get a reminder 24 hours before closing.

3. For admins: running a round

1. **Create a round** with a name, opening time, closing time and expected arrival date. It is open straight away; customers can order from the opening time.
2. **Add products** with price, description, photo and maximum quantity.
3. **Check payments** in Admin → Payments. Matching payments are applied automatically. Wrong account numbers appear under *Unmatched*, where you apply them to the right order.
4. The round **closes by itself** at the closing time. Unpaid orders are cancelled.
5. Press **Mark goods on the way** once you have ordered. Every paid customer gets one SMS.

6. Press **Goods arrived: ready for pickup**. Pickup customers get their code; delivery customers are told it will be delivered.
7. Deliveries: open Admin → Orders, filter *Deliveries to make*, call the customer and press **Mark delivered** after you deliver.
8. The round finishes by itself when every paid order has been collected or delivered.

Stage	What happens
Open for orders	Customers order and pay. Closes automatically at the closing time.
Orders closed	Order the goods from your supplier.
On the way	Customers are told the goods are coming, with the arrival date.
Ready for collection	Pickup codes are sent; delivery customers are told it is coming.
Completed	All paid orders collected or delivered.

4. At the collection desk

Pickup orders only. Delivery orders are handled from Admin → Orders.

1. Search the customer by phone number or order number.
2. Ask for the 6-digit pickup code and enter it.
3. Record who collected. The customer gets a confirmation SMS.

5. Special cases

- **Product did not reach the supplier minimum:** cancel it on the round page. It is removed from all orders, paid customers get a refund recorded and everyone affected is told by SMS.
- **Refunds:** overpayments and payments on cancelled orders are recorded as refunds due. Mark them as sent from the order details once you have refunded.
- **Changing the arrival date** also notifies paid customers.
- **Add team members** in Admin → People and choose Admin or Shop staff.

6. Putting it on your server

First time (once). Point an A record for *preorder* at your server's IP, then log in to the server:

```
git clone https://github.com/freddysundowner/preorder.git /var/www/preorder
cd /var/www/preorder && sudo bash deploy.sh
```

The script installs only what is missing (Node 20, nginx, certbot). It keeps an existing PostgreSQL and only creates the database, requests an SSL certificate only if there is none, builds the app and starts it as the `preorder` service.

Every update after that. After new changes are pushed to GitHub, run on the server:

```
cd /var/www/preorder && sudo bash update.sh
```

It pulls the new code, rebuilds the web app if needed, restarts the API and applies database changes. Then refresh your browser with Cmd+Shift+R (Ctrl+Shift+R on Windows).

Check it is working.

```
systemctl status preorder
journalctl -u preorder -f
```

Open https://preorder.reggycodas.com. The padlock should show and the shop should load.

7. Settings and sample data

- Settings live in **server/.env** on the server: admin phone, business name, Paybill number, SMS and M-Pesa keys. After editing, restart: `systemctl restart preorder`.
- Delivery fee: set `DELIVERY_FEE_KES` (0 means free delivery).
- Real SMS: set `SMS_PROVIDER=africastalking` plus your Africa's Talking details.
- Real M-Pesa: set `MPESA_MODE=production` plus your Daraja keys. Register the C2B URLs once as admin for Paybill payments.
- Sample data for testing only: `cd server && npm run seed -- --demo` (never on a live shop, customers would see the sample products).

8. If something goes wrong

Problem	What to do
Browser shows a certificate warning	DNS may not point to the server yet, or the certificate was not issued. Re-run `sudo bash deploy.sh`; it checks both.
Site shows old design or old stages	Run `sudo bash update.sh`, then hard refresh the browser.
Site is down or shows an error	Run `journalctl -u preorder -n 50` to see the error.
Customers get no SMS	Check `SMS_PROVIDER` in server/.env. It must not be *console* on a live shop. See Admin → SMS log.
A payment did not match an order	Open Admin → Payments → Unmatched and apply it to the right order.