

Fachhochschule Aachen

Campus Jülich

Fachbereich: Medizintechnik und Technomathematik

Studiengang: Technomathematik

Secure Multi-Party Computation for Decentralized Distributed Systems

Masterarbeit von Frederic Klein

Diese Arbeit wurde betreut von:

1. Prüfer: Prof. Dr. rer. nat. Alexander Voß
2. Prüfer: Dr. Stephan JONAS

Aachen, Dezember, 2016

Diese Arbeit ist von mir selbständig angefertigt und verfasst. Es sind keine anderen als die angegebenen Quellen und Hilfsmittel benutzt worden.

Frederic Klein
Unterschrift

Abstract

In recent years gamification has become a part in many areas of our daily routine. In regard to our personal life, companies like Amazon or Runtastic can base their gamification approach on publicly sharing personal achievements and statistics to improve user commitment. In contrast, gamification concerning our work life has to satisfy much higher privacy demands. Since comparison is a key component for gamification, privacy protecting computations of system wide statistical values (for example minimum and maximum) are needed. The solution comes in the form of secure multi-party computation (SMPC), a subfield of cryptography. Existing frameworks for SMPC utilize the Internet Protocol, though access to the Internet or even a local area network (LAN) cannot be provided in all environments. Facilities with sensible measuring systems, e.g. medical devices in hospitals, often avoid Wi-Fi to reduce the risk of electromagnetic interference. To be able to utilize SMPC in environments with Wi-Fi restrictions, this thesis studies the characteristics of mobile ad hoc networks (MANET) and proposes the design of a SMPC framework for MANET, especially based on Bluetooth technology, and the implementation as a C library.

Since MANETs have a high probability for network partition, a centralized architecture for the computation and data preservation is unfavorable. Therefore a blockchain based distributed database is implemented in the framework. Typical problems of distributed systems are addressed with the implementation of algorithms for clock synchronization and coordinator election as well as protocols for the detection of computation partners and data distribution. Since the framework aims to provide distributed computations of comparable values, protocols for secure addition and secure comparison are implemented, enabling the computation of minimum, maximum and average.

Devices of diverse computational power will be used to verify the applicability for wearables and Internet of Things (IoT) grade devices. Also field-tests with a smart phone ad hoc network (SPAN)(20-50 nodes) will be conducted to evaluate real life use cases. In contrast, the security of the framework and attack scenarios will be discussed. In summary, this thesis proposes a framework for SMPC for decentralized, distributed systems.

Contents

1	Introduction	1	5-10%; including motivation, general audience
1.1	Case Study: "The Hygiene Games"	2	
2	Background	3	10-15%; thorough review of the state of the art; informed audience
2.1	Secure Multi-Party Computation	3	
2.2	Mobile Ad Hoc Networks	4	
3	Design	6	15-20%; explains complete processing chain; explains what methods are used; for someone that wants to know what was done in detail
3.1	Requirements	6	
3.2	Distributed Computing	7	
3.3	Applicability of SMPC Protocols in MANETs	7	
3.4	Architecture	7	
4	Implementation	8	15-20%; details on the implementation; for someone who wants to continue the work
4.1	Communication Layer	8	
4.2	SMPC Module	8	
4.3	Data Storage and Distribution	8	
4.4	Interfacing the Library	8	
5	Evaluation	9	5-15%; outcome; how was it tested; for supervisor
5.1	Testing Tools	9	
5.2	Examination of Computation Time Dependent on Computing Power	9	
5.3	Examination of Computation Time Dependent on Number of Participants	9	
6	Discussion	10	5-15%; outcome for a design-reader
7	Conclusion	11	5-10%; outcome for a introduction-reader

References	12
Appendix A Some name	13

List of Figures

List of Tables

List of Acronyms

IoT Internet of Things.

LAN local area network.

MANET mobile ad hoc networks.

SMPC secure multi-party computation.

SPAN smart phone ad hoc network.

Chapter 1

Introduction

5-10%, including motivation, general audience

In the last couple of years gamification has found its way into many areas of our daily life. In regard to our personal life, companies like Amazon or Runtastic can base their gamification approach on publicly sharing personal achievements and statistics to improve user commitment. In contrast, gamification concerning our work life can have much higher privacy demands. Since comparison is a key component for the gamification approach, privacy protecting computations of system wide statistical values (for example minimum and maximum) are needed. The solution comes in the form of SMPC, a subfield of cryptography.

Existing frameworks for SMPC utilize the Internet protocol, though access to the Internet or even a LAN cannot be provided in all environments. Especially many hospitals tend to avoid Wi-Fi to reduce the risk of electromagnetic interference with medical devices.

To be able to utilize SMPC in environments with Wi-Fi restrictions, this thesis studies the characteristics of mesh-networks and proposes describes the design of a SMPC framework for mesh-networks.

Context

Restatement of the problem

Restatement of the response

Roadmap

1.1 Case Study: "The Hygiene Games"

Gamification

Wireless Networks in Hospitals

Chapter 2

Background

10-15%; thorough review of the state of the art; informed audience

2.1 Secure Multi-Party Computation

general idea

introduce modulo for cryptography

introduce \mathbb{Z}_p

discuss passive and active security

simple example

Secret Sharing

compare to book version

Cramer, Damgard, and Nielsen (2015, p.) describe secret sharing schemes as the main tool to build a SMPC protocol with passive security. In 1979 Adi Shamir described a (k, n) threshold scheme for sharing secret data D : "Our goal is to divide D into n pieces D_1, \dots, D_n in such a way that: (1) knowledge of any k or more D_i pieces makes D easily computable; (2) knowledge of any $k - 1$ or fewer D_i pieces leaves D completely undetermined (in the sense that all its possible values are equally likely). " (Shamir 1979) Shamir's secret sharing scheme is based on polynomials of degree $k - 1$ with $a_0 = D$ (compare 2.1).

$$q(x) = D + a_1 * x + \dots + a_{k-1} * x^{k-1} \quad (2.1)$$

To divide D into n pieces the polynomial is evaluated: $D_i = q(i), i = 1, \dots, n$.

Shamir (1979) specifies that modular instead of real arithmetic is used. A prime p with

$p > D, p > n$ is selected and used to define the set $[0, p)$. "The coefficients a_1, \dots, a_{k-1} in $q(x)$ are randomly chosen from a uniform distribution over the integers in $[0, p)$, and the values D_1, \dots, D_n are computed modulo p ." (Shamir 1979, p. 613)

Cramer, Damgard, and Nielsen (2015, p.) introduce some notions, that will be used in the following:

$$\mathbb{Z}_p = 0, 1, \dots, p-1$$

compare to
book version

why modulo

example with
reconstruction
of the secret

Random Numbers

Citation test (Cramer, Damgard, and Nielsen 2015, pp. 35-37).

random num-
bers important
for cryptogra-
phy: selection
of coefficients
in secret shar-
ing, public key
generation, ...

Differential Privacy

Secure Addition Protocol

Secure Comparison Protocol

Existing Frameworks

2.2 Mobile Ad Hoc Networks

- continuously self-configuring
- self-forming
- self-healing
- infrastructure-less
- peer-to-peer
- Difference to mesh: mobility of nodes

Example:
firechat in
SPAN

Comparison to Wi-Fi Direct

- SPAN support multi-hop relays
- Wi-Fi Direct since Android 4.0
- Wi-Fi Direct: Soft AP

Bluetooth Based MANET

Wi-Fi Based MANET

Chapter 3

Design

3.1 Requirements

15-20%; explains complete processing chain; explains what methods are used; for someone that wants to know what was done in detail

use cases, process description, resulting requirements

3.2 Distributed Computing

Coordinator Election

Clock Synchronization

Distributed Databases

3.3 Applicability of SMPC Protocols in MANETs

Analysis of Key Factors: Computing Power, Network Data Rates and Duration of Connection

Effectiveness of SMPC Protocols in Sparse Networks

Maintaining anonymity

Strategies for Aggregation of Participants in Sparse Networks

3.4 Architecture

UML; module
structure

Chapter 4

Implementation

15-20%; details on the implementation; for someone who wants to continue the work

4.1 Communication Layer

Pairing-less Connection

Secure Channel

4.2 SMPC Module

4.3 Data Storage and Distribution

4.4 Interfacing the Library

Configuration

Usage in C

Usage in Android

Chapter 5

Evaluation

5-15%; outcome; how was it tested; for supervisor

5.1 Testing Tools

CUnit; JUnit; Simulation?

5.2 Examination of Computation Time Dependent on Computing Power

5.3 Examination of Computation Time Dependent on Number of Participants

Chapter 6

Discussion

5-15%; outcome
for a design-
reader

Chapter 7

Conclusion

5-10%; outcome for a introduction-reader

References

- Cramer, Ronald, Ivan Bjerre Damgard, and Jesper Buus Nielsen (2015). *Secure Multiparty Computation and Secret Sharion*. Cambridge University Press.
- Shamir, Adi (1979). “How to Share a Secret”. In: *Communications of the ACM*.

Appendix A

Some name

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.