




Grosser Aletschgletscher Length Change Over Time




Grosser Aletschgletscher Cumulative Length Change Over Time




Grosser Aletschgletscher Annual Mass Balance Over Time




Grosser Aletschgletscher Cumulative Annual Mass Balance Over Time




Annual Mass Balance for each Elevation Bin over Time - Grosser Aletschgletscher




Sion Summer Mean Temperature



Sion Winter Total Precipitation




Grosser Aletschgletscher Summer Mass Balance with relation to Temperature





Grosser Aletschgletscher Winter Mass Balance with relation to Precipitation



Regression: Monthly 1961-1990

=====

MONTHLY DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS

=====

=====

MONTHLY DEVIATIONS for Grosser Aletschgletscher (1961-1990 norms)

=====

Number of observations: 111

Regression Summary:

OLS Regression Results						
Dep. Variable:	annual mass balance (mm w.e.)			R-squared:	0.760	
Model:	OLS			Adj. R-squared:	0.731	
Method:	Least Squares			F-statistic:	25.86	
Date:	Fri, 05 Dec 2025			Prob (F-statistic):	3.55e-25	
Time:	00:05:12			Log-Likelihood:	-810.49	
No. Observations:	111			AIC:	1647.	
Df Residuals:	98			BIC:	1682.	
Df Model:	12					
Covariance Type:	nonrobust					
	coef	std err	t	P> t	[0.025	0.975]
const	-281.4766	44.125	-6.379	0.000	-369.042	-193.911
may_td	-112.0230	26.694	-4.197	0.000	-164.996	-59.050
june_td	-98.1723	25.746	-3.813	0.000	-149.264	-47.081
july_td	-140.9470	26.832	-5.253	0.000	-194.194	-87.700
august_td	-94.1784	29.398	-3.204	0.002	-152.519	-35.838
september_td	-43.2964	26.343	-1.644	0.103	-95.573	8.980
october_pd	4.1218	1.144	3.604	0.000	1.852	6.391
november_pd	2.5133	0.864	2.910	0.004	0.799	4.227
december_pd	1.9253	0.778	2.475	0.015	0.381	3.469
january_pd	3.5573	1.036	3.433	0.001	1.501	5.614
february_pd	1.2807	0.816	1.570	0.120	-0.338	2.899
march_pd	0.7875	1.203	0.654	0.514	-1.601	3.176
april_pd	-0.7447	1.477	-0.504	0.615	-3.675	2.186
Omnibus:	0.127	Durbin-Watson:		1.760		
Prob(Omnibus):	0.939	Jarque-Bera (JB):		0.216		
Skew:	-0.077	Prob(JB):		0.898		
Kurtosis:	2.848	Cond. No.		60.9		

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:

Intercept (normal mass balance): -281.48 (p=0.0000)

may\_td: -112.02 (p=0.0001)

june\_td: -98.17 (p=0.0002)

july\_td: -140.95 (p=0.0000)

august\_td: -94.18 (p=0.0018)

september\_td: -43.30 (p=0.1035)

october\_pd: 4.12 (p=0.0005)

november\_pd: 2.51 (p=0.0045)

december\_pd: 1.93 (p=0.0150)

january\_pd: 3.56 (p=0.0009)

february\_pd: 1.28 (p=0.1225)

march\_pd: 0.79 (p=0.4925)

april\_pd: -0.74 (p=0.6150)

Regression: Optimal 1961-1990

=====
OPTIMAL SEASONAL DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS
=====

=====
OPTIMAL SEASONAL DEVIATIONS for Grosser Aletschgletscher (1961-1990 norms)
=====

Number of observations: 111

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.730
Model: OLS Adj. R-squared: 0.725
Method: Least Squares F-statistic: 145.9
Date: Fri, 05 Dec 2025 Prob (F-statistic): 2.01e-31
Time: 00:05:12 Log-Likelihood: -817.04
No. Observations: 111 AIC: 1640.
Df Residuals: 108 BIC: 1648.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, opt\_season\_td, opt\_season\_pd, Omnibus, Prob(Omnibus), Skew, Kurtosis.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -279.73 (p=0.0000)
opt\_season\_td: -466.56 (p=0.0000)
opt\_season\_pd: 2.40 (p=0.0000)

Variance Inflation Factors (VIF):
Variable VIF
0 const 1.257664
1 opt\_season\_td 1.007080
2 opt\_season\_pd 1.007080

R-squared: 0.7299
Adjusted R-squared: 0.7249

Regression: Seasonal 1961-1990

=====
SUMMER/WINTER SEASONAL DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS
=====

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Grosser Aletschgletscher (1961-1990 norms)
=====

Number of observations: 111

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.712
Model: OLS Adj. R-squared: 0.707
Method: Least Squares F-statistic: 133.7
Date: Fri, 05 Dec 2025 Prob (F-statistic): 6.03e-30
Time: 00:05:12 Log-Likelihood: -820.54
No. Observations: 111 AIC: 1647.
Df Residuals: 108 BIC: 1655.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, summer\_td, winter\_pd, and diagnostic statistics like Omnibus, Prob(Omnibus), Skew, Kurtosis, Durbin-Watson, Jarque-Bera (JB), Prob(JB), and Cond. No.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -276.17 (p=0.0000)
summer\_td: -493.61 (p=0.0000)
winter\_pd: 2.14 (p=0.0000)

Variance Inflation Factors (VIF):
Variable VIF
0 const 1.274176
1 summer\_td 1.006413
2 winter\_pd 1.006413

R-squared: 0.7123
Adjusted R-squared: 0.7070

Regression: Monthly 1991-2020

=====

MONTHLY DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS

=====

=====

MONTHLY DEVIATIONS for Grosser Aletschglletscher (1991-2020 norms)

=====

Number of observations: 111

Regression Summary:

OLS Regression Results						
Dep. Variable:	annual mass balance (mm w.e.)			R-squared:	0.760	
Model:	OLS			Adj. R-squared:	0.731	
Method:	Least Squares			F-statistic:	25.86	
Date:	Fri, 05 Dec 2025			Prob (F-statistic):	3.55e-25	
Time:	00:05:12			Log-Likelihood:	-810.49	
No. Observations:	111			AIC:	1647.	
Df Residuals:	98			BIC:	1682.	
Df Model:	12					
Covariance Type:	nonrobust					
	coef	std err	t	P> t	[0.025	0.975]
const	-1177.4733	51.689	-22.780	0.000	-1280.048	-1074.899
may_td	-112.0230	26.694	-4.197	0.000	-164.996	-59.050
june_td	-98.1723	25.746	-3.813	0.000	-149.264	-47.081
july_td	-140.9470	26.832	-5.253	0.000	-194.194	-87.700
august_td	-94.1784	29.398	-3.204	0.002	-152.519	-35.838
september_td	-43.2964	26.343	-1.644	0.103	-95.573	8.980
october_pd	4.1218	1.144	3.604	0.000	1.852	6.391
november_pd	2.5133	0.864	2.910	0.004	0.799	4.227
december_pd	1.9253	0.778	2.475	0.015	0.381	3.469
january_pd	3.5573	1.036	3.433	0.001	1.501	5.614
february_pd	1.2807	0.816	1.570	0.120	-0.338	2.899
march_pd	0.7875	1.203	0.654	0.514	-1.601	3.176
april_pd	-0.7447	1.477	-0.504	0.615	-3.675	2.186
Omnibus:	0.127	Durbin-Watson:		1.760		
Prob(Omnibus):	0.939	Jarque-Bera (JB):		0.216		
Skew:	-0.077	Prob(JB):		0.898		
Kurtosis:	2.848	Cond. No.		70.6		

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:

Intercept (normal mass balance): -1177.47 (p=0.0000)

may\_td: -112.02 (p=0.0001)

june\_td: -98.17 (p=0.0002)

july\_td: -140.95 (p=0.0000)

august\_td: -94.18 (p=0.0018)

september\_td: -43.30 (p=0.1035)

october\_pd: 4.12 (p=0.0005)

november\_pd: 2.51 (p=0.0045)

december\_pd: 1.93 (p=0.0150)

january\_pd: 3.56 (p=0.0009)

february\_pd: 1.28 (p=0.1225)

march\_pd: 0.79 (p=0.4925)

april\_pd: -0.74 (p=0.6150)

Regression: Optimal 1991-2020

=====
OPTIMAL SEASONAL DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS
=====

=====
OPTIMAL SEASONAL DEVIATIONS for Grosser Aletschgletscher (1991-2020 norms)
=====

Number of observations: 111

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.730
Model: OLS Adj. R-squared: 0.725
Method: Least Squares F-statistic: 145.9
Date: Fri, 05 Dec 2025 Prob (F-statistic): 2.01e-31
Time: 00:05:12 Log-Likelihood: -817.04
No. Observations: 111 AIC: 1640.
Df Residuals: 108 BIC: 1648.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, opt\_season\_td, opt\_season\_pd, and diagnostic statistics (Omnibus, Prob(Omnibus), Skew, Kurtosis).

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -1174.15 (p=0.0000)
opt\_season\_td: -466.56 (p=0.0000)
opt\_season\_pd: 2.40 (p=0.0000)

Variance Inflation Factors (VIF):
Variable VIF
0 const 1.958969
1 opt\_season\_td 1.007080
2 opt\_season\_pd 1.007080

R-squared: 0.7299
Adjusted R-squared: 0.7249

Regression: Seasonal 1991-2020

=====

SUMMER/WINTER SEASONAL DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS

=====

=====

SUMMER/WINTER SEASONAL DEVIATIONS for Grosser Aletschgletscher (1991-2020 norms)

=====

Number of observations: 111

Regression Summary:

OLS Regression Results						
=====						
Dep. Variable:	annual mass balance (mm w.e.)		R-squared:		0.712	
Model:	OLS		Adj. R-squared:		0.707	
Method:	Least Squares		F-statistic:		133.7	
Date:	Fri, 05 Dec 2025		Prob (F-statistic):		6.03e-30	
Time:	00:05:12		Log-Likelihood:		-820.54	
No. Observations:	111		AIC:		1647.	
Df Residuals:	108		BIC:		1655.	
Df Model:	2					
Covariance Type:	nonrobust					
=====						
	coef	std err	t	P> t	[0.025	0.975]
-----						
const	-1174.1075	52.935	-22.180	0.000	-1279.034	-1069.181
summer_td	-493.6125	33.307	-14.820	0.000	-559.632	-427.593
winter_pd	2.1424	0.375	5.708	0.000	1.398	2.886
=====						
Omnibus:		0.496	Durbin-Watson:		1.762	
Prob(Omnibus):		0.780	Jarque-Bera (JB):		0.165	
Skew:		-0.033	Prob(JB):		0.921	
Kurtosis:		3.176	Cond. No.		158.	
=====						

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:

Intercept (normal mass balance): -1174.11 (p=0.0000)

summer\_td: -493.61 (p=0.0000)

winter\_pd: 2.14 (p=0.0000)

Variance Inflation Factors (VIF):

Variable	VIF
0 const	1.961483
1 summer_td	1.006413
2 winter_pd	1.006413

R-squared: 0.7123

Adjusted R-squared: 0.7070