




Schwarzberggletscher Length Change Over Time




Schwarzberggletscher Cumulative Length Change Over Time




Schwarzberggletscher Annual Mass Balance Over Time




Schwarzberggletscher Cumulative Annual Mass Balance Over Time




Annual Mass Balance for each Elevation Bin over Time - Schwarzberggletscher




Sion Summer Mean Temperature




Sion Winter Total Precipitation



Schwarzberggletscher Summer Mass Balance with relation to Temperature



Schwarzberggletscher Winter Mass Balance with relation to Precipitation



Regression: Monthly 1961-1990

=====

MONTHLY DEVIATIONS for Schwarzberggletscher using 1961-1990 climate norms

=====

correlation Analysis with Significance Testing:

Skipping constant column: const

	Variable	Correlation	Coefficient	P-value	Significant (p < 0.05)
2	july_td	-0.570124	2.579128e-07		True
1	june_td	-0.544123	1.123852e-06		True
3	august_td	-0.517207	4.552076e-06		True
4	september_td	-0.453572	8.035801e-05		True
0	may_td	-0.437913	1.499031e-04		True
5	october_pd	0.136419	2.601277e-01		False
10	march_pd	0.125403	3.009506e-01		False
6	november_pd	0.122187	3.136170e-01		False
9	february_pd	0.101011	4.053910e-01		False
7	december_pd	0.070149	5.639044e-01		False
8	january_pd	0.060120	6.210324e-01		False
11	april_pd	-0.053554	6.597125e-01		False

Number of observations: 70

Regression Summary:

OLS Regression Results			
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:	0.582
Model:	OLS	Adj. R-squared:	0.494
Method:	Least Squares	F-statistic:	6.623
Date:	Wed, 17 Dec 2025	Prob (F-statistic):	3.05e-07
Time:	21:49:36	Log-Likelihood:	-543.16
No. Observations:	70	AIC:	1112.
Df Residuals:	57	BIC:	1142.
Df Model:	12		
Covariance Type:	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
const	81.2746	97.680	0.832	0.409	-114.327	276.876
may_td	-93.5242	60.040	-1.558	0.125	-213.752	26.704
june_td	-87.6040	56.599	-1.548	0.127	-200.941	25.733
july_td	-161.3010	60.725	-2.656	0.010	-282.901	-39.701
august_td	-83.2476	71.653	-1.162	0.250	-226.730	60.234
september_td	-141.9432	57.014	-2.490	0.016	-256.111	-27.775
october_pd	2.2736	2.793	0.814	0.419	-3.319	7.866
november_pd	3.1229	2.075	1.505	0.138	-1.033	7.278
december_pd	3.7424	1.734	2.158	0.035	0.269	7.215
january_pd	2.0974	2.111	0.994	0.325	-2.129	6.324
february_pd	-0.6711	1.639	-0.409	0.684	-3.953	2.611
march_pd	1.7394	2.413	0.721	0.474	-3.092	6.571
april_pd	2.0444	3.685	0.555	0.581	-5.335	9.424

Omnibus:	0.273	Durbin-Watson:	1.180
Prob(Omnibus):	0.872	Jarque-Bera (JB):	0.042
Skew:	-0.051	Prob(JB):	0.979
Kurtosis:	3.063	Cond. No.	68.7

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Regression: Optimal 1961-1990

=====
OPTIMAL SEASONAL DEVIATIONS for Schwarzberggletscher using 1961-1990 climate norms
=====

Correlation Analysis with Significance Testing:
Skipping constant column: const
Table with 5 columns: Variable, Correlation Coefficient, P-value, Significant (p < 0.05), and rows for opt_season_td and opt_season_pd.

Number of observations: 70

Regression Summary:

OLS Regression Results
Table with 7 columns: Variable, coef, std err, t, P>|t|, [0.025, 0.975] and rows for const, opt_season_td, opt_season_pd, and summary statistics (Omnibus, Prob(Omnibus), Skew, Kurtosis).

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Regression: Seasonal 1961-1990

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Schwarzberggletscher using 1961-1990 climate norms
=====

Correlation Analysis with Significance Testing:
Skipping constant column: const
Variable Correlation Coefficient P-value Significant (p < 0.05)
0 summer_td -0.704085 1.048873e-11 True
1 winter_pd 0.245330 4.065650e-02 True

Number of observations: 70

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.537
Model: OLS Adj. R-squared: 0.523
Method: Least Squares F-statistic: 38.87
Date: Wed, 17 Dec 2025 Prob (F-statistic): 6.23e-12
Time: 21:49:36 Log-Likelihood: -546.76
No. Observations: 70 AIC: 1100.
Df Residuals: 67 BIC: 1106.
Df Model: 2
Covariance Type: nonrobust
coef std err t P>|t| [0.025 0.975]
const 83.7591 92.237 0.908 0.367 -100.347 267.865
summer_td -518.3643 62.394 -8.308 0.000 -642.904 -393.825
winter_pd 1.9387 0.793 2.446 0.017 0.357 3.521
Omnibus: 1.179 Durbin-Watson: 1.253
Prob(Omnibus): 0.555 Jarque-Bera (JB): 0.579
Skew: -0.128 Prob(JB): 0.748
Kurtosis: 3.364 Cond. No. 132.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Regression: Monthly 1991-2020

=====

MONTHLY DEVIATIONS for Schwarzbeggletscher using 1991-2020 climate norms

=====

correlation Analysis with Significance Testing:

Skipping constant column: const

	Variable	Correlation	Coefficient	P-value	Significant (p < 0.05)
2	july_td	-0.570124	2.579128e-07		True
1	june_td	-0.544123	1.123852e-06		True
3	august_td	-0.517207	4.552076e-06		True
4	september_td	-0.453572	8.035801e-05		True
0	may_td	-0.437913	1.499031e-04		True
5	october_pd	0.136419	2.601277e-01		False
10	march_pd	0.125403	3.009506e-01		False
6	november_pd	0.122187	3.136170e-01		False
9	february_pd	0.101011	4.053910e-01		False
7	december_pd	0.070149	5.639044e-01		False
8	january_pd	0.060120	6.210324e-01		False
11	april_pd	-0.053554	6.597125e-01		False

Number of observations: 70

Regression Summary:

OLS Regression Results						
=====						
Dep. Variable:	annual mass balance (mm w.e.)			R-squared:	0.582	
Model:	OLS			Adj. R-squared:	0.494	
Method:	Least Squares			F-statistic:	6.623	
Date:	Wed, 17 Dec 2025			Prob (F-statistic):	3.05e-07	
Time:	21:49:36			Log-Likelihood:	-543.16	
No. Observations:	70			AIC:	1112.	
Df Residuals:	57			BIC:	1142.	
Df Model:	12					
Covariance Type:	nonrobust					
=====						
	coef	std err	t	P> t	[0.025	0.975]

const	-843.0152	91.842	-9.179	0.000	-1026.926	-659.104
may_td	-93.5242	60.040	-1.558	0.125	-213.752	26.704
june_td	-87.6040	56.599	-1.548	0.127	-200.941	25.733
july_td	-161.3010	60.725	-2.656	0.010	-282.901	-39.701
august_td	-83.2476	71.653	-1.162	0.250	-226.730	60.234
september_td	-141.9432	57.014	-2.490	0.016	-256.111	-27.775
october_pd	2.2736	2.793	0.814	0.419	-3.319	7.866
november_pd	3.1229	2.075	1.505	0.138	-1.033	7.278
december_pd	3.7424	1.734	2.158	0.035	0.269	7.215
january_pd	2.0974	2.111	0.994	0.325	-2.129	6.324
february_pd	-0.6711	1.639	-0.409	0.684	-3.953	2.611
march_pd	1.7394	2.413	0.721	0.474	-3.092	6.571
april_pd	2.0444	3.685	0.555	0.581	-5.335	9.424
=====						
Omnibus:	0.273	Durbin-Watson:		1.180		
Prob(Omnibus):	0.872	Jarque-Bera (JB):		0.042		
Skew:	-0.051	Prob(JB):		0.979		
Kurtosis:	3.063	Cond. No.		65.8		
=====						

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Regression: Optimal 1991-2020

=====
OPTIMAL SEASONAL DEVIATIONS for Schwarzberggletscher using 1991-2020 climate norms
=====

Correlation Analysis with Significance Testing:
Skipping constant column: const
Variable Correlation Coefficient P-value Significant (p < 0.05)
0 opt_season_td -0.676153 1.334027e-10 True
1 opt_season_pd 0.241944 4.360289e-02 True

Number of observations: 70

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.485
Model: OLS Adj. R-squared: 0.470
Method: Least Squares F-statistic: 31.59
Date: Wed, 17 Dec 2025 Prob (F-statistic): 2.17e-10
Time: 21:49:36 Log-Likelihood: -550.47
No. Observations: 70 AIC: 1107.
Df Residuals: 67 BIC: 1114.
Df Model: 2
Covariance Type: nonrobust
coef std err t P>|t| [0.025 0.975]
const -822.2518 92.603 -8.879 0.000 -1007.088 -637.415
opt_season_td -457.0050 61.315 -7.453 0.000 -579.390 -334.620
opt_season_pd 1.8258 0.954 1.913 0.060 -0.079 3.731
Omnibus: 0.687 Durbin-Watson: 1.161
Prob(Omnibus): 0.709 Jarque-Bera (JB): 0.208
Skew: -0.004 Prob(JB): 0.901
Kurtosis: 3.267 Cond. No. 107.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Regression: Seasonal 1991-2020

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Schwarzberggletscher using 1991-2020 climate norms
=====

Correlation Analysis with Significance Testing:
Skipping constant column: const
Variable Correlation Coefficient P-value Significant (p < 0.05)
0 summer_td -0.702701 1.198032e-11 True
1 winter_pd 0.245330 4.065650e-02 True

Number of observations: 70

Regression Summary:

OLS Regression Results						
Dep. Variable:	annual mass balance (mm w.e.)			R-squared:	0.534	
Model:	OLS			Adj. R-squared:	0.520	
Method:	Least Squares			F-statistic:	38.40	
Date:	Wed, 17 Dec 2025			Prob (F-statistic):	7.75e-12	
Time:	21:49:36			Log-Likelihood:	-546.99	
No. Observations:	70			AIC:	1100.	
Df Residuals:	67			BIC:	1107.	
Df Model:	2					
Covariance Type:	nonrobust					
	coef	std err	t	P> t	[0.025	0.975]
const	-842.3214	88.023	-9.569	0.000	-1018.016	-666.627
summer_td	-516.2801	62.546	-8.254	0.000	-641.122	-391.439
winter_pd	1.9136	0.795	2.406	0.019	0.326	3.501
Omnibus:	1.147		Durbin-Watson:	1.229		
Prob(Omnibus):	0.564		Jarque-Bera (JB):	0.548		
Skew:	-0.105		Prob(JB):	0.760		
Kurtosis:	3.379		Cond. No.	124.		

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.