

Migrating SQL Server to Azure

Exhaustive inventory of targets, methods & tools | v1.7

31 July 2026

Contents

1 Why migrate in 2026 (the short “why now”)	2
2 Taxonomy — separate targets, control planes, and methods	3
3 The Azure targets (8 families)	4
4 Control planes & assessment experiences	5
4.1 Microsoft tooling by source → target (assess · data · schema)	5
5 Migration methods per target	6
5.1 To SQL Server on Azure VM (IaaS rehost)	6
5.2 To Azure SQL Managed Instance (managed lift-and-shift)	6
5.3 To Azure SQL Database (cloud-native refactor)	7
5.4 To SQL database in Fabric (<i>Preview</i>)	8
5.5 To Containers / Arc-enabled SQL MI	8
5.6 Offline & network transfer accelerators (large estates)	8
6 Ancillary components (the cutover blockers)	9
7 Downtime strategy (cutover window) — the #1 architect criterion	9
8 Summary matrix — method / tool × target	10
9 Source-version & retirement reference	10
10 Cross-cloud sources & reverse migration	11
11 Third-party alternatives (when they beat the native stack)	12
12 Decision criteria & “when to recommend what”	13
13 Field insights — recurring pitfalls	14
14 FY27 SQL Motion context & AI Migration Agent	15
15 Commercial levers & funding programs (FY27)	15
15.1 Commercial / licensing levers (permanent TCO reducers)	16
15.2 Microsoft-funded engagement programs	16
15.3 Partner mechanics	16
16 Sources (Microsoft Learn)	17
17 Document version & changelog	19
18 Appendix — Using the sql-migration-advisor Copilot CLI skill	21
18.1 Install (once)	21
18.2 Example output	21
Goal. Exhaustively list every way and every tool to migrate a SQL Server	

database to an Azure service (all PaaS, including containers) or a VM (Azure VM / Azure VMware Solution).

Audience. Partners, architects, and customer DBAs — usable in pre-sales and as the knowledge base behind the *SQL in a Day* AI Migration Agent (§14).

Verification. Tool retirements, version requirements and target families were cross-checked against Microsoft Learn and product announcements (current as of 31 July 2026). Links are gathered in §16 Sources.

Version. v1.7 — 31 July 2026. Change history in §17 Document version & changelog.

IMPORTANT 2025-2026 tooling reset — read this first. - **Data Migration Assistant (DMA)** is RETIRED (16 July 2025). - **Azure Data Studio (ADS)** is RETIRED (28 February 2026). The Azure SQL Migration extension has no separately announced retirement date; do not anchor new runbooks on it because the replacement experiences are SSMS 22, Azure Arc migration and modern DMS. - The new entry point is the **SSMS 22 Migration Component** (assess + migrate from SSMS), complemented by SQL Server migration in Azure Arc (portal, with Copilot — now **GA to both Azure SQL MI and SQL Server on Azure VM**) and Azure Database Migration Service (DMS). - Modern **DMS** supports offline-only migration to Azure SQL Database (online / minimal-downtime is available for Managed Instance and SQL VM targets, per the [DMS supported-scenarios](#) matrix). - **Azure DMS classic** SQL Server scenarios have been absorbed into the current DMS portal experience — use modern DMS (an Azure resource, via portal / PowerShell / CLI).

1 Why migrate in 2026 (the short “why now”)

- **AI runs on data.** Modern, managed databases are the foundation; SQL Server 2025 / Azure SQL add a native vector type + functions, **DiskANN** vector indexing (high-throughput ANN search), native json, and zero-ETL **Fabric Mirroring** (analytics on OneLake with no pipelines) — making the estate AI-ready and improving migration (enhanced distributed AG).
- **End-of-support pressure.** Out-of-support SQL Server/Windows versions push modernization; Extended Security Updates (ESU) are free on Azure VMs / AVS only for SQL Server 2014 and earlier. SQL Server 2016 is paid everywhere (including Azure VM) and non-Azure environments use Azure Arc for ESU subscription/billing — this changes the *stay vs migrate* math.
- **Cost levers.** Azure Hybrid Benefit (AHB) applies to Azure SQL Database General Purpose / Business Critical in the vCore provisioned compute tier, Managed Instance and VM (not Fabric SQL DB, DTU or serverless). New Hyperscale databases are not AHB-eligible because Hyperscale has no SQL software license fee; existing Hyperscale single databases with provisioned compute can continue using AHB until December 2026.
- **Partner leverage.** Sharing a deal with a partner increases win rate and deal size;

programs like Cloud Accelerate Factory and SQL in a Day industrialize delivery (§14). Commercial & funding levers are detailed in §15.


- **Concrete forcing function.** SQL Server 2016 is out of support since 14 July 2026 and is now in ESU Year 1 (15 Jul 2026–13 Jul 2027; Year 3 ends 17 Jul 2029). “Stay” means paid ESU, and SQL Server 2016 requires a paid ESU subscription even on Azure VM.

Version	Extended End of Support	Status (Jul 2026)
SQL Server 2012	12 Jul 2022 — ESU ended Jul 2025	✗ Out of support
SQL Server 2014	9 Jul 2024 — ESU ~Jul 2027	Out of support (ESU window)
SQL Server 2016	14 Jul 2026 — ESU Y1 15 Jul 2026–13 Jul 2027; Y3 ends 17 Jul 2029	Out of support — ESU Y1
SQL Server 2017	12 Oct 2027	✓ Extended support
SQL Server 2019	8 Jan 2030	✓
SQL Server 2022	11 Jan 2033	✓
SQL Server 2025	GA 18 Nov 2025	✓ Latest

Windows Server often sits under SQL Server — **WS 2012/2012 R2** is out of support (ESU to Oct 2026), WS 2016 EOS ~Jan 2027. Factor the OS into the move.


2 Taxonomy — separate targets, control planes, and methods

The single most common mistake is to mix these three layers. Keep them distinct:



- **Targets** = runtime destinations (where the DB lives).
- **Control planes / experiences** = how you assess, recommend and orchestrate (Azure Migrate, Arc, SSMS 22, DMS). Azure Arc-enabled SQL Server is a control plane, not a runtime target.
- **Methods** = the actual data-movement vehicle (MI Link, LRS, backup/restore, replication...).

3 The Azure targets (8 families)



#	Target	Layer	When to choose it	Compatibility	Doc
1	SQL Server on Azure VM	IaaS	Faithful lift & shift: OS / file-system control, exact version, FileStream/FileTable, PolyBase, cross-instance DTC, third-party agents.	Full	overview
2	Azure VMware Solution (AVS)	IaaS	Zero-refactor data-center exit for existing VMware estates; keeps FCI and Always On AG; migrate with VMware HCX / vMotion.	Full	AVS
3	Azure SQL Managed Instance	PaaS	Managed lift-and-shift: keep instance objects (logins, SQL Agent, server triggers, cross-DB, linked servers), native vNet. Tiers GP / BC / Next-gen GP (GA since Nov 2025 — Elastic SAN backend: 500 DBs, 128 vCores, 32 TB, 80K IOPS, 192 MB/s log, 3–4 ms latency, configurable IOPS/memory; ~5x better price-per-DB by density). Free offer: 1 instance / 12 months. No Hyperscale on MI.	~Near-full (instance)	overview
4	Azure SQL Database	PaaS	Cloud-native app / microservice. Models: single DB / elastic pool; tiers GP / BC / Hyperscale; purchasing vCore / DTU / serverless. Hyperscale scales to 128 TB (large / HTAP); serverless for intermittent; elastic pools for consolidation. Free offer: 10 serverless DBs for the subscription lifetime.	Database surface (no instance-level)	overview
5	SQL database in Fabric (Preview for migration)	PaaS	Fabric-native OLTP unified with OneLake. Fabric Migration Assistant is Preview and has tool limits (DACPAC schema ≤ 20 MB, on-prem data gateway only, no Private Link), but the target also accepts T-SQL, transactional replication, Fabric pipelines / Data Factory copy jobs, Dataflow Gen2, and other TDS-capable tools. Not an enterprise OLTP target yet.	Subset; preview	Migration Assistant
6	SQL Server in containers — AKS / ARO / ACI / ACA	Container	Full control of the engine in a container (dev/test, edge, custom). Pod + PersistentVolume; HA via the Kubernetes scheduler.	High — SQL on Linux (no FILESTREAM/FileTable, SSRS/SSAS/SSIS, ML Services; SQL Agent off by default)	SQL on Kubernetes
7	Azure Arc-enabled SQL Managed Instance	Container (PaaS)	Managed SQL MI engine on any Kubernetes (AKS, ARO, EKS, GKE, OpenShift) via kubectl + CRD. Sovereignty / edge / multi-cloud.	~Same as SQL MI	create Arc SQL MI
8	SQL Server enabled by Azure Arc	Hybrid (control plane)	Not a runtime target — the bootstrap pillar: connect on-prem SQL <i>without touching it</i> → weekly continuous assessment, blocker detection, ESU, PAYG (OpEx) licensing, governance, and a portal Copilot-assisted Database migration — to Azure SQL MI (MI Link / LRS) and, GA since July 2026 , to SQL Server on Azure VM (native backup/restore). Arc-enabled SQL Server 2014+ overall; path-specific floors apply (MI Link: SQL Server 2016+ / Windows Server 2016+; use the conservative 2014+ Arc floor for LRS because Microsoft Learn is inconsistent — see §9).	n/a	Arc migration

Lift & shift is not VM-only. Both SQL Server on Azure VM (IaaS) and Azure SQL Managed Instance (managed PaaS) are valid lift-and-shift targets. Since 2024, MI compatibility (SQL Agent, cross-DB queries, linked servers...) makes it the default *managed* lift-and-shift.

4 Control planes & assessment experiences

Tool / experience	Role	Status (2026)	Notes
Azure Migrate	Discovery / assessment / sizing / business case at scale	GA (+ Arc-based agentless discovery, Preview)	Appliance (VMware/Hyper-V/Physical) or import-based or Arc-based. Right-sizes SQL DB / MI / VM.
SQL Server migration in Azure Arc	Portal-driven assess + migrate for any Arc-enabled SQL Server	GA; MI and VM targets both GA	Copilot-assisted; targets Azure SQL MI (MI Link / LRS) and — GA July 2026 — SQL Server on Azure VM (<i>lift-and-shift, native backup/restore</i>); continuous assessment; Arc-enabled SQL Server 2014+ overall, with MI Link requiring SQL Server 2016+ / Windows Server 2016+. The Azure Arc portal MI wizard can select up to 10 databases per batch with Azure Extension for SQL Server ≥ 1.1.3348.364 (earlier versions: one database at a time); this is an Arc wizard batch limit, not MI Link capacity.
SSMS 22 Migration Component	DBA-first entry point: assess + launch a recommended migration path from SSMS	GA (Windows-only)	Replaces DMA-era workflows and complements the ADS migration extension. Backup/restore, MI Link, DMS. Azure SQL assessment capability expected ~Q3 CY2026 (<i>public roadmap, subject to change</i>).
Azure DMS (modern)	Managed migration orchestration (Azure resource · portal / PowerShell / CLI)	GA	Use the modern DMS — former DMS <i>classic</i> SQL scenarios are absorbed into the current portal experience. Offline-only to Azure SQL DB; online/minimal-downtime to MI / SQL VM (MI Link preferred for MI).
PowerShell Az.DataMigration / Azure CLI	Automate DMS at scale (CI/CD)	GA	Often the only viable path beyond ~50 databases.
SSMA	Heterogeneous conversion (schema/code/data)	GA	Oracle / Sybase / DB2 / MySQL / Access → Azure SQL. Not for homogeneous SQL→SQL.
Database Experimentation Assistant (DEA)	Capture + replay a production workload on the target to validate performance <i>before</i> cutover	Retired 15 December 2024	Replaced by a documented validation stack: capture with Extended Events (SQL Trace/Profiler deprecated), replay with RML Utilities / OStress, then analyse with Query Store and DMVs. The <i>concept</i> (catch plan/compat regressions before cutover) remains valuable; the MS tool itself is retired.

NOTE Retired — do not use in new runbooks: DMA (16 Jul 2025) and Azure Data Studio itself (28 Feb 2026). The Azure SQL Migration extension has no separately announced retirement date, but migration work should continue via SSMS 22 / Azure Arc / modern DMS / Az.DataMigration CLI. SQL Data Sync retires 30 Sep 2027 — don't build new sync/migration on it (use ADF, transactional replication or AG).

4.1 Microsoft tooling by source → target (assess · data · schema)

Common tooling per source/target combination (homogeneous and heterogeneous); third-party CDC options are labelled separately from current Microsoft migration guidance:

Source	Target	Assess	Data migration	Schema
SQL Server (Arc-enabled)	Azure SQL MI	SQL migration in Azure Arc	SQL migration in Azure Arc	Not needed
SQL Server (Arc-enabled)	SQL Server on Azure VM	SQL migration in Azure Arc	SQL migration in Azure Arc (native backup/restore)	Not needed
SQL Server (not Arc)	Azure SQL VM / MI	Azure Migrate	DMS	Not needed
SQL Server	Azure SQL DB	Azure Migrate	STRIM (online) · DMS (offline)	DMS
Sybase	Azure SQL	Azure Migrate	STRIM	SSMA for Sybase
Oracle	Azure SQL	Azure Migrate	STRIM	SSMA for Oracle

GitHub Copilot is applicable as AI-assisted migration tooling (schema/code conversion inside SSMA; app-level via GitHub Copilot App Modernization for .NET / Java). Portfolio & application/code assessment partners complementary to Azure Migrate: Dr Migrate, CAST Highlight, UnifyCloud.

5 Migration methods per target

Standardized columns (Microsoft Learn style): **Method** • **Min source** • **Target/min** • **Downtime** • **Key constraints**.

5.1 To SQL Server on Azure VM (IaaS rehost)

Method	Min source	Downtime	Key constraints / notes
Azure Migrate (lift & shift)	SQL 2008 SP4	Online (replication)	Whole VM/instance, incl. FCI and AG; up to ~35,000 VMs.
SQL migration in Azure Arc → SQL VM	SQL 2014+ (Arc-enabled)	Offline (backup/restore)	GA (July 2026) : portal-driven, Copilot-assisted lift-and-shift for Arc-enabled sources — provisions the target Azure VM and runs native backup/restore. A phased on-ramp: rehost now, modernize to SQL MI / SQL DB later.
Distributed availability group (DAG)	SQL 2016	Near-zero	Reuse on-prem AG; needs AD Domain Services (or workgroup AG + certs) and ports open.
Backup to a file (.bak) + copy	SQL 2008 SP4	Offline	Simple, supports > 1 TB; use compression / multi-file split for WAN.
Backup to URL (Azure Blob)	SQL 2014	Offline	12.8 TB (SQL 2016+) / 1 TB otherwise; for > 1 TB use local backup + AzCopy.
Detach & attach (MDF/LDF via Blob)	SQL 2008	Offline	For very large DBs where backup/restore is too slow.
Log shipping	SQL 2008	Minimal	Windows-only (not for SQL on Linux sources).
Always On AG	SQL 2012	Near-zero	Fail an existing AG onto Azure VM replicas.
Convert machine to VHD / Ship hard drive / Azure Data Box	any	Offline	Estate exit with limited WAN; multi-TB .bak / .bacpac via Data Box.

5.2 To Azure SQL Managed Instance (managed lift-and-shift)

Method	Min source	Downtime	Key constraints / notes
Managed Instance link (MI Link)	SQL 2016 and later (incl. 2022, 2025; Win Server 2016+, Ent/Std/Dev)	Near-zero (online; <1 minute cutover)	Distributed-AG based; R/O readable target during migration; reverse failback to SQL 2022 / 2025 (DR / Azure exit); one link per database, up to 100 links on General Purpose / Business Critical and up to 500 links on Next-gen General Purpose; requires MI Link network ports below.
Log Replay Service (LRS)	Standalone LRS: SQL Server 2008–2022	Online sync; cutover downtime	Full/diff/log → Azure Blob; public endpoint; 30-day max window; target remains RESTORING / NORECOVERY (no reads/writes) until cutover. Cutover restores the final backup: minutes on GP with a small final backup, but potentially hours on Business Critical while replicas are seeded. Supports up to the service-tier database limit (for example 100 GP, 500 Next-gen GP), with 100 simultaneous restores per instance and 150 per subscription. Arc portal migration uses the conservative 2014+ Arc floor; standalone LRS remains 2008–2022.
Native backup & restore (.bak)	SQL 2008	Offline	Simplest; migrate TDE certificate <i>before</i> restore or it fails late; master/msdb restore not supported (script instance objects).
Transactional replication	SQL Server 2016+	Online	MI can be a subscriber from SQL Server 2016 and later; exact publisher/distributor/subscriber combinations depend on the MI update policy, so check the supportability matrix.
bcp / Smart Bulk Copy	any	Offline	High-speed data-only / partial (parallel copy).
BACPAC / SqlPackage	any	Offline	Smaller DBs / simple.
Azure Data Factory — Copy	any	Offline / batch	When migration = integration / transformation.

MI Link network ports. Always open the full documented set, regardless of service tier, update policy, VPN / ExpressRoute / VNet peering, or other connectivity mechanism: on the **SQL Managed Instance subnet NSG**, inbound **5022** and **11000–11999** from the SQL Server IP, and outbound **5022** to the SQL Server IP (Microsoft's summary table states 5022 + 11000–11999 both inbound and outbound for the MI NSG). On the **SQL Server host OS firewall and any corporate firewall**, allow inbound **5022** from the MI subnet /24 and outbound **5022** and **11000–11999** to the MI subnet. Ports

11000-11999 carry the MI-side distributed-AG HADR data-replication channel; the actual MI HADR port is dynamically assigned within the range and can be checked with `sys.dm_hadr_fabric_config_parameters` where `parameter_name = 'HadrPort'` (for example, 11002). MI-side ports cannot be customized; the SQL Server-side endpoint port can. Microsoft's simplified SQL Server-side table lists only 5022, but the authoritative prose also requires outbound 11000-11999 — follow the prose.

MI compatibility nuance — PolyBase and DTC. PolyBase used only for cloud file access (Azure Blob Storage / ADLS Gen2, CSV/delimited or Parquet through OPENROWSET (BULK), CREATE EXTERNAL TABLE, CETAS) is **MI eligible**. PolyBase used to query Oracle, Teradata, MongoDB or another SQL Server through external RDBMS connectors is **MI ineligible**; use SQL Server on Azure VM or Synapse. Homogeneous SQL↔SQL DTC (SQL MI ↔ SQL MI / SQL Server) is **MI eligible** via managed DTC; heterogeneous DTC to a third-party RDBMS is **MI ineligible** and needs SQL VM or refactoring. FILESTREAM / FileTable remains a hard blocker for SQL MI and SQL DB.

5.3 To Azure SQL Database (cloud-native refactor)

Method	Min source	Downtime	Key constraints / notes
Azure DMS (offline)	SQL 2008+	Offline	Offline only to Azure SQL DB (online/minimal-downtime is available for MI / SQL VM, not SQL DB).
STRIM (online CDC)	any	Online (near-zero)	Microsoft-recommended online / CDC data migration to Azure SQL DB — fills the gap that DMS is offline-only for SQL DB; pair with DMS for schema.
Transactional replication	SQL Server 2016 and later (incl. 2022, 2025)	Online	Azure SQL Database can be a push subscriber only, with snapshot and one-way transactional replication. Peer-to-peer and merge are not supported; replicated tables require primary keys. Article limits include unsupported conversions for <code>hierarchyid</code> , FILESTREAM and spatial to MAX types, plus partitioning/index feature limits.
BACPAC / SqlPackage	any	Offline	Small/medium; <code>SqlPackage</code> for scale.
bcp / Smart Bulk Copy	any	Offline	Data-only / bulk.
Azure Data Factory — Copy	any	Offline / batch	BI / integration.

X Not supported to Azure SQL Database: native .bak restore, detach/attach, MI Link. SQL Agent → use [Elastic Jobs](#).

DACPAC vs BACPAC. A DACPAC packages the schema only; a BACPAC packages schema + data. Both are produced/consumed by `SqlPackage` and the VS Code MSSQL extension — a simple way to migrate (BACPAC) or version (DACPAC) offline.

5.4 To SQL database in Fabric (*Preview*)

Method	Downtime	Key constraints / notes
Fabric Migration Assistant — DACPAC	Offline	Preview tool limits: schema via DACPAC ≤ 20 MB; AI-assisted compatibility fixes; data via Fabric Data Factory copy job + on-prem data gateway only (no VNet gateway / Private Link for the assistant). These are Migration Assistant limits, not target-wide Fabric SQL database limits.
Transactional replication	Online	Fabric SQL database can be a push subscriber only. Publishing to Fabric SQL database requires SQL Server 2022 RTM CU12 or greater; snapshot and one-way transactional replication are supported, peer-to-peer and merge are not, and replicated tables require primary keys.
T-SQL / Fabric pipelines / Data Factory copy jobs / Dataflow Gen2 / TDS-capable tools	Offline / batch	Alternative ingestion paths into Fabric SQL database; do not eliminate the target solely because Migration Assistant Preview limits do not fit.
Fabric Mirroring for SQL Server	n/a (continuous)	NOT a one-shot migration — near-real-time CDC replication to OneLake for analytics. GA (Nov 2025), optimized for SQL Server 2025. Complementary "analytical modernization" path.

5.5 To Containers / Arc-enabled SQL MI

Target	Method	Downtime	Notes
Arc-enabled SQL MI (AKS/ARO/...)	Native backup/restore, point-in-time restore	Offline	Requires Arc data controller; exposes a SQL MI endpoint → logical vehicles of \$5.2 apply.
SQL Server container (mcr image)	Backup/Restore via mounted volume, detach/attach, BACPAC, bcp, ADF	Offline / Online (repl.)	Persist on Azure Disk (AKS/ARO) / Azure Files (ACI/ACA); HA via scheduler.

WARNING Containers are not a fully-managed cloud database. Plain mssql containers (AKS / ARO / ACI / ACA) put patching, high availability and backups entirely on you — best suited to dev/test and edge scenarios. Arc-enabled SQL MI automates engine patching, backups and HA through the Arc data controller, but you still own the Kubernetes cluster, persistent storage and DR. Neither is equivalent to the fully-managed Azure SQL Database / Managed Instance PaaS.

5.6 Offline & network transfer accelerators (large estates)

For multi-terabyte databases the network — not the method — is usually the bottleneck. Plan the **bulk transfer / initial seed** explicitly:

Accelerator	Use it for	Notes
Azure Data Box / Data Box Heavy	One-shot physical move of multi-TB .bak / .bacpac, or a whole VM fleet	Data Box ≈ 80 TB usable; Data Box Heavy ≈ 770 TB for hundreds of TB. Microsoft recommends Data Box to migrate a SQL server/estate and as the initial <i>seed</i> before syncing the delta over the network.
ExpressRoute / dedicated circuit	Sustained high-throughput online transfer & seed	Avoids WAN time-outs on long-running backup/restore, LRS or replication.
AzCopy + Backup-to-URL	Push large local backups to Blob	For DBs > 1 TB: local backup + AzCopy is faster/safer than direct Backup-to-URL.
Azure Storage Mover	Orchestrated bulk file transfer on-prem → Azure Files / Blob	Centralized, resumable; good for backup repositories.
Compressed / split / encrypted backups	Shrink & secure the payload in transit	Compression + multi-file split optimize WAN; backup encryption (SQL 2014+) for compliance during transit.


Seed-then-sync pattern. For very large or low-downtime migrations: ship the initial full backup via Data Box (or AzCopy over ExpressRoute), then catch up the delta with log restore (LRS), MI Link, transactional replication or log shipping before cutover.

6 Ancillary components (the cutover blockers)

Databases rarely move alone — these sub-components block go-live if forgotten:

Component	Path to Azure
SQL Agent jobs	MI: native · SQL DB: Elastic Jobs
Logins / users	Script + recreate; DMS does not migrate Windows logins by default (enable option + grant MI read access to Entra ID).
SSIS	Azure-SSIS Integration Runtime (SSISDB via DMS).
SSRS	Power BI paginated reports for the managed cloud migration of RDL workloads; Power BI Report Server on a VM when the managed service does not fit. Starting with SQL Server 2025 (17.x), on-premises reporting services is consolidated under Power BI Report Server; no new SSRS versions after SSRS 2022, which is supported until 11 Jan 2033.
SSAS	Azure Analysis Services or Power BI Premium (XMLA).
Linked servers / cross-DB	Supported on VM/MI; not on SQL DB — refactor required.
TDE	Migrate the server-level certificate <i>before</i> any native restore to MI.

7 Downtime strategy (cutover window) — the #1 architect criterion



Separate **target availability during sync** from **business cutover downtime**; calling every staged method simply “offline” hides the operational difference:

Method	Target availability during sync	Business cutover downtime
MI Link	read-only (secondary queryable)	< 1 minute
LRS	unavailable (RESTORING/NORECOVERY)	minutes (GP, small final backup) → hours (Business Critical, replica seeding)
Native backup/restore	not present	full restore time
Transactional replication	read-write (subscriber accessible)	near-zero
DMS offline	not present	total migration execution time

Microsoft describes LRS as an online migration with expected downtime during cutover, not as a true minimum-downtime method. Prefer MI Link for Business Critical when sub-minute cutover is required because MI Link is the true online option and its secondary is queryable during sync.

Sizing rule. Never size MI/SQL DB on *average* CPU. Use a Perfmon baseline ≥ 7 days + ~20% headroom for cutover. Network: don't estimate size $\div$ bandwidth — Backup-to-URL throughput is capped by the Blob layer; test with AzCopy + one full backup before committing a go-live date, and plan a rollback / fallback window in case the estimate proves optimistic.

8 Summary matrix — method / tool $\times$ target

Method / tool	SQL VM	AVS	SQL MI	SQL DB	Fabric SQL DB	Arc SQL MI	SQL container
Azure Migrate (assess)	✓	✓	✓	✓	—	—	—
DMS	✓	—	✓ (online)	✓ (offline)	✗	—	—
MI Link	reverse	✗	✓	✗	✗	✓	✗
Log Replay Service	✗	✗	✓	✗	✗	—	✗
Native backup/restore	✓	✓	✓	✗	✗	✓	✓
Distributed / Always On AG	✓	✓	✗	✗	✗	✗	✗
HCX / vMotion	✗	✓	✗	✗	✗	✗	✗
Transactional replication	✓	✓	✓	✓ ¹	✓ ²	✓	✓
BACPAC / SqlPackage	✓	✓	✓	✓	✓ (DACPAC)	✓	✓
bcps / Smart Bulk Copy	✓	✓	✓	✓	—	✓	✓
ADF Copy	✓	✓	✓	✓	✓	✓	✓
Fabric Migration Assistant	✗	✗	✗	✗	✓	✗	✗
SSMA (heterogeneous)	✓	✓	✓	✓	—	✓	✓

✓ supported · ✗ n/a · — indirect/non-first-class · reverse only · ¹ SQL DB transactional replication: SQL Server 2016+ publisher, push subscriber only; snapshot and one-way transactional only. · ² Fabric SQL database transactional replication requires SQL Server 2022 RTM CU12+ publisher, push subscriber only.

9 Source-version & retirement reference

Tooling timeline: DMA retired Jul 2025 → DEA retired 15 December 2024 → ADS retired Feb 2026 (Azure SQL Migration extension: no separate announced retirement) → former DMS *classic* SQL scenarios absorbed into the current DMS portal experience → SQL Data Sync retires Sep 2027.

Pre-cutover workload validation: capture with Extended Events (SQL Trace/Profiler deprecated), replay with RML Utilities / OStress (updated Oct 2024 to work over ODBC/OLE DB without SNAC), and analyse with Query Store + DMVs. SQL Server Distributed Replay is deprecated as of SQL Server 2022 and is not available in SQL Server 2022 or later; the Controller was removed from Setup and the feature depended on SNAC, which was removed.

Item	Status / requirement
DMA	Retired 16 Jul 2025 → SSMS 22 / Arc / Azure Migrate
Azure Data Studio / SQL Migration extension	ADS retired 28 Feb 2026; migration extension has no separate announced retirement → VS Code + MSSQL for development; SSMS 22 / DMS for migration
DMS <i>classic</i> — SQL Server scenarios	Absorbed into the current DMS portal experience → modern DMS (portal / PowerShell / CLI)
Database Experimentation Assistant (DEA)	Retired 15 December 2024 → capture with Extended Events, replay with RML Utilities / OStress, analyse with Query Store + DMVs
Distributed Replay	Deprecated as of SQL Server 2022 and not available in SQL Server 2022 or later → use RML Utilities / OStress
SQL Data Sync	Retires 30 Sep 2027 → use ADF / transactional replication / AG
DMS → Azure SQL DB	Offline only (online available for MI / SQL VM)
MI Link source	SQL Server 2016 and later (incl. 2022, 2025), Windows Server 2016+, Ent/Std/Dev; requires sysadmin, distributed AG capability, AG endpoints, MI Link network ports (5022 plus MI-side HADR 11000–11999) and connectivity to the MI VNet
Standalone LRS source	SQL Server 2008–2022; SQL Server 2016+ can <code>BACKUP TO URL</code> directly, 2008–2016 need local backup + upload
Azure Arc portal migration source floors	Arc-enabled SQL Server 2014+ overall; MI Link method requires SQL Server 2016+ / Windows Server 2016+; Microsoft documentation inconsistency: the Arc MI method table says LRS method SQL Server 2012+ / Windows Server 2012+, but the same page and the overall Arc migration overview state SQL Server migration in Azure Arc starts with SQL Server 2014 (12.x), so use the conservative 2014+ Arc experience floor. Standalone LRS outside Arc remains SQL Server 2008–2022.
Native restore → MI	SQL Server 2008+
Transactional replication → MI	SQL Server 2016+; exact combination depends on MI update policy/supportability matrix
Transactional replication → SQL DB / Fabric SQL DB	SQL Server 2016+ publisher for Azure SQL DB; Fabric SQL database publishing requires SQL Server 2022 RTM CU12+
Backup-to-URL size	12.8 TB (2016+) / 1 TB
Fabric Migration Assistant	Preview tool; DACPAC ≤ 20 MB, on-prem gateway only, no Private Link. These are assistant limits; Fabric SQL database also supports T-SQL, transactional replication, Fabric pipelines / Data Factory copy jobs, Dataflow Gen2, and TDS-capable tools.
SQL Server 2025 (source)	GA 18 Nov 2025 — native vector/JSON, improved DAG

10 Cross-cloud sources & reverse migration

Source × method reality check: DMS and LRS cover more cross-cloud sources than MI Link/native restore. MI Link requires SQL Server 2016+, sysadmin on the source, distributed availability group support, ability to create AG endpoints, MI Link network ports (5022 plus MI-side HADR 11000–11999), and network connectivity to the MI VNet; it is therefore not possible from managed-PaaS sources that do not grant sysadmin or custom AG endpoints.

Source	MI Link	LRS	DMS	Native backup/restore	Txn replication	BACPAC/bcp/ADF
On-prem SQL Server / Azure VM	✓ 2016+	✓ 2008–2022	✓	✓ <code>direct BACKUP TO URL</code>	✓ 2016+ publisher	✓
AWS EC2 (SQL on IaaS)	✓ if sysadmin + AG + 5022 + networking	✓ via Blob upload	✓	✓ via Blob upload	✓ if sysadmin	✓
AWS RDS for SQL Server	✗ no sysadmin / no AG endpoints	✓ via S3→Blob upload	✓ offline to Azure SQL DB / MI / VM; ✓ online only to MI / VM (not Azure SQL DB)	indirect only (S3→Blob→restore; no direct <code>BACKUP TO URL</code> to Azure)	✗ not practical (requires sysadmin/distributor rights the platform doesn't grant)	✓
GCP Compute Engine (SQL on IaaS)	✓ if sysadmin + AG + 5022 + networking	✓ via Blob upload	✓	✓ via Blob upload	✓ if sysadmin	✓
GCP Cloud SQL for SQL Server	✗ no sysadmin / no AG endpoints	✓ via export→Blob upload	✓	indirect only	✗ not practical (requires sysadmin/distributor rights the platform doesn't grant)	✓

The transactional-replication **X** for AWS RDS / GCP Cloud SQL is an inference from those platforms' privilege model (no sysadmin / distributor rights), not an explicit Microsoft unsupported-from-RDS statement.

- **Reverse / exit migration:** SQL DB → SQL Server via BACPAC + scripts (heavy); MI → SQL Server 2022 / 2025 via MI Link reverse failback (trivial — a strategic portability argument).
- **Neutral non-Microsoft targets** (for honest comparison): AWS RDS for SQL Server (+ AWS DMS), GCP Cloud SQL (+ GCP DMS), Tessell, OCI self-managed. Azure differentiators: MI Link, Arc, Fabric Mirroring.

11 Third-party alternatives (when they beat the native stack)

Tool	Better when...
Striim	Microsoft-recommended online / CDC data-migration vehicle for SQL Server → Azure SQL Database (the online path DMS lacks for SQL DB) and for heterogeneous sources (Sybase / Oracle / DB2 → Azure SQL, paired with SSMA for schema); also real-time CDC to Event Hubs / Synapse / Cosmos in parallel.
Dr Migrate / CAST Highlight / UnifyCloud	Portfolio & application/code assessment at scale (wave planning, dependency mapping) — complementary to Azure Migrate.
Qlik Replicate	Heterogeneous sources (Oracle, DB2, iSeries, SAP HANA) with in-flight transforms — more mature than DMS for Oracle→SQL.
Fivetran HVR	Broad CDC + observability; multi-target (Snowflake + Fabric).
Quest SharePlex	SQL Server ↔ Oracle replication; de-Oracle-ization projects.
Carbonite Migrate	VM-level always-on with failback when Azure Migrate/ASR can't handle the OS/hypervisor (KVM, Xen, Citrix).
Veeam / Commvault / Cohesity / Rubrik	Already in place — push backups to Blob, restore on SQL VM (no double licensing).
Redgate / Liquibase / Flyway	Schema versioning (GitOps) post-migration — SqlPackage's weak spot.
VMware HCX (Broadcom)	The zero-downtime "as-is" option for complex VMware clusters incl. SQL FCI → AVS.

12 Decision criteria & “when to recommend what”

Criterion	VM	AVS	MI	SQL DB	Fabric SQL DB	AKS / Arc
OS access required	✓	✓	✗	✗	✗	partial
Cross-DB / DTC transactions	✓	✓	— ¹	✗	✗	✓
FILESTREAM / FileTable	✓	✓	✗	✗	✗	✗
PolyBase	✓	✓	— ²	✗	✗	✓
Service Broker	✓	✓	✓ ³	✗	✗	✓
SQL CLR / linked servers	✓	✓	✓	✗	✗	✓
SQL Agent	✓	✓	✓	✗ (Elastic Jobs)	✗	✓
Min. downtime achievable	~h (DAG)	~h (vMotion)	~min (MI Link)	min–h	h	depends
Managed patch / upgrade	Auto-patch	✗	✓ Evergreen	✓ Evergreen	✓ Evergreen	✗
Azure Hybrid Benefit	✓	✓	✓	✓ GP/BC vCore provisioned; ✗ DTU/serverless/new Hyperscale; existing Hyperscale single DBs with provisioned compute can continue until Dec 2026	n/a	✓
Sovereignty / edge	✓	✓	limited regions	limited regions	limited regions	✓ (Arc)

¹ Azure SQL MI supports SQL-to-SQL distributed transactions between SQL MIs and SQL Server / SQL Server-based products via managed DTC (enable it and open ports 135 and 14000–15000 inbound, 49152–65535 outbound). DTC to third-party RDBMS and Azure SQL Database is not supported; if all participants are SQL MI, prefer native elastic transactions. ² Azure SQL MI supports data virtualization over Azure Blob Storage / ADLS Gen2 for CSV/delimited and Parquet via OPENROWSET(BULK), CREATE EXTERNAL TABLE and CETAS. It does not support Delta Lake, S3-compatible storage, pushdown computation, or PolyBase connectors to external RDBMS (Oracle, Teradata, MongoDB, another SQL Server). ³ Azure SQL MI supports Service Broker **within a single instance** only — no cross-instance Service Broker routing.

Client profile	Neutral recommendation	Why
Banking / regulated / strong on-prem	SQL VM + ESU via Arc, or AVS	OS control, compliance, soft transition
Multi-tenant SaaS ISV	SQL DB Hyperscale / Elastic Pool	Per-tenant elasticity, cost control
Heavy legacy ERP (SAP, on-prem Dynamics)	SQL MI or SQL VM	Instance & SQL Agent compatibility
Modern micro-services app	SQL DB serverless	Pay-per-use, auto-pause
Fabric-native / analytics-first	SQL DB in Fabric + Mirroring	OLTP + OneLake unification
Edge / sovereign / multi-cloud	Arc-enabled SQL MI on local AKS	Sovereignty + Azure consistency
Short-term data-center exit	AVS + VMware HCX	Zero refactor, vMotion
Modernize off end-of-support	SQL VM “as-is” + ESU boundary check	Free ESU on Azure VM/AVS applies to SQL Server 2014 and earlier; SQL Server 2016 needs paid ESU even on Azure VM

13 Field insights — recurring pitfalls

- **TDE certificate:** protect-then-restore order matters — a TDE-protected database restore fails on the destination unless the TDE certificate / asymmetric key is first installed in the destination server's master database.
- **Windows logins:** DMS skips them by default; enable the option and grant MI read to Entra ID (Privileged Role Administrator).
- **MI Link ports:** MI subnet NSG needs inbound 5022 and 11000-11999 from SQL Server plus outbound 5022; SQL Server host/corporate firewalls need inbound 5022 from the MI subnet and outbound 5022 and 11000-11999 to MI. The 11000-11999 range is always required for MI-side HADR data replication and is frequently missed in locked-down networks.
- **Other methods need network too:** DMS / LRS / transactional replication require outbound HTTPS (443) to Azure Storage/Blob, SQL 1433 (and 1434/UDP SQL Browser for named instances) — anticipate firewall/NSG blocks in locked-down environments.
- **DAG:** requires AD Domain Services (or workgroup AG + certs) — an infra blocker architects forget.
- **Transactional replication → SQL DB / Fabric SQL DB / MI:** Azure SQL Database subscribers require SQL Server 2016+ publishers; Fabric SQL database subscribers require SQL Server 2022 RTM CU12+ publishers and do not support Private Link for replication; Azure SQL MI subscribers require SQL Server 2016+ publishers, with exact combinations dependent on MI update policy. Snapshot and one-way transactional replication are supported for SQL DB/Fabric; peer-to-peer and merge are not; replicated tables require primary keys; distribution DB and agents cannot live in Azure SQL Database.
- **Hyperscale:** the only viable SQL DB choice above 4 TB or with heavy concurrent write I/O.
- **Fabric SQL DB:** Migration Assistant is Preview with a 20 MB DACPAC cap, on-prem gateway only and no Private Link; those tool limits are not target-wide limits because T-SQL, transactional replication, Fabric pipelines / Data Factory copy jobs, Dataflow Gen2 and TDS-capable tools can also ingest data. Don't position as enterprise prod yet.
- **Mirroring ≠ migration:** it's continuous analytics replication; treating it as a one-shot migration is a dangerous shortcut.
- **Dependency mapping:** undocumented linked servers and SQL Agent jobs are among the most commonly late-discovered blockers — run a dependency map (Azure Migrate or third-party) before committing a target.
- **SLAs differ:** MI BC 99.99% · SQL DB BC 99.995% (zone-redundant) · SQL DB Hyperscale 99.99% · SQL VM depends on the AG. Align to the app, not a slogan.
- **Security by design:** SQL DB has a public endpoint by default — recommend Private Endpoint + Entra-only auth + disabled SQL auth from day one.
- **Land the zone first:** stand up an Azure **landing zone** (CAF — IAM, policy, networking, monitoring, Defender pre-baked) before migrating. Once deployed, each workload move stops being a one-off because identity, policy, networking, monitoring and Defender are already in place.
- **Fabric SQL DB ≠ Azure SQL DB:** not a drop-in replacement — fine-grained se-


curity (RLS / OLS / dynamic masking) does not propagate to OneLake; governance must be re-implemented in Fabric. For analytics on operational data, prefer Mirroring (keep OLTP on Azure SQL, mirror into Fabric, no ETL) over a hard cutover.

- **Bootstrap via Arc first:** connect the estate to Azure Arc *before* migrating — free weekly continuous assessment, blocker detection, ESU and PAYG (OpEx) licensing while you plan, with zero workload change (§3 row 8).

14 FY27 SQL Motion context & AI Migration Agent

This document is the knowledge base behind the **FY27 EMEA EPS — Data Motion “SQL in a Day”**. Two notes:

- **Storyline correction.** The deck line “Azure Migrate, DMA, DMS, SSMA, Cloud Accelerate Factory” must drop DMA (retired) → use “Azure Migrate, SSMS 22 + Arc-based assessment, DMS, SSMA, Cloud Accelerate Factory”. A 4th target pillar — SQL Server enabled by Azure Arc — should appear alongside VM / MI / SQL DB.
- **AI Migration Agent — I/O contract.** The afternoon agent scores a preliminary recommended assessment path for the customer estate; confirm outputs with tool-based assessment and an architect. Suggested flow so it’s usable by both humans and automation:



Microsoft programs to attach: Cloud Accelerate Factory (zero-cost delivery), Azure Accelerate / FastTrack, AHB + ESU via Arc — detailed in §15.

15 Commercial levers & funding programs (FY27)

Two money levers to combine on every deal: **(A) Microsoft-funded engagement** money (assess / pilot / migrate) and **(B) commercial / licensing** levers that durably cut TCO. **Amounts, ratios and program names**

are partner-confidential and drift each fiscal year (FY27 starts 1 Jul 2026) — re-validate live in Partner Center / the MCI guide before quoting.

15.1 Commercial / licensing levers (permanent TCO reducers)

Lever	What it saves	Mechanics
Azure Hybrid Benefit (AHB)	30%+ on eligible Azure SQL DB / MI; compute-only on VM	License + Software Assurance reallocated to Azure; 1 Enterprise core = 4 GP vCores; 180-day dual-use during migration; portal toggle. Applies to Azure SQL Database General Purpose / Business Critical in the vCore provisioned compute tier, not to the DTU model, serverless compute tier, Fabric SQL DB, or new Hyperscale databases. Existing Hyperscale single databases with provisioned compute can continue using AHB to save on compute costs until December 2026; new Hyperscale databases have no SQL software license fee instead.
ESU on Azure — version boundary	Removes ESU cost only for eligible older versions	Azure VMs / AVS: ESU free & automatic for SQL Server 2014 and earlier; SQL Server 2016 requires a paid ESU subscription even on Azure VM. Azure SQL PaaS has no ESU concept; on-prem / multicloud / hosted use Azure Arc for ESU subscription or PAYG billing; non-prod free when prod runs ESU via Arc.
PAYG licensing via Arc	Turns the SQL license into OpEx	Billed only when SQL runs; CALs included; can sit inside a MACC. Requires active SA or PAYG enabled.
Free Azure SQL offers	Zero-cost POC / pilots	MI free 12 months; SQL DB free for the subscription lifetime (serverless GP).
Reservations / Savings Plans	1- / 3-yr commitment discount	Stacks with AHB. Partner Earned Credit (15%) does not apply to reservations.
Savings plan for databases	up to 35% on Azure SQL (DB / MI)	1- or 3-year hourly compute commitment; auto-applies across participating database services up to the commitment; stacks with AHB.

15.2 Microsoft-funded engagement programs

Program	Funds	Access
Azure Accelerate (FY26 umbrella = Azure Migrate & Modernize + Azure Innovate + Cloud Accelerate Factory)	Assessments, POC, pilots, deployments, Azure credits, skilling	Self-serve — Partner Center nomination → POE → paid ≤ 45 days
Azure Accelerate for Databases	SQL / data-estate modernization	Same workflow (database scenario)
Cloud Accelerate Factory	Zero-cost Microsoft expert deployment	Via Azure Accelerate in Partner Center
FastTrack for Azure	Free Microsoft engineering guidance (not cash)	Account team / program alias
ECIF (End-Customer Investment Funds)	Assessments, POCs, migrations, training	Field-led via PDM / AE — not self-serve
Azure Frontier Offer (ECIF + ACO, dual-run offset)	Services + dual-run during migration; competitive Oracle / legacy displacement	Field-led via PDM; typically ≥ 50% ACR from Fabric / first-party Databases / AI

15.3 Partner mechanics

- **Attribution first** (funding prerequisite): link the customer via PAL (Partner Admin Link) or DPOR → unlocks the 15% Partner Earned Credit on managed Azure consumption.
- **Routes:** *Self-serve* (Partner Center) — Azure Accelerate, Databases, Cloud Accelerate Factory · *Field-led* (engage the PDM early) — ECIF, Azure Frontier Offer · *Customer self-serve* (Azure portal) — AHB, ESU, free offers, reservations.
- **Typical sequence:** Azure Migrate discovery + TCO → nominate assess/pilot in Azure Accelerate (Databases) → if competitive or ≥ 50% data ACR, engage PDM for the Azure Frontier Offer → pilot on free SQL DB / MI → CAF for zero-cost deploy → POE → lock run-rate with reservations.

16 Sources (Microsoft Learn)

Overviews & taxonomy - Database Migration hub — <https://learn.microsoft.com/en-us/data-migration/> - SQL Server → Azure SQL Database — <https://learn.microsoft.com/en-us/data-migration/sql-server/database/overview> - SQL Server → Azure SQL Managed Instance — <https://learn.microsoft.com/en-us/data-migration/sql-server/managed-instance/overview> - SQL Server → SQL Server on Azure VM — <https://learn.microsoft.com/en-us/data-migration/sql-server/virtual-machines/overview> - Azure SQL feature comparison — <https://learn.microsoft.com/en-us/azure/azure-sql/database/features-comparison> - PolyBase data virtualization guide — <https://learn.microsoft.com/en-us/sql/relational-databases/polybase/data-virtualization-guide> - SQL MI data virtualization overview — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/data-virtualization-overview> - SQL MI distributed transaction coordinator (DTC) — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/distributed-transaction-coordinator-dtc>

Control planes / tools - Azure Migrate (SQL assessment) — <https://learn.microsoft.com/en-us/azure/migrate/how-to-create-azure-sql-assessment> - SQL Server migration in Azure Arc — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/migration-overview> - SQL migration to SQL Server on Azure VMs in Azure Arc (GA how-to) — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/migrate-to-sql-server-on-azure-vms?view=sql-server-ver17> - Migrate to Azure SQL Managed Instance in Azure Arc — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/migrate-to-azure-sql-managed-instance> - GA announcement — SQL migration to SQL Server on Azure Virtual Machines in Azure Arc — <https://techcommunity.microsoft.com/blog/microsoftdatamigration/generally-available-sql-migration-to-sql-server-on-azure-virtual-machines-in-azu/4536940> - SSMS (download/overview) — <https://learn.microsoft.com/en-us/sql/ssms/sql-server-management-studio-ssms> - Azure Database Migration Service — <https://learn.microsoft.com/en-us/azure/dms/dms-overview> - DMS supported scenarios (offline/online per target) — <https://learn.microsoft.com/en-us/azure/dms/resource-scenario-status> - Az.DataMigration PowerShell — <https://learn.microsoft.com/en-us/powershell/module/az.datamigration/> - SSMA — <https://learn.microsoft.com/en-us/sql/ssma/sql-server-migration-assistant> - Database Experimentation Assistant (DEA) — <https://learn.microsoft.com/en-us/previous-versions/sql/dea/database-experimentation-assistant-overview> - SQL Server Distributed Replay — <https://learn.microsoft.com/en-us/sql/tools/distributed-replay/sql-server-distributed-replay> - RML Utilities / OStress — <https://learn.microsoft.com/en-us/troubleshoot/sql/tools/replay-markup-language-utility> - What's happening with Azure Data Studio — <https://learn.microsoft.com/en-us/sql/tools/whats-happening-azure-data-studio>

Methods - Managed Instance link — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/managed-instance-link-feature-overview> - Managed Instance link preparation — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/managed-instance-link-preparation> - Log Replay Service — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/log-replay-service-migrate> - Log Replay Service overview — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/log-replay-service-overview> - Compare LRS and MI Link —

<https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/log-replay-service-compare-mi-link> - Native backup & restore (MI) — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/restore-sample-database-quickstart> - Transactional replication (SQL DB) — <https://learn.microsoft.com/en-us/azure/azure-sql/database/replication-to-sql-database> - Import/Export · BACPAC — <https://learn.microsoft.com/en-us/azure/azure-sql/database/database-import> - bcp utility — <https://learn.microsoft.com/en-us/sql/tools/bcp-utility> - Smart Bulk Copy — <https://github.com/Azure-Samples/smartbulkcopy> - Backup to URL — <https://learn.microsoft.com/en-us/sql/relational-databases/backup-restore/sql-server-backup-to-url> - Move a TDE-protected database — <https://learn.microsoft.com/en-us/sql/relational-databases/security/encryption/move-a-tde-protected-database-to-another-sql-server> - Availability group → Azure VM — <https://learn.microsoft.com/en-us/data-migration/sql-server/virtual-machines/availability-group-migrate> - Log shipping — <https://learn.microsoft.com/en-us/sql/database-engine/log-shipping/about-log-shipping-sql-server> - Elastic Jobs (SQL DB) — <https://learn.microsoft.com/en-us/azure/azure-sql/database/elastic-jobs-overview>

Targets — containers, Fabric, AVS, Arc - Create Arc-enabled SQL Managed Instance — <https://learn.microsoft.com/en-us/azure/azure-arc/data/create-sql-managed-instance> - Migrate to Arc-enabled SQL MI — <https://learn.microsoft.com/en-us/azure/azure-arc/data/migrate-to-managed-instance> - SQL Server on Kubernetes / AKS — <https://learn.microsoft.com/en-us/sql/linux/quickstart-sql-server-containers-kubernetes> - SQL Server in a Docker container — <https://learn.microsoft.com/en-us/sql/linux/quickstart-install-connect-docker> - Fabric Migration Assistant for SQL database (Preview) — <https://learn.microsoft.com/en-us/fabric/database/sql/migration-assistant> - Ingest data into Fabric SQL database — <https://learn.microsoft.com/en-us/fabric/database/sql/tutorial-ingest-data> - Migrate to Fabric SQL DB via DACPAC — <https://learn.microsoft.com/en-us/fabric/database/sql/migrate-with-migration-assistant-using-dacpac> - Fabric Mirroring for SQL Server — <https://learn.microsoft.com/en-us/fabric/mirroring/sql-server> - Limitations for SQL database in Fabric — <https://learn.microsoft.com/en-us/fabric/database/sql/limitations> - Fabric — choose a data store (decision guide) — <https://learn.microsoft.com/en-us/fabric/fundamentals/decision-guide-data-store> - Azure VMware Solution — <https://learn.microsoft.com/en-us/azure/azure-vmware/introduction> - SQL MI — Next-gen General Purpose — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/service-tiers-next-gen-general-purpose-use> - Azure SQL DB Hyperscale — <https://learn.microsoft.com/en-us/azure/azure-sql/database/service-tier-hyperscale> - Reporting Services consolidation FAQ — <https://learn.microsoft.com/en-us/sql/reporting-services/reporting-services-consolidation-faq> - Migrate SSRS reports to Power BI — <https://learn.microsoft.com/en-us/power-bi/guidance/migrate-ssrs-reports-to-power-bi>

Data movement & VM-level - Azure Data Box / Data Box Heavy — <https://learn.microsoft.com/en-us/azure/databox/data-box-overview> - ExpressRoute — <https://learn.microsoft.com/en-us/azure/expressroute/expressroute-introduction> - AzCopy — <https://learn.microsoft.com/en-us/azure/storage/common/storage-use-azcopy-v10> - Azure Storage Mover — <https://learn.microsoft.com/en-us/azure/storage-mover/service-overview> - Azure Site Recovery — <https://learn.microsoft.com/en-us/azure/site-recovery/site-recovery-overview> - Azure-SSIS Integration Runtime — <https://learn.microsoft.com/en-us/azure/ssis/integration-runtime-overview>

microsoft.com/en-us/azure/data-factory/create-azure-ssis-integration-runtime - SQL Data Sync (retiring 30 Sep 2027) — <https://learn.microsoft.com/en-us/azure/azure-sql/database/sql-data-sync-data-sql-server-sql-database?view=azuresql>

Licensing / programs / lifecycle - Azure Hybrid Benefit (Azure SQL) — <https://learn.microsoft.com/en-us/azure/azure-sql/azure-hybrid-benefit> - SQL Server ESU enabled by Azure Arc — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/extended-security-updates> - Move SQL Server license to PAYG (Arc) — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/manage-pay-as-you-go-transition> - SQL Server end-of-support / ESU — <https://learn.microsoft.com/en-us/sql/sql-server/end-of-support/sql-server-extended-security-updates> - SQL Server 2016 lifecycle — <https://learn.microsoft.com/en-us/lifecycle/products/sql-server-2016> - Azure SQL MI free offer — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/free-offer> - Azure SQL DB free offer — <https://learn.microsoft.com/en-us/azure/azure-sql/database/free-offer> - Azure Accelerate (partner programs) — <https://partner.microsoft.com/en-us/partnership/azure-offerings> - Tool consolidation / retirement (blog) — <https://www.microsoft.com/en-us/sql-server/blog/2024/09/12/modernize-your-database-with-the-consolidation-and-retirement-of-azure-database-migration-tools/> - Cloud Adoption Framework — migrate — <https://learn.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/> - Azure landing zones (CAF) — <https://learn.microsoft.com/en-us/azure/cloud-adoption-framework/ready/landing-zone/> - Savings plan for databases — <https://learn.microsoft.com/en-us/azure/cost-management-billing/savings-plan/savings-plan-overview> - Modernize your databases (hub) — <https://aka.ms/modernizedatabases>

*Links last verified: 31 July 2026. Microsoft migration guides moved from .../azure-sql/migration-guides/... to .../data-migration/sql-server/... (redirects in place). Items marked **Preview** are subject to change.*

17 Document version & changelog

Current version: **v1.7** (2026-07-31).

Version history (current: v1.7)

Version	Date	Changes
v1.7	2026-07-31	Updated SQL Server 2016 past-EOS / paid-ESU guidance, AHB exclusions and Hyperscale exception nuance, SSRS/PBIRS consolidation, transactional-replication target floors, Fabric Migration Assistant scope, Strim online/CDC guidance, retired-tool names/status, and Amazon RDS online-DMS target nuance.
v1.6	2026-07-27	Corrected MI Link network ports (including mandatory 11000–11999), MI Link link/database limits versus the Arc wizard batch limit, Azure Arc migration source floors and Microsoft's LRS-method inconsistency, and LRS downtime semantics / target availability; added the related Microsoft Learn sources.
v1.5	2026-07-27	Corrected SQL MI PolyBase/data-virtualization and DTC nuance; updated transactional-replication publisher versions and Fabric SQL database note; separated standalone LRS floors from Arc portal path floors; replaced the blanket cross-cloud claim with a source×method matrix; documented DEA retirement / Distributed Replay replacement guidance; removed three unsourced migration statistics.
v1.4	2026-07-20	Added GA announcement of SQL Migration to SQL Server on Azure VMs in Azure Arc.
v1.3	2026-07-15	SQL migration to SQL Server on Azure VMs in Azure Arc is now GA (public preview since April 2026). Updated the Arc control-plane row (Azure SQL MI + SQL VM targets both GA), the 2025–2026 tooling-reset note, the source→target matrix (added Arc-enabled → SQL VM), and \$5.1 (Arc guided VM lift-and-shift). Added the GA announcement and the Learn how-to links (\$16).
v1.2	2026-07-03	Corrected two moved Microsoft Learn links: Smart Bulk Copy (now the Azure-Samples GitHub repo) and Migrate to Arc-enabled SQL MI (renamed to azure-arc/data/migrate-to-managed-instance). Added the weekly link + news freshness automation (GitHub Action).
v1.1	2026-07-03	Azure SQL MI Next-gen General Purpose re-classified preview → GA (GA since Nov 2025). Dates refreshed to July 2026 (verification note, lifecycle status column, sources footer). All ~45 Microsoft Learn links re-verified. Re-confirmed still-current: Fabric Migration Assistant remains Preview (DACPAC ≤ 20 MB, on-prem gateway only, no Private Link); SSMS 22 Azure SQL assessment still roadmap ~Q3 CY2026; SQL Server 2016 ESU requires paid subscription from 15 Jul 2026; MI Link GA with SQL Server 2025 support + reverse fallback to 2022/2025.
v1.0	2026-06	Initial published knowledge base: 8 target families (SQL VM, AVS, SQL MI, SQL DB, Fabric SQL DB, containers AKS/ARQ/ACI/ACA, Arc-enabled SQL MI, Arc in-place); targets/control-planes/methods taxonomy; per-target method tables (min source · downtime · constraints); 2025–2026 tooling reset (DMA, ADS, DMS classic, SQL Data Sync retirements); tooling-by-source matrix (incl. STRIM online to Azure SQL DB); downtime strategy; summary & decision matrices; ancillary components; cross-cloud & reverse migration; third-party alternatives; field insights; commercial & funding levers (AHB / ESU / PAYG · Savings plan for databases · Azure Accelerate); FY27 SQL Motion context & AI Migration Agent I/O contract.

Versioning: **MAJOR.MINOR** — MINOR bumps for fact/link refresh and additive content; MAJOR bumps for structural rewrites or scope changes.

18 Appendix — Using the sql-migration-advisor Copilot CLI skill

This knowledge base also powers sql-migration-advisor, a GitHub Copilot CLI skill that turns the inventory above into a guided, preliminary recommendation. Ask Copilot “*migrate a SQL Server environment to Azure*”: it runs a short two-tier interview — triage (scope, source location & version, intent, feature dependencies, size, downtime tolerance, network, compliance, ancillary services), then confirmation questions only where they can change the answer — and returns a grounded recommendation card: target and tier, method, downtime class, blockers + remediations, the best alternative, confidence and open evidence gaps, cost levers, and the right Microsoft program. It never recommends retired tooling (DMA, Azure Data Studio extension, DMS classic).

18.1 Install (once)

macOS / Linux:

```
git clone https://github.com/fredgis/sql-migration-advisor.git
↪ ~/.copilot/skills/sql-migration-advisor
```

Windows (PowerShell):

```
git clone https://github.com/fredgis/sql-migration-advisor.git
↪ "$env:USERPROFILE\.copilot\skills\sql-migration-advisor"
```

Restart Copilot CLI, run /skills to confirm sql-migration-advisor is listed, then ask your question in natural language (English or French).

18.2 Example output

The card below is a real recommendation for an estate of ~100 on-premises SQL Server 2012 databases (limited WAN, exiting out-of-support):

Verdict - estate of ~100 databases (on-prem SQL 2012 + PaaS)
 Azure SQL Managed Instance (General Purpose) via LRS in seed-then-sync - downtime minimal - grounded in the FY27 SQL knowledge base.

Fully-managed PaaS + “not sure” dependencies + exiting out-of-support SQL 2012: SQL MI is the default managed lift-and-shift. It absorbs your 100 GB-4 TB databases in General Purpose, handles any undocumented dependencies (linked servers, SQL Agent), and MI Link is excluded because the 2012 source is below the required 2016+ - the method is LRS.

Estate strategy (100 databases)

1. Azure Migrate: agentless discovery, dependency mapping, costed business case, and MI right-sizing.
2. **Az.DataMigration** (CLI/PowerShell): Industrializes LRS beyond ~50 databases - the only viable path at this scale.
3. Data Box for the initial seed (limited WAN), then LRS catches up the log delta before each cutover.

At a glance

	Recommendation
Target	Azure SQL Managed Instance - General Purpose (size 150 GB-4 TB, managed PaaS)
Method	Log Replay Service (LRS) - 2012 source OK; MI Link excluded (requires 2016+)
Downtime	Minimal (LRS replays full/diff/log, short cutover)
Assess / orchestrate	Azure Migrate + Az.DataMigration at scale + SMS 22 / Arc

Blockers & fixes

- Limited WAN + multi-TB + Data Box for the initial seed, then LRS sync (seed-then-sync pattern); otherwise timeouts are guaranteed.
- Out-of-support SQL 2012 source + migrate fast; restoring via LRS removes the need for ESU.
- “Not sure” dependencies + run an Azure Migrate dependency map before locking the target (~60% of migrations stumble on forgotten linked servers / SQL Agent jobs).
- License / users + script and recreate (not migrated by default).
- EU data boundary + MI region within the EU perimeter from creation.
- Network + validate outbound nio3 (8100) and 1023 across all 100 sources.

Cost & program (your question)

- Azure Hybrid Benefit (AHB): eligible on SQL MI (vCore) - reuse your SQL licenses with SA, up to ~85% savings combined with 1-3 year reservations.
- ESU = the real “stay vs migrate” lever: staying on SQL 2012 on-prem forces paid ESU via Azure Arc; migrating to MI (ewegreen) eliminates that cost entirely.
- Consolidation: 100 databases + group onto a few MI instances (instance pools / shared vCores) instead of 100 isolated targets - a major cost lever.
- GP vs BC: stay General Purpose (pay-per-use storage) unless you need local latency + Business Critical.
- Sizing: baseline Perfom + 7 days + ~20% headroom never average CPU - over-sizing across 100 databases is expensive.
- Programs: Cloud Accelerate Factory (zero-cost delivery), SQL in a Day, Azure Accelerate / FastTrack - attach to fund the delivery.

Biggest risk: network throughput over a limited WAN with 100 databases. Don't compute **size + bandwidth** - test AzCopy + one real full backup, seed via Data Box, and plan a rollback window. Validate target performance with DEA (capture + replay) on sensitive databases.

LRS + Az.DataMigration - Azure Migrate - business case - AHB - LRS: planned offline, no read-only target.

Would you like a per-database-group table, a scaled LRS runbook, or a summary slide for the estate?