

# **Migrating SQL Server to Azure**

Exhaustive inventory of targets, methods & tools | v3.13

11 September 2026

## Contents

|                                                                                        |           |
|----------------------------------------------------------------------------------------|-----------|
| <b>1 Why migrate in 2026 (the short “why now”)</b>                                     | <b>2</b>  |
| <b>2 Taxonomy — separate targets, control planes, and methods</b>                      | <b>3</b>  |
| <b>3 The Azure targets (8 families)</b>                                                | <b>4</b>  |
| <b>4 Control planes &amp; assessment experiences</b>                                   | <b>5</b>  |
| 4.1 Microsoft tooling by source → target (assess · data · schema) . . . . .            | 5         |
| <b>5 Migration methods per target</b>                                                  | <b>6</b>  |
| 5.1 To SQL Server on Azure VM (IaaS rehost) . . . . .                                  | 6         |
| 5.2 To Azure SQL Managed Instance (managed lift-and-shift) . . . . .                   | 7         |
| 5.3 To Azure SQL Database (cloud-native refactor) . . . . .                            | 8         |
| 5.4 To SQL database in Fabric ( <i>GA target; Migration Assistant in Preview</i> ) . . | 8         |
| 5.5 To Containers / Arc-enabled SQL MI . . . . .                                       | 9         |
| 5.6 Offline & network transfer accelerators (large estates) . . . . .                  | 9         |
| <b>6 Ancillary components (the cutover blockers)</b>                                   | <b>9</b>  |
| <b>7 Downtime strategy (cutover window) — the #1 architect criterion</b>               | <b>10</b> |
| <b>8 Summary matrix — method / tool × target</b>                                       | <b>11</b> |
| <b>9 Source-version &amp; retirement reference</b>                                     | <b>12</b> |
| <b>10 Cross-cloud sources &amp; reverse migration</b>                                  | <b>13</b> |
| <b>11 Third-party alternatives (when they beat the native stack)</b>                   | <b>14</b> |
| <b>12 Decision criteria &amp; “when to recommend what”</b>                             | <b>15</b> |
| <b>13 Field insights — recurring pitfalls</b>                                          | <b>16</b> |
| <b>14 FY27 SQL Motion context &amp; AI Migration Agent</b>                             | <b>17</b> |
| <b>15 Commercial levers &amp; funding programs (FY27)</b>                              | <b>18</b> |
| 15.1 Commercial / licensing levers (permanent TCO reducers) . . . . .                  | 19        |
| 15.2 Microsoft-funded engagement programs . . . . .                                    | 20        |
| 15.3 Partner mechanics . . . . .                                                       | 20        |
| <b>16 Sources (Microsoft Learn)</b>                                                    | <b>20</b> |
| <b>17 Document version &amp; changelog</b>                                             | <b>23</b> |
| <b>18 Appendix — Using the sql-migration-advisor Copilot CLI skill</b>                 | <b>26</b> |
| 18.1 Install (once) . . . . .                                                          | 26        |
| 18.2 Example output . . . . .                                                          | 26        |
| <b>Goal.</b> Exhaustively list every way and every tool to migrate a SQL Server        |           |

database to an Azure service (all PaaS, including containers) or a VM (Azure VM / Azure VMware Solution).

**Audience.** Partners, architects, and customer DBAs — usable in pre-sales and as the knowledge base behind the *SQL in a Day* AI Migration Agent (§14).

**Verification.** Tool retirements, version requirements and target families were cross-checked against Microsoft Learn and product announcements (current as of August 2026). Links are gathered in §16 Sources.

**Version.** v3.13 — 11 September 2026. Change history in §17 Document version & changelog.

**IMPORTANT 2025-2026 tooling reset — read this first.** - **Data Migration Assistant (DMA)** is RETIRED (16 July 2025). - **Azure Data Studio (ADS)** is RETIRED (28 February 2026). The Azure SQL Migration extension has no separately announced retirement date; do not anchor new runbooks on it because the replacement experiences are SSMS 22, Azure Arc migration and modern DMS. - The new entry point is the **SSMS 22 Migration Component** (assess + migrate from SSMS), complemented by SQL Server migration in Azure Arc (portal, with Copilot — now **GA to both Azure SQL MI and SQL Server on Azure VM**) and Azure Database Migration Service (DMS). - Modern **DMS** supports offline-only migration to Azure SQL Database (online / minimal-downtime is available for Managed Instance and SQL VM targets, per the [DMS supported-scenarios](#) matrix). - **Azure DMS classic** SQL Server scenarios have been absorbed into the current DMS portal experience — use modern DMS (an Azure resource, via portal / PowerShell / CLI).

---

## 1 Why migrate in 2026 (the short “why now”)

- **AI runs on data.** Modern, managed databases are the foundation; SQL Server 2025 / Azure SQL add a native vector type + functions, **DiskANN** vector indexing (high-throughput ANN search), native json, and zero-ETL **Fabric Mirroring** (analytics on OneLake with no pipelines) — making the estate AI-ready and improving migration (enhanced distributed AG).
- **End-of-support pressure.** Out-of-support SQL Server/Windows versions push modernization; the SQL Server Extended Security Updates programme now covers SQL Server 2014 and SQL Server 2016 only, and ESU is free on Azure VMs / AVS for SQL Server 2014. SQL Server 2016 is paid everywhere (including Azure VM) and non-Azure environments use Azure Arc for ESU subscription/billing — this changes the *stay vs migrate* math.
- **Cost levers.** Azure Hybrid Benefit (AHB) applies to Azure SQL Database General Purpose / Business Critical in the vCore provisioned compute tier, Managed Instance and VM (not Fabric SQL DB, DTU or serverless). Hyperscale is a creation-date cohort: only single databases with provisioned compute created before 15 December 2023 can apply AHB, and only until December 2026; databases created on or after that date have no SQL software license fee to offset.

- **Partner leverage.** Sharing a deal with a partner increases win rate and deal size; programs like Cloud Accelerate Factory and SQL in a Day industrialize delivery (§14). Commercial & funding levers are detailed in §15.
- **Concrete forcing function.** SQL Server 2016 left extended support on 15 July 2026 and is now in ESU Year 1 (15 Jul 2026–13 Jul 2027; Year 3 ends 17 Jul 2029). “Stay” means paid ESU, and SQL Server 2016 requires a paid ESU subscription even on Azure VM.


| Version         | Extended End of Support                                           | Status (Jul 2026)           |
|-----------------|-------------------------------------------------------------------|-----------------------------|
| SQL Server 2012 | 12 Jul 2022 — ESU ended Jul 2025                                  | ✗ Out of support            |
| SQL Server 2014 | 10 Jul 2024 — ESU Y3 ends 13 Jul 2027                             | Out of support (ESU window) |
| SQL Server 2016 | 15 Jul 2026 — ESU Y1 15 Jul 2026–13 Jul 2027; Y3 ends 17 Jul 2029 | Out of support — ESU Y1     |
| SQL Server 2017 | 13 Oct 2027                                                       | ✓ Extended support          |
| SQL Server 2019 | 9 Jan 2030                                                        | ✓                           |
| SQL Server 2022 | 12 Jan 2033                                                       | ✓                           |
| SQL Server 2025 | GA 18 Nov 2025 — extended end 7 Jan 2036                          | ✓ Latest                    |

**Dates are Microsoft Lifecycle Extended End Dates**, quoted as published (2014, 2016, 2017, 2019, 2022, 2025). Microsoft records them at 06:59:59 PT on the stated day, so the last covered update ships on the Patch Tuesday before it — 14 July 2026 for SQL Server 2016. Quote the Lifecycle date in a customer conversation, and the Patch Tuesday only if someone asks which update was the last.

Windows Server often sits under SQL Server — **WS 2012/2012 R2** is out of support (ESU to Oct 2026), WS 2016 EOS ~Jan 2027. Factor the OS into the move.

## 2 Taxonomy — separate targets, control planes, and methods


The single most common mistake is to mix these three layers. Keep them distinct:



- **Targets** = runtime destinations (where the DB lives).
- **Control planes / experiences** = how you assess, recommend and orchestrate (Azure Migrate, Arc, SSMS 22, DMS). Azure Arc-enabled SQL Server is a control plane, not a runtime target.
- **Methods** = the actual data-movement vehicle (MI Link, LRS, backup/restore, replication...).



### 3 The Azure targets (8 families)



| # | Target                                           | Layer                  | When to choose it                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Compatibility                                                                                        | Doc                                                                    |
|---|--------------------------------------------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| 1 | SQL Server on Azure VM                           | IaaS                   | Faithful lift & shift: OS / file-system control, exact version, FileStream/FileTable, PolyBase, cross-instance DTC, third-party agents.                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Full                                                                                                 | <a href="#">overview</a>                                               |
| 2 | Azure VMware Solution (AVS)                      | IaaS                   | Zero-refactor data-center exit for existing VMware estates; keeps FCI and Always On AG; migrate with VMware HCX / vMotion. <b>Licensing has a deadline: see §15.1.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                         | Full                                                                                                 | <a href="#">AVS</a>                                                    |
| 3 | Azure SQL Managed Instance                       | PaaS                   | Managed lift-and-shift: keep instance objects (logins, SQL Agent, server triggers, cross-DB, linked servers), native vNet. Tiers GP / BC / Next-gen GP (GA since Nov 2025 — Elastic SAN backend: 500 DBs, 128 vCores, 32 TB, 80K IOPS, 192 MB/s log, 3–4 ms latency, configurable IOPS/memory; ~5x better price-per-DB by density). <b>Zone redundancy on Next-gen GP is public preview</b> — the tier is GA, that capability is not, so do not count it as available when preview services are unacceptable. Free offer: 1 instance / 12 months. No Hyperscale on MI.                                         | ~Near-full (instance)                                                                                | <a href="#">overview</a>                                               |
| 4 | Azure SQL Database                               | PaaS                   | Cloud-native app / microservice. Models: single DB / elastic pool; tiers GP / BC / Hyperscale; purchasing vCore / DTU / serverless. Hyperscale scales to 128 TB (large / HTAP); serverless for intermittent; elastic pools for consolidation. Free offer: 10 serverless DBs for the subscription lifetime.                                                                                                                                                                                                                                                                                                     | Database surface (no instance-level)                                                                 | <a href="#">overview</a>                                               |
| 5 | SQL database in Fabric                           | PaaS                   | Fabric-native OLTP unified with OneLake. The <b>target itself is GA</b> ; only the Fabric Migration Assistant is Preview, with tool limits (DACPAC schema ≤ 20 MB, on-prem data gateway only, no Private Link). The target also accepts T-SQL, transactional replication, Fabric pipelines / Data Factory copy jobs, Dataflow Gen2, and other TDS-capable tools, so assistant limits alone must not eliminate it. Assess the database surface before committing an enterprise OLTP workload.                                                                                                                   | Subset of the SQL Server surface                                                                     | <a href="#">SQL database in Fabric · Migration Assistant (Preview)</a> |
| 6 | SQL Server in containers — AKS / ARO / ACI / ACA | Container              | Full control of the engine in a container (dev/test, edge, custom). Pod + PersistentVolume; HA via the Kubernetes scheduler.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | High — SQL on Linux (no FILESTREAM/FileTable, SSRS/SSAS/SSIS, ML Services; SQL Agent off by default) | <a href="#">SQL on Kubernetes</a>                                      |
| 7 | Azure Arc-enabled SQL Managed Instance           | Container (PaaS)       | Managed SQL MI engine on any Kubernetes (AKS, ARO, EKS, GKE, OpenShift) via <code>kubectl +CRD</code> . Sovereignty / edge / multi-cloud.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | ~Same as SQL MI                                                                                      | <a href="#">create Arc SQL MI</a>                                      |
| 8 | SQL Server enabled by Azure Arc                  | Hybrid (control plane) | Not a runtime target — the bootstrap pillar: connect on-prem SQL <i>without touching it</i> → weekly continuous assessment, blocker detection, ESU, PAYG (OpEx) licensing, governance, and a portal Copilot-assisted Database migration — to <b>Azure SQL MI</b> (MI Link / LRS) and, <b>GA since July 2026</b> , to <b>SQL Server on Azure VM</b> (native backup/restore). Arc-enabled SQL Server 2014+ overall; path-specific floors apply (MI Link: SQL Server 2016+, Windows Server only on this Arc path; use the conservative 2014+ Arc floor for LRS because Microsoft Learn is inconsistent — see §9). | n/a                                                                                                  | <a href="#">Arc migration</a>                                          |

**Lift & shift is not VM-only.** Both SQL Server on Azure VM (IaaS) and Azure SQL Managed Instance (managed PaaS) are valid lift-and-shift targets. Since 2024, MI compatibility (SQL Agent, cross-DB queries, linked servers...) makes it the default *managed* lift-and-shift.

## 4 Control planes & assessment experiences

| Tool / experience                        | Role                                                                                                            | Status (2026)                                 | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Azure Migrate                            | Discovery / assessment / sizing / business case at scale                                                        | GA (+ Arc-based agentless discovery, Preview) | Appliance (VMware/Hyper-V/Physical) or import-based or Arc-based. Right-sizes SQL DB / MI / VM.                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Azure Copilot Migration Agent            | <b>Planning only:</b> analyses existing Azure Migrate data for readiness, strategy, ROI and landing-zone design | Preview                                       | Not a data-movement method and not an assessment collector — it reasons over data Azure Migrate already gathered, so it presupposes an assessment rather than replacing one. Distinct from the SQL in a Day advisor skill in this repository, which interviews a person and reads no estate data.                                                                                                                                                                                                                                                               |
| SQL Server migration in Azure Arc        | Portal-driven assess + migrate for any Arc-enabled SQL Server                                                   | GA; <b>MI and VM targets both GA</b>          | Copilot-assisted; targets <b>Azure SQL MI</b> (MI Link / LRS) and — <b>GA July 2026</b> — <b>SQL Server on Azure VM</b> (lift-and-shift, native backup/restore); continuous assessment; Arc-enabled SQL Server 2014+ overall, with MI Link requiring SQL Server 2016+ and, on this Arc-driven path, <b>Windows Server only</b> . The Azure Arc portal MI wizard can select up to 10 databases per batch with Azure Extension for SQL Server ≥ 1.1.3348.364 (earlier versions: one database at a time); this is an Arc wizard batch limit, not MI Link capacity. |
| SSMS 22 Migration Component              | DBA-first entry point: assess + launch a recommended migration path from SSMS                                   | GA (Windows-only)                             | Replaces DMA-era workflows and complements the ADS migration extension. <b>Migrate SQL Server assesses SQL Server instances and migrates them to Azure SQL today.</b> Backup/restore, MI Link, DMS, Arc-enabled sources can reuse readiness assessments already collected through Azure Arc.                                                                                                                                                                                                                                                                    |
| Azure DMS (modern)                       | Managed migration orchestration (Azure resource portal / PowerShell / CLI)                                      | GA                                            | Use the modern DMS — former DMS <i>classic</i> SQL scenarios are absorbed into the current portal experience. Offline-only to Azure SQL DB; online/minimal-downtime to MI / SQL VM (MI Link preferred for MI).                                                                                                                                                                                                                                                                                                                                                  |
| PowerShell Az.DataMigration / Azure CLI  | Automate DMS at scale (CI/CD)                                                                                   | GA                                            | Often the only viable path beyond ~50 databases.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| SSMA                                     | Heterogeneous conversion (schema/code/data)                                                                     | GA                                            | Oracle / Sybase / DB2 / MySQL / Access → Azure SQL. Not for homogeneous SQL→SQL.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Database Experimentation Assistant (DEA) | Capture + replay a production workload on the target to validate performance <i>before</i> cutover              | Retired 15 December 2024                      | Replaced by a documented validation stack: capture with Extended Events (SQL Trace/Profiler deprecated), replay with RML Utilities / OStress, then analyse with Query Store and DMVs. The <i>concept</i> (catch plan/compat regressions before cutover) remains valuable; the MS tool itself is retired.                                                                                                                                                                                                                                                        |

**NOTE Retired — do not use in new runbooks:** DMA (16 Jul 2025) and Azure Data Studio itself (28 Feb 2026). The Azure SQL Migration extension has no separately announced retirement date, but migration work should continue via SSMS 22 / Azure Arc / modern DMS / Az.DataMigration CLI. SQL Data Sync retires 30 Sep 2027 — don't build new sync/migration on it (use ADF, transactional replication or AG).

### 4.1 Microsoft tooling by source → target (assess · data · schema)

Common tooling per source/target combination (homogeneous and heterogeneous); third-party CDC options are labelled separately from current Microsoft migration guidance:

| Source                   | Target                 | Assess                     | Data migration                                     | Schema          |
|--------------------------|------------------------|----------------------------|----------------------------------------------------|-----------------|
| SQL Server (Arc-enabled) | Azure SQL MI           | SQL migration in Azure Arc | SQL migration in Azure Arc                         | Not needed      |
| SQL Server (Arc-enabled) | SQL Server on Azure VM | SQL migration in Azure Arc | SQL migration in Azure Arc (native backup/restore) | Not needed      |
| SQL Server (not Arc)     | Azure SQL VM / MI      | Azure Migrate              | DMS                                                | Not needed      |
| SQL Server               | Azure SQL DB           | Azure Migrate              | STRIM (online) · DMS (offline)                     | DMS             |
| Sybase                   | Azure SQL              | Azure Migrate              | STRIM                                              | SSMA for Sybase |
| Oracle                   | Azure SQL              | Azure Migrate              | STRIM                                              | SSMA for Oracle |

GitHub Copilot is applicable as AI-assisted migration tooling (schema/code conversion inside SSMA; app-level via GitHub Copilot App Modernization for .NET / Java). Portfolio & application/code assessment partners complementary to Azure Migrate: Dr Migrate, CAST Highlight, UnifyCloud.

## 5 Migration methods per target

Standardized columns (Microsoft Learn style): **Method** · **Min source** · **Target/min** · **Downtime** · **Key constraints**.

### 5.1 To SQL Server on Azure VM (IaaS rehost)

| Method                                                    | Min source              | Downtime                                                                | Key constraints / notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------|-------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Azure Migrate (lift & shift)                              | SQL 2008 SP4            | Online (replication)                                                    | Whole VM/instance, incl. FCI and AG; up to ~35,000 VMs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| SQL migration in Azure Arc → SQL VM                       | SQL 2014+ (Arc-enabled) | Offline (backup/restore)                                                | <b>GA (July 2026)</b> : portal-driven, Copilot-assisted lift-and-shift for Arc-enabled sources — provisions the target Azure VM and runs native backup/restore. A phased on-ramp: rehost now, modernize to SQL MI / SQL DB later.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Azure DMS — offline and online                            | SQL 2008+               | <b>Both</b> : offline (one cutover) or <b>online</b> (minimal downtime) | Managed orchestration of a backup/restore migration, not a different data path: <b>DMS never takes its own backups</b> , it restores the files you supply. Each full, differential and log backup in <b>its own file</b> , never appended into one media set. Target SQL Server version/edition must be <b>at or above the source</b> , and the VM must be registered with the <b>SQL Server IaaS Agent extension in Full management mode</b> . <b>Online adds</b> the FULL recovery model and an unbroken log chain. Prefer it over a hand-run restore when the wave is large enough that orchestration, retry and progress tracking earn their setup; prefer the plain restore for a single database and a simple outage. Prerequisites: P25 offline, P26 online. |
| Distributed availability group (DAG)                      | SQL 2016                | Near-zero                                                               | Reuse on-prem AG; needs AD Domain Services (or workgroup AG + certs) and ports open.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Backup to a file (.bak) + copy                            | SQL 2008 SP4            | Offline                                                                 | Simple, supports > 1 TB; use compression / multi-file split for WAN.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Backup to URL (Azure Blob)                                | SQL 2012 SP1 CU2        | Offline                                                                 | SQL 2012 SP1 CU2 / 2014: page blob + storage-account credential, 1 TB max. SQL 2016+: block blob + SAS credential, 12.8 TB via striping. For > 1 TB on 2012/2014 use local backup + AzCopy.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Detach & attach (MDF/LDF via Blob)                        | SQL 2008                | Offline                                                                 | For very large DBs where backup/restore is too slow.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Log shipping                                              | SQL 2008                | Minimal                                                                 | Works on Windows and on Linux; a Linux source or target needs SQL Server Agent enabled and the backup directory exposed through a CIFS/Samba share (P03-006).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Always On AG                                              | SQL 2012                | Near-zero                                                               | Fail an existing AG onto Azure VM replicas.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Convert machine to VHD / Ship hard drive / Azure Data Box | any                     | Offline                                                                 | Estate exit with limited WAN; multi-TB .bak / .bacpac via Data Box.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## 5.2 To Azure SQL Managed Instance (managed lift-and-shift)

| Method                          | Min source                                                                                                                                                        | Downtime                                                               | Key constraints / notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Managed Instance link (MI Link) | SQL 2016 and later (incl. 2022, 2025; Ent/Std/Dev; host OS supported by that SQL version — Windows Server throughout, Linux from SQL 2017, SQL 2016 Windows-only) | Near-zero (online; <1 minute cutover)                                  | Distributed-AG based; R/O readable target during migration; reverse fallback to SQL 2022 / 2025 (DR / Azure exit); one link per database, up to 100 links on General Purpose / Business Critical and up to 500 links on Next-gen General Purpose; requires MI Link network ports below.                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Log Replay Service (LRS)        | Standalone LRS: SQL Server 2008–2022                                                                                                                              | Online sync; cutover downtime                                          | Full/diff/log → Azure Blob; public endpoint; 30-day max window; target remains RESTORING / NORECOVERY (no reads/writes) until cutover. Cutover restores the final backup: minutes on GP with a small final backup, but potentially hours on Business Critical while replicas are seeded. Supports up to the service-tier database limit (for example 100 GP, 500 Next-gen GP), with 100 simultaneous restores per instance and 150 per subscription. Arc portal migration uses the conservative 2014+ Arc floor; standalone LRS remains 2008–2022.                                                                                                                                                                                                  |
| Native backup & restore (.bak)  | SQL 2008                                                                                                                                                          | Offline                                                                | Simplest; migrate TDE certificate <i>before</i> restore or it fails late; master/msdb restore not supported (script instance objects).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Azure DMS — offline and online  | SQL 2008+                                                                                                                                                         | <b>Both:</b> offline (one cutover) or <b>online</b> (minimal downtime) | Managed orchestration of a backup/restore migration: <b>DMS never takes its own backups</b> , it restores the files you supply — each backup in <b>its own file</b> in an SMB share or Blob container, <b>never appended</b> . Provision the target instance first; the source login needs <code>sysadmin</code> or <code>CONTROL SERVER</code> , and the migration account Contributor on the instance and storage. <b>Online adds</b> the FULL recovery model and an unbroken log chain. It is the online option that survives when <b>MI Link is unavailable</b> and LRS does not qualify; it is the heavier option when a single database and an accepted outage make native backup/restore sufficient. Prerequisites: P23 offline, P24 online. |
| Transactional replication       | SQL Server 2016+                                                                                                                                                  | Online                                                                 | MI can be a subscriber from SQL Server 2016 and later; exact publisher/distributor/subscriber combinations depend on the MI update policy, so check the supportability matrix.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| bcp                             | any                                                                                                                                                               | Offline                                                                | High-speed data-only / partial.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Smart Bulk Copy                 | any                                                                                                                                                               | Offline                                                                | Archived Azure-Samples parallel-copy wrapper over bulk copy; data-only / partial.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| BACPAC / SqlPackage             | any                                                                                                                                                               | Offline                                                                | Smaller DBs / simple.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Azure Data Factory — Copy       | any                                                                                                                                                               | Offline / batch                                                        | When migration = integration / transformation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

**MI Link network ports.** Always open the full documented set, regardless of service tier, update policy, VPN / ExpressRoute / VNet peering, or other connectivity mechanism: on the **SQL Managed Instance subnet NSG**, inbound **5022** and **11000–11999** from the SQL Server IP, and outbound **5022** to the SQL Server IP (Microsoft’s summary table states 5022 + 11000–11999 both inbound and outbound for the MI NSG). On the **SQL Server host OS firewall and any corporate firewall**, allow inbound **5022** from the MI subnet /24 and outbound **5022** and **11000–11999** to the MI subnet. Ports **11000–11999** carry the MI-side distributed-AG HADR data-replication channel; the actual MI HADR port is dynamically assigned within the range and can be checked with `sys.dm_hadr_fabric_config_parameters` where `parameter_name = 'HadrPort'` (for example, 11002). MI-side ports cannot be customized; the SQL Server-side endpoint port can. Microsoft’s simplified SQL Server-side table lists only 5022, but the authoritative prose also requires outbound 11000–11999 — follow the prose.

**MI compatibility nuance — PolyBase and DTC.** PolyBase used only for cloud file access (Azure Blob Storage / ADLS Gen2, CSV/delimited or Parquet through `OPENROWSET (BULK)`, `CREATE EXTERNAL TABLE`, CETAS) is **MI eligible**. PolyBase used to query Oracle, Teradata, MongoDB or another SQL Server through external RDBMS connectors is **MI ineligible**; use SQL Server on

Azure VM or Synapse. Homogeneous SQL↔SQL DTC (SQL MI ↔ SQL MI / SQL Server) is **MI eligible** via managed DTC; heterogeneous DTC to a third-party RDBMS is **MI ineligible** and needs SQL VM or refactoring. FILESTREAM / FileTable remains a hard blocker for SQL MI and SQL DB.

### 5.3 To Azure SQL Database (cloud-native refactor)

| Method                                    | Min source                                   | Downtime           | Key constraints / notes                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------|----------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Azure DMS (offline)</a>       | SQL 2008+                                    | Offline            | <b>Offline only for this target.</b> Online / minimal-downtime DMS exists, but for <b>SQL MI and SQL VM</b> — see §5.1 and §5.2 — not for Azure SQL Database. Prerequisites: P12.                                                                                                                                                                   |
| <a href="#">STRIM (online CDC)</a>        | any                                          | Online (near-zero) | Microsoft-recommended online / CDC data migration to Azure SQL DB — fills the gap that DMS is offline-only for SQL DB; pair with DMS for schema.                                                                                                                                                                                                    |
| <a href="#">Transactional replication</a> | SQL Server 2016 and later (incl. 2022, 2025) | Online             | Azure SQL Database can be a push subscriber only, with snapshot and one-way transactional replication. Peer-to-peer and merge are not supported; replicated tables require primary keys. Article limits include unsupported conversions for <code>hierarchyid</code> , FILESTREAM and spatial to MAX types, plus partitioning/index feature limits. |
| <a href="#">BACPAC / SqlPackage</a>       | any                                          | Offline            | Small/medium; <code>SqlPackage</code> for scale.                                                                                                                                                                                                                                                                                                    |
| <code>bcp</code>                          | any                                          | Offline            | Data-only / bulk.                                                                                                                                                                                                                                                                                                                                   |
| <a href="#">Smart Bulk Copy</a>           | any                                          | Offline            | Archived Azure-Samples parallel-copy wrapper; data-only / bulk.                                                                                                                                                                                                                                                                                     |
| <a href="#">Azure Data Factory — Copy</a> | any                                          | Offline / batch    | BI / integration.                                                                                                                                                                                                                                                                                                                                   |

**X Not supported to Azure SQL Database:** native .bak restore, detach/attach, MI Link. SQL Agent → use [Elastic Jobs](#).

**DACPAC vs BACPAC.** A DACPAC packages the schema only; a BACPAC packages schema + data. Both are produced/consumed by `SqlPackage` and the VS Code MSSQL extension — a simple way to migrate (BACPAC) or version (DACPAC) offline.

### 5.4 To SQL database in Fabric (GA target; Migration Assistant in Preview)

| Method                                                                         | Downtime         | Key constraints / notes                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Fabric Migration Assistant — DACPAC</a>                            | Offline          | Preview tool limits: schema via DACPAC ≤ 20 MB; AI-assisted compatibility fixes; data via Fabric Data Factory copy job + on-prem data gateway only (no VNet gateway / Private Link for the assistant). These are Migration Assistant limits, not target-wide Fabric SQL database limits.                                                                                                                                           |
| <a href="#">Transactional replication</a>                                      | Online           | Fabric SQL database can be a push subscriber only. Publishing to Fabric SQL database requires SQL Server 2022 RTM CU12 or greater; snapshot and one-way transactional replication are supported, peer-to-peer and merge are not, and replicated tables require primary keys.                                                                                                                                                       |
| <code>bcp</code>                                                               | Offline          | Documented against Fabric SQL database "just like any other SQL Database Engine product", and <i>SQL database in Microsoft Fabric</i> appears in the <code>bcp</code> utility <b>Applies to</b> banner. Fabric SQL database accepts no SQL authentication: connect with Microsoft Entra ID using <code>-G</code> , against <code>&lt;server&gt;.database.fabric.microsoft.com,1433</code> . Data-only — pair with a schema method. |
| <a href="#">Fabric Data Factory — Copy activity / Copy job / Dataflow Gen2</a> | Offline / batch  | Source <b>and</b> destination, Beta. Organizational-account authentication; None / on-premises / virtual-network gateway. <b>Azure</b> Data Factory has no Fabric SQL database connector — it ships Fabric Lakehouse and Fabric Warehouse only, so an Azure Data Factory pipeline cannot target this database.                                                                                                                     |
| T-SQL / other TDS-capable tools                                                | Offline / batch  | Alternative ingestion paths into Fabric SQL database; do not eliminate the target solely because Migration Assistant Preview limits do not fit.                                                                                                                                                                                                                                                                                    |
| <a href="#">Fabric Mirroring for SQL Server</a>                                | n/a (continuous) | NOT a one-shot migration — near-real-time CDC replication to OneLake for analytics. GA (Nov 2025), optimized for SQL Server 2025. Complementary "analytical modernization" path.                                                                                                                                                                                                                                                   |



## 5.5 To Containers / Arc-enabled SQL MI

| Target                           | Method                                                             | Downtime                 | Notes                                                                                                                                                                                                                                                                                                                         |
|----------------------------------|--------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Arc-enabled SQL MI (AKS/ARO/...) | Native backup/restore, point-in-time restore                       | Offline                  | Requires Arc data controller. Use native backup/restore; use another method only where explicitly supported for Azure Arc-enabled SQL MI. <b>Managed Instance link is not supported for this target</b> — it is scoped to Azure SQL Managed Instance, and exposing a SQL endpoint does not change that (see the §8 footnote). |
| SQL Server container (mcr image) | Backup/Restore via mounted volume, detach/attach, BACPAC, bcp, ADF | Offline / Online (repl.) | Persist on Azure Disk (AKS/ARO) / Azure Files (ACI/ACA); HA via scheduler.                                                                                                                                                                                                                                                    |

**WARNING Containers are not a fully-managed cloud database.** Plain mssql containers (AKS / ARO / ACI / ACA) put patching, high availability and backups entirely on you — best suited to dev/test and edge scenarios. Arc-enabled SQL MI automates engine patching, backups and HA through the Arc data controller, but you still own the Kubernetes cluster, persistent storage and DR. Neither is equivalent to the fully-managed Azure SQL Database / Managed Instance PaaS.

## 5.6 Offline & network transfer accelerators (large estates)

For multi-terabyte databases the network — not the method — is usually the bottleneck. Plan the **bulk transfer / initial seed** explicitly:

| Accelerator                            | Use it for                                                            | Notes                                                                                                                                                                                                                                                                               |
|----------------------------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Azure Data Box / Data Box Heavy        | One-shot physical move of multi-TB .bak / .bacpac or a whole VM fleet | Data Box ≈ 80 TB usable; Data Box Heavy ≈ 770 TB for hundreds of TB. Microsoft recommends Data Box to migrate a SQL server/estate and as the initial seed before syncing the delta over the network.                                                                                |
| ExpressRoute / dedicated circuit       | Sustained high-throughput online transfer & seed                      | Avoids WAN time-outs on long-running backup/restore, LRS or replication.                                                                                                                                                                                                            |
| AzCopy + Backup-to-URL                 | Push large local backups to Blob                                      | Required above 1 TB <b>only on SQL 2012 SP1 CU2-2014</b> , where Backup to URL writes a page blob capped at 1 TB. On SQL 2016+ Backup to URL uses block blobs and reaches 12.8 TB with striping, so local backup + AzCopy is a throughput and retry choice there, not a size limit. |
| Azure Storage Mover                    | Orchestrated bulk file transfer on-prem → Azure Files / Blob          | Centralized, resumable; good for backup repositories.                                                                                                                                                                                                                               |
| Compressed / split / encrypted backups | Shrink & secure the payload in transit                                | Compression + multi-file split optimize WAN; backup encryption (SQL 2014+) for compliance during transit.                                                                                                                                                                           |


**Seed-then-sync pattern.** For very large or low-downtime migrations: ship the initial full backup via Data Box (or AzCopy over ExpressRoute), then catch up the delta with log restore (LRS), MI Link, transactional replication or log shipping before cutover.

## 6 Ancillary components (the cutover blockers)

Databases rarely move alone — these sub-components block go-live if forgotten:

| Component                 | Path to Azure                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SQL Agent jobs            | MI: native · SQL DB: <a href="#">Elastic Jobs</a>                                                                                                                                                                                                                                                                                                                                                         |
| Logins / users            | Script + recreate; DMS does not migrate Windows logins by default (enable option + grant MI read access to Entra ID).                                                                                                                                                                                                                                                                                     |
| SSIS                      | <a href="#">Azure-SSIS Integration Runtime</a> (SSISDB via DMS).                                                                                                                                                                                                                                                                                                                                          |
| SSRS                      | <b>Power BI paginated reports</b> for the managed cloud migration of RDL workloads; <b>Power BI Report Server on a VM</b> when the managed service does not fit. Starting with SQL Server 2025 (17.x), on-premises reporting services is consolidated under Power BI Report Server; no new SSRS versions after SSRS 2022, which follows the SQL Server 2022 lifecycle and is supported until 12 Jan 2033. |
| SSAS                      | Azure Analysis Services or Power BI Premium (XMLA).                                                                                                                                                                                                                                                                                                                                                       |
| Linked servers / cross-DB | Supported on VM/MI; not on SQL DB — refactor required.                                                                                                                                                                                                                                                                                                                                                    |
| TDE                       | Migrate the server-level certificate <i>before</i> any native restore to MI.                                                                                                                                                                                                                                                                                                                              |

## 7 Downtime strategy (cutover window) — the #1 architect criterion



Separate **target availability during sync** from **business cutover downtime**; calling every staged method simply “offline” hides the operational difference:

| Method                    | Availability during sync           | Cutover downtime                                                                     |
|---------------------------|------------------------------------|--------------------------------------------------------------------------------------|
| MI Link                   | read-only (secondary queryable)    | < 1 minute                                                                           |
| LRS                       | unavailable (RESTORING/NORECOVERY) | minutes (GP, small final backup) → <b>hours</b> (Business Critical, replica seeding) |
| Native backup/restore     | not present                        | full restore time                                                                    |
| Transactional replication | read-write (subscriber accessible) | near-zero                                                                            |
| DMS offline               | not present                        | total migration execution time                                                       |

Microsoft describes LRS as an online migration with expected downtime during cutover, not as a true minimum-downtime method. Prefer MI Link for Business Critical when sub-minute cutover is required because MI Link is the true online option and its secondary is queryable during sync.

**Sizing rule.** Never size MI/SQL DB on *average* CPU. Use a Perfmon baseline  $\geq 7$  days +

~20% headroom for cutover. Network: don't estimate size ÷ bandwidth — Backup-to-URL throughput is capped by the Blob layer; test with AzCopy + one full backup before committing a go-live date, and plan a rollback / fallback window in case the estimate proves optimistic.

## 8 Summary matrix — method / tool × target

| Method / tool              | SQL VM               | AVS | SQL MI               | SQL DB           | Fabric SQL DB  | Arc SQL MI     | SQL container |
|----------------------------|----------------------|-----|----------------------|------------------|----------------|----------------|---------------|
| Azure Migrate (assess)     | ✓                    | ✓   | ✓                    | ✓                | –              | –              | –             |
| DMS                        | ✓ (online + offline) | ✗   | ✓ (online + offline) | ✓ (offline only) | ✗              | –              | –             |
| MI Link                    | reverse              | ✗   | ✓                    | ✗                | ✗              | – <sup>3</sup> | ✗             |
| Log Replay Service         | ✗                    | ✗   | ✓                    | ✗                | ✗              | –              | ✗             |
| Native backup/restore      | ✓                    | ✓   | ✓                    | ✗                | ✗              | ✓              | ✓             |
| Distributed / Always On AG | ✓                    | ✓   | ✗                    | ✗                | ✗              | ✗              | ✗             |
| Log shipping               | ✓                    | ✓   | ✗                    | ✗                | ✗              | ✗              | ✗             |
| HCX / vMotion              | ✗                    | ✓   | ✗                    | ✗                | ✗              | ✗              | ✗             |
| Transactional replication  | ✓                    | ✓   | ✓                    | ✓ <sup>1</sup>   | ✓ <sup>2</sup> | ✓              | ✓             |
| BACPAC / SqlPackage        | ✓                    | ✓   | ✓                    | ✓                | ✓ (DACPAC)     | ✓              | ✓             |
| bcp                        | ✓                    | ✓   | ✓                    | ✓                | ✓ <sup>4</sup> | ✓              | ✓             |
| Smart Bulk Copy            | ✓                    | ✓   | ✓                    | ✓                | –              | –              | –             |
| Data Factory Copy          | ✓                    | ✓   | ✓                    | ✓                | ✓ <sup>5</sup> | ✓              | ✓             |
| Fabric Migration Assistant | ✗                    | ✗   | ✗                    | ✗                | ✓              | ✗              | ✗             |
| SSMA (heterogeneous)       | ✓                    | ✓   | ✓                    | ✓                | –              | ✓              | ✓             |

✓ supported · ✗ n/a · – indirect/non-first-class · reverse only · <sup>1</sup> SQL DB transactional replication: SQL Server 2016+ publisher, push subscriber only; snapshot and one-way transactional only. · <sup>2</sup> Fabric SQL database transactional replication requires SQL Server 2022 RTM CU12+ publisher, push subscriber only. · <sup>3</sup> Managed Instance link is scoped to **Azure SQL Managed Instance**, not Azure Arc-enabled SQL Managed Instance. Exposing a SQL endpoint on the Arc target does not make MI Link available; use native backup/restore or MI-compatible data movement. · <sup>4</sup> **bcp** lists *SQL database in Microsoft Fabric* in its own **Applies to** banner, and Fabric documents a dedicated [Connect with bcp utility](#) procedure — “just like any other SQL Database Engine product”. Fabric SQL database accepts no SQL authentication, so the connection must use Microsoft Entra ID with the -G option. **Smart Bulk Copy** is a separate archived community sample and claims no Fabric, Arc SQL MI or container support; it is split out of this row for that reason. · <sup>5</sup> Fabric SQL database is served by **Fabric Data Factory**, whose [SQL database connector](#) supports Copy activity, Copy job and Dataflow Gen2 as both source and destination (Beta; organizational-account authentication; None / on-premises / virtual-network gateway). **Azure Data Factory** publishes Fabric Lakehouse and Fabric Warehouse connectors but **no Fabric SQL database connector** — do not plan an Azure Data Factory pipeline against this target.



## 9 Source-version & retirement reference

**Tooling timeline:** DMA retired Jul 2025 → DEA retired 15 December 2024 → ADS retired Feb 2026 (Azure SQL Migration extension: no separate announced retirement) → former DMS *classic* SQL scenarios absorbed into the current DMS portal experience → SQL Data Sync retires Sep 2027.

**Pre-cutover workload validation:** capture with Extended Events (SQL Trace/Profiler deprecated), replay with RML Utilities / OStress (updated Oct 2024 to work over ODBC/OLE DB without SNAC), and analyse with Query Store + DMVs. SQL Server Distributed Replay is deprecated as of SQL Server 2022 and is not available in SQL Server 2022 or later; the Controller was removed from Setup and the feature depended on SNAC, which was removed.

| Item                                               | Status / requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DMA                                                | Retired 16 Jul 2025 → SSMS 22 / Arc / Azure Migrate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Azure Data Studio / SQL Migration extension        | ADS retired 28 Feb 2026; migration extension has no separate announced retirement → VS Code + MSSQL for development; SSMS 22 / DMS for migration                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| DMS <i>classic</i> — SQL Server scenarios          | Absorbed into the current DMS portal experience → modern DMS (portal / PowerShell / CLI)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Database Experimentation Assistant (DEA)           | Retired 15 December 2024 → capture with Extended Events, replay with RML Utilities / OStress, analyse with Query Store + DMVs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Distributed Replay                                 | Deprecated as of SQL Server 2022 and not available in SQL Server 2022 or later → use RML Utilities / OStress                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| SQL Data Sync                                      | Retires 30 Sep 2027 → use ADF / transactional replication / AG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| DMS → Azure SQL DB                                 | Offline only (online available for MI / SQL VM)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| MI Link source                                     | SQL Server 2016 and later (incl. 2022, 2025), Ent/Std/Dev editions, on a host OS supported by that SQL Server version: Windows Server throughout, and <b>Linux from SQL Server 2017</b> onwards (SQL Server 2016 is Windows Server only). Windows hosts must be <b>Windows Server 2012 or later</b> : Microsoft states this in the link Limitations, because Windows 10 and 11 clients cannot enable the Always On availability group feature the link depends on. Requires sysadmin, distributed AG capability, AG endpoints, MI Link network ports (5022 plus MI-side HADR 11000-11999) and connectivity to the MI VNet |
| Standalone LRS source                              | SQL Server 2008-2022; SQL Server 2012 SP1 CU2+ can <code>BACKUP TO URL</code> directly (page blob to 1 TB on 2012/2014, block blob + SAS to 12.8 TB on 2016+), older builds need local backup + upload                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Azure Arc portal migration source floors           | Arc-enabled SQL Server 2014+ overall; MI Link method requires SQL Server 2016+ and, on this Arc-driven path specifically, <b>Windows Server only</b> (MI Link configured outside the Arc portal also supports Linux from SQL Server 2017); Microsoft documentation inconsistency: the Arc MI method table says LRS method SQL Server 2012+ / Windows Server 2012+, but the same page and the overall Arc migration overview state SQL Server migration in Azure Arc starts with SQL Server 2014 (12.x), so use the conservative 2014+ Arc experience floor. Standalone LRS outside Arc remains SQL Server 2008-2022.      |
| Native restore → MI                                | SQL Server 2008+                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Transactional replication → MI                     | SQL Server 2016+; exact combination depends on MI update policy/supportability matrix                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Transactional replication → SQL DB / Fabric SQL DB | SQL Server 2016+ publisher for Azure SQL DB; Fabric SQL database publishing requires SQL Server 2022 RTM CU12+                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Backup-to-URL minimum source                       | SQL Server 2012 SP1 CU2 (page blob + storage-account credential); block blob + SAS from SQL Server 2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Backup-to-URL size                                 | 12.8 TB (2016+, striped block blobs) / 1 TB (2012 SP1 CU2-2014, single page blob)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Fabric SQL database (target)                       | GA. Only the Fabric Migration Assistant is Preview.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Fabric Migration Assistant                         | Preview tool; DACPAC ≤ 20 MB, on-prem gateway only, no Private Link. These are assistant limits; Fabric SQL database also supports T-SQL, transactional replication, Fabric pipelines / Data Factory copy jobs, Dataflow Gen2, and TDS-capable tools.                                                                                                                                                                                                                                                                                                                                                                     |
| Always On AG → SQL VM                              | SQL Server 2012+ (availability groups start with SQL Server 2012)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Distributed AG → SQL VM                            | SQL Server 2016+ (distributed availability groups start with SQL Server 2016)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| SQL Server 2025 (source)                           | GA 18 Nov 2025 — native vector/JSON, improved DAG, Entra managed identity when Arc-connected (see below)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**NOTE Microsoft Entra managed identity — SQL Server 2025 + Azure Arc only.** Connect a SQL Server 2025 instance to Azure Arc and a system-assigned managed identity is created for the SQL Server hostname; associating it with the instance lets SQL Server “*authenticate to Azure services without needing to manage credentials*”. Two directions, and the second is the one that matters for a migration runbook:

- **Inbound** — Entra logins and users connecting to SQL Server. Also reachable through an app registration since SQL Server 2022, so this is not the differentiator.
- **Outbound** — SQL Server connecting to Azure resources, “*like backup to URL, or connecting to Azure Key Vault*”. An app registration **cannot** do this: outbound needs a primary managed identity. This is the credential-free alternative to the storage-account key or SAS credential that §5 Backup to URL otherwise requires.

**Limits, all disqualifying if missed.** Arc-enabled **SQL Server 2025 on Windows Server** only — not Linux, not 2022 or earlier. Requires access to the **Azure public cloud**, so it does not apply to the air-gapped and sovereign profiles in §12. **Not supported with failover cluster instances**, which rules out a large share of on-prem estates. Only **system-assigned** identities. Once Entra authentication is enabled, disabling it is not advisable — deleting the registry entries by force “*can result in unpredictable behavior*”.

This is a modernization and credential-hygiene argument for an Arc-connected 2025 estate. It is **not** a migration method, and it does not apply to the older disconnected estates that make up most migration pipelines.

---

## 10 Cross-cloud sources & reverse migration

**Source × method reality check:** DMS and LRS cover more cross-cloud sources than MI Link/native restore. MI Link requires SQL Server 2016+, sysadmin on the source, distributed availability group support, ability to create AG endpoints, MI Link network ports (5022 plus MI-side HADR 11000–11999), and network connectivity to the MI VNet; it is therefore not possible from managed-PaaS sources that do not grant sysadmin or custom AG endpoints.

| Source                              | MI Link                                                | LRS                      | DMS                                                                              | Native backup/restore                                             | Txn replication                                                                   | BACPAC/bcp/ADF |
|-------------------------------------|--------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------|
| On-prem SQL Server / Azure VM       | ✓ 2016+                                                | ✓ 2008-2022              | ✓                                                                                | ✓ direct BACKUP TO URL (2012 SP1 CU2+)                            | ✓ 2016+ publisher                                                                 | ✓              |
| AWS EC2 (SQL on IaaS)               | ✓ if sysadmin + AG + 5022 and 11000-11999 + networking | ✓ via Blob upload        | ✓                                                                                | ✓ via Blob upload                                                 | ✓ if sysadmin                                                                     | ✓              |
| <b>AWS RDS for SQL Server</b>       | ✗ no sysadmin / no AG endpoints                        | ✓ via S3→Blob upload     | ✓ offline to Azure SQL DB / MI / VM; ✓ online only to MI / VM (not Azure SQL DB) | indirect only (S3→Blob→restore; no direct BACKUP TO URL to Azure) | ✗ not practical (requires sysadmin/distributor rights the platform doesn't grant) | ✓              |
| GCP Compute Engine (SQL on IaaS)    | ✓ if sysadmin + AG + 5022 and 11000-11999 + networking | ✓ via Blob upload        | ✓                                                                                | ✓ via Blob upload                                                 | ✓ if sysadmin                                                                     | ✓              |
| <b>GCP Cloud SQL for SQL Server</b> | ✗ no sysadmin / no AG endpoints                        | ✓ via export→Blob upload | ✓                                                                                | indirect only                                                     | ✗ not practical (requires sysadmin/distributor rights the platform doesn't grant) | ✓              |

The transactional-replication ✗ for AWS RDS / GCP Cloud SQL is an inference from those platforms' privilege model (no sysadmin / distributor rights), not an explicit Microsoft unsupported-from-RDS statement.

- **Reverse / exit migration:** SQL DB → SQL Server via BACPAC + scripts (heavy); MI → SQL Server 2022 / 2025 via MI Link reverse failback (trivial — a strategic portability argument).
- **Neutral non-Microsoft targets** (for honest comparison): AWS RDS for SQL Server (+ AWS DMS), GCP Cloud SQL (+ GCP DMS), Tessell, OCI self-managed. Azure differentiators: MI Link, Arc, Fabric Mirroring.

## 11 Third-party alternatives (when they beat the native stack)

| Tool                                     | Better when...                                                                                                                                                                                                                                                                                                      |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Striim                                   | Microsoft-recommended <b>online</b> / <b>CDC</b> data-migration vehicle for SQL Server → Azure SQL Database (the online path DMS lacks for SQL DB) and for heterogeneous sources (Sybase / Oracle / DB2 → Azure SQL, paired with SSMA for schema); also real-time CDC to Event Hubs / Synapse / Cosmos in parallel. |
| Dr Migrate / CAST Highlight / UnifyCloud | Portfolio & application/code assessment at scale (wave planning, dependency mapping) — complementary to Azure Migrate.                                                                                                                                                                                              |
| Qlik Replicate                           | Heterogeneous sources (Oracle, DB2, iSeries, SAP HANA) with in-flight transforms — more mature than DMS for Oracle→SQL.                                                                                                                                                                                             |
| Fivetran HVR                             | Broad CDC + observability; multi-target (Snowflake + Fabric).                                                                                                                                                                                                                                                       |
| Quest SharePlex                          | SQL Server ↔ Oracle replication; de-Oracle-ization projects.                                                                                                                                                                                                                                                        |
| Carbonite Migrate                        | VM-level always-on with failback when Azure Migrate/ASR can't handle the OS/hypervisor (KVM, Xen, Citrix).                                                                                                                                                                                                          |
| Veeam / Commvault / Cohesity / Rubrik    | Already in place — push backups to Blob, restore on SQL VM (no double licensing).                                                                                                                                                                                                                                   |
| Redgate / Liquibase / Flyway             | Schema versioning (GitOps) post-migration — SqlPackage's weak spot.                                                                                                                                                                                                                                                 |
| VMware HCX (Broadcom)                    | The zero-downtime "as-is" option for complex VMware clusters incl. SQL FCI → AVS.                                                                                                                                                                                                                                   |

## 12 Decision criteria & “when to recommend what”

| Criterion                   | VM                                     | AVS                                                                             | MI              | SQL DB                                                                                                                                                                    | Fabric SQL DB                                                                                                             | AKS / Arc |
|-----------------------------|----------------------------------------|---------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------|
| OS access required          | ✓                                      | ✓                                                                               | ✗               | ✗                                                                                                                                                                         | ✗                                                                                                                         | partial   |
| Cross-DB / DTC transactions | ✓                                      | ✓                                                                               | — <sup>1</sup>  | ✗                                                                                                                                                                         | ✗                                                                                                                         | ✓         |
| FILESTREAM / FileTable      | ✓                                      | ✓                                                                               | ✗               | ✗                                                                                                                                                                         | ✗                                                                                                                         | ✗         |
| PolyBase                    | ✓                                      | ✓                                                                               | — <sup>2</sup>  | ✗                                                                                                                                                                         | ✗                                                                                                                         | ✓         |
| Service Broker              | ✓                                      | ✓                                                                               | ✓ <sup>3</sup>  | ✗                                                                                                                                                                         | ✗                                                                                                                         | ✓         |
| SQL CLR / linked servers    | ✓                                      | ✓                                                                               | ✓               | ✗                                                                                                                                                                         | ✗                                                                                                                         | ✓         |
| SQL Agent                   | ✓                                      | ✓                                                                               | ✓               | ✗ (Elastic Jobs)                                                                                                                                                          | ✗                                                                                                                         | ✓         |
| Min. downtime achievable    | near-zero (AG / DAG, planned failover) | near-zero with HCX vMotion / live migration; ~h with HCX bulk or cold migration | ~min (MI Link)  | min-h                                                                                                                                                                     | ~min with transactional replication (SQL Server 2022 RTM CU12+ publisher, primary keys on replicated tables); otherwise h | depends   |
| Managed patch / upgrade     | Auto-patch                             | ✗                                                                               | ✓<br>Evergreen  | ✓ Evergreen                                                                                                                                                               | ✓ Evergreen                                                                                                               | ✗         |
| Azure Hybrid Benefit        | ✓                                      | ✓                                                                               | ✓               | ✓ GP/BC vCore provisioned; ✗ DTU/serverless/Fabric SQL DB; Hyperscale single DBs with provisioned compute <b>created before 15 Dec 2023</b> only, and only until Dec 2026 | n/a                                                                                                                       | ✓         |
| Sovereignty / edge          | ✓                                      | ✓                                                                               | limited regions | limited regions                                                                                                                                                           | limited regions                                                                                                           | ✓ (Arc)   |

<sup>1</sup> Azure SQL MI supports SQL-to-SQL distributed transactions between SQL MIs and SQL Server / SQL Server-based products via managed DTC (enable it and open port 135 **both inbound and outbound**, 14000–15000 inbound, 49152–65535 outbound, in both the MI subnet NSG and any external firewall). DTC to third-party RDBMS and Azure SQL Database is not supported; if all participants are SQL MI, prefer native elastic transactions. <sup>2</sup> Azure SQL MI supports data virtualization over Azure Blob Storage / ADLS Gen2 for CSV/delimited and Parquet via OPENROWSET (BULK), CREATE EXTERNAL TABLE and CETAS. It does not support Delta Lake, S3-compatible storage, push-down computation, or PolyBase connectors to external RDBMS (Oracle, Teradata, MongoDB, another SQL Server). <sup>3</sup> Azure SQL MI supports Service Broker **within a single instance** as GA. Cross-instance message exchange, MI-to-MI and SQL Server-to-MI, is in **public preview**: CREATE ROUTE and ALTER ROUTE must specify port 4022, transport security only, CREATE REMOTE SERVICE BINDING unsupported. Treat it as a preview-gated capability, not a hard MI blocker.

| Client profile                           | Neutral recommendation              | Why                                                                                                                                                                |
|------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Banking / regulated / strong on-prem     | SQL VM + ESU via Arc, or AVS        | OS control, compliance, soft transition                                                                                                                            |
| Multi-tenant SaaS ISV                    | SQL DB Hyperscale / Elastic Pool    | Per-tenant elasticity, cost control                                                                                                                                |
| Heavy legacy ERP (SAP, on-prem Dynamics) | SQL MI or SQL VM                    | Instance & SQL Agent compatibility                                                                                                                                 |
| Modern micro-services app                | SQL DB serverless                   | Pay-per-use, auto-pause                                                                                                                                            |
| Fabric-native / analytics-first          | SQL DB in Fabric + Mirroring        | OLTP + OneLake unification                                                                                                                                         |
| Edge / sovereign / multi-cloud           | Arc-enabled SQL MI on local AKS     | Sovereignty + Azure consistency                                                                                                                                    |
| Short-term data-center exit              | AVS + VMware HCX                    | Zero refactor, vMotion                                                                                                                                             |
| Modernize off end-of-support             | SQL VM "as-is" + ESU boundary check | The ESU programme covers SQL Server 2014 and 2016 only; free ESU on Azure VM/AVS applies to SQL Server 2014, while SQL Server 2016 needs paid ESU even on Azure VM |

## 13 Field insights — recurring pitfalls

- **TDE certificate:** protect-then-restore order matters — a TDE-protected database restore fails on the destination unless the TDE certificate / asymmetric key is first installed in the destination server's master database.
- **Windows logins:** DMS skips them by default; enable the option and grant MI read to Entra ID (Privileged Role Administrator).
- **MI Link ports:** MI subnet NSG needs inbound 5022 and 11000–11999 from SQL Server plus outbound 5022; SQL Server host/corporate firewalls need inbound 5022 from the MI subnet and outbound 5022 and 11000–11999 to MI. The 11000–11999 range is always required for MI-side HADR data replication and is frequently missed in locked-down networks.
- **Other methods need network too:** DMS / LRS / transactional replication require outbound HTTPS (443) to Azure Storage/Blob, SQL 1433 (and 1434/UDP SQL Browser for named instances) — anticipate firewall/NSG blocks in locked-down environments.
- **DAG:** requires AD Domain Services (or workgroup AG + certs) — an infra blocker architects forget.
- **Retained server name via DNS redirect to MI:** a common pattern is to keep the old server name and repoint DNS at Managed Instance. Clients that validate the TLS hostname, or that set HostNameInCertificate, can break at cutover because the certificate presented by MI is not the one they expect — and Microsoft is changing the instance certificate used for exactly this pattern. Inventory those clients, test them against the target MI certificate **before** the DNS change, and update client settings for the new behaviour. Do not assume the retained name will validate. [HostNameInCertificate changes in Azure SQL MI](#)
- **Transactional replication → SQL DB / Fabric SQL DB / MI:** Azure SQL Database subscribers require SQL Server 2016+ publishers; Fabric SQL database subscribers require SQL Server 2022 RTM CU12+ publishers and do not support Private Link for replication; Azure SQL MI subscribers require SQL Server 2016+ publishers, with exact combinations dependent on MI update policy. Snapshot and one-way transactional replication are supported for SQL DB/Fabric; peer-to-

peer and merge are not; replicated tables require primary keys; distribution DB and agents cannot live in Azure SQL Database.

- **Heavy write I/O at or below 4 TB is not automatically Hyperscale.** Business Critical is explicitly intended for high-transaction-rate applications requiring low I/O latency, so compare the two on transaction rate, log throughput, latency, scale-out and HA requirements rather than sending every write-heavy workload to Hyperscale. Treating write intensity alone as decisive also contradicts the tier rules in §13.
- **Hyperscale:** the only viable SQL DB choice **above 4 TB** — and it stops at **128 TB** for a single database (inside a Hyperscale elastic pool the per-database maximum is **100 TB**). A single database beyond that cannot be rehosted as one database: Azure SQL MI tops out far below that ceiling, so it is **not** an as-is destination. Shard across databases or instances, or use SQL Server on Azure VM subject to its own storage design and limits.
- **Fabric SQL DB:** the *target* is GA; only the Migration Assistant is Preview, with a 20 MB DACPAC cap, on-prem gateway only and no Private Link. Those tool limits are not target-wide limits, because T-SQL, transactional replication, Fabric pipelines / Data Factory copy jobs, Dataflow Gen2 and TDS-capable tools can also ingest data — so don't eliminate the target because the assistant does not fit. Do assess the database surface: it is a subset of the SQL Server surface.
- **Mirroring ≠ migration:** it's continuous analytics replication; treating it as a one-shot migration is a dangerous shortcut.
- **Dependency mapping:** undocumented linked servers and SQL Agent jobs are among the most commonly late-discovered blockers — run a dependency map (Azure Migrate or third-party) before committing a target.
- **SLAs differ:** MI BC 99.99% · SQL DB BC 99.995% (zone-redundant) · SQL DB Hyperscale 99.99% · SQL VM depends on the AG. Align to the app, not a slogan.
- **Security by design:** SQL DB has a public endpoint by default — recommend Private Endpoint + Entra-only auth + disabled SQL auth from day one.
- **Land the zone first:** stand up an Azure **landing zone** (CAF — IAM, policy, networking, monitoring, Defender pre-baked) before migrating. Once deployed, each workload move stops being a one-off because identity, policy, networking, monitoring and Defender are already in place.
- **Fabric SQL DB ≠ Azure SQL DB:** not a drop-in replacement — fine-grained security (RLS / OLS / dynamic masking) does not propagate to OneLake; governance must be re-implemented in Fabric. For analytics on operational data, prefer Mirroring (keep OLTP on Azure SQL, mirror into Fabric, no ETL) over a hard cutover.
- **Bootstrap via Arc first:** connect the estate to Azure Arc *before* migrating — free weekly continuous assessment, blocker detection, ESU and PAYG (OpEx) licensing while you plan, with zero workload change (§3 row 8).


---

## 14 FY27 SQL Motion context & AI Migration Agent

This document is the knowledge base behind the **FY27 EMEA EPS — Data Motion “SQL in a Day”**. Two notes:



- **Storyline correction.** The deck line “Azure Migrate, DMA, DMS, SSMA, Cloud Accelerate Factory” must drop DMA (retired) → use “Azure Migrate, SSMS 22 + Arc-based assessment, DMS, SSMA, Cloud Accelerate Factory”. A 4th target pillar — SQL Server enabled by Azure Arc — should appear alongside VM / MI / SQL DB.
- **AI Migration Agent — I/O contract.** The afternoon agent scores a preliminary recommended assessment path for the customer estate; confirm outputs with tool-based assessment and an architect. Suggested flow so it’s usable by both humans and automation:



**Microsoft programs to attach:** Cloud Accelerate Factory (zero-cost delivery), Azure Accelerate / FastTrack, AHB + ESU via Arc — detailed in §15.

## 15 Commercial levers & funding programs (FY27)

Two money levers to combine on every deal: **(A) Microsoft-funded engagement** money (assess / pilot / migrate) and (B) commercial / licensing levers that durably cut TCO. **Amounts, ratios and program names are partner-confidential and drift each fiscal year (FY27 starts 1 Jul 2026) — re-validate live in Partner Center / the MCI guide before quoting.**



## 15.1 Commercial / licensing levers (permanent TCO reducers)

| Lever                           | What it saves                                          | Mechanics                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Azure Hybrid Benefit (AHB)      | 30%+ on eligible Azure SQL DB / MI; compute-only on VM | License + Software Assurance reallocated to Azure; 1 Enterprise core = 4 GP vCores; 180-day dual-use during migration; portal toggle. Applies to Azure SQL Database General Purpose / Business Critical in the vCore provisioned compute tier, not to the DTU model, serverless compute tier, or Fabric SQL DB. Hyperscale carries a creation-date cohort: AHB can only be applied to Hyperscale single databases with provisioned compute <b>created before 15 December 2023</b> , and only until December 2026, after which they too move to the simplified pricing. Hyperscale databases created on or after that date are <b>not</b> AHB-eligible because the simplified pricing already removed the software licence fee. |
| ESU on Azure — version boundary | Removes ESU cost only for eligible older versions      | The SQL Server ESU programme now covers <b>SQL Server 2014 and SQL Server 2016 only</b> : 2014 reached end of support on 10 July 2024 with ESUs until 13 July 2027, and 2016 reached end of support on 15 July 2026 with ESUs until 17 July 2029. Azure VMs / AVS: ESU free and automatic for SQL Server 2014; SQL Server 2016 requires a paid ESU subscription even on Azure VM. SQL Server 2012 and earlier have no ESU path left, so do not describe them as covered. Azure SQL PaaS has no ESU concept; on-prem / multicloud / hosted use Azure Arc for ESU subscription or PAYG billing; non-prod free when prod runs ESU via Arc.                                                                                        |
| PAYG licensing via Arc          | Turns the SQL license into OpEx                        | Billed only when SQL runs; CALs included; can sit inside a MACC. Requires active SA or PAYG enabled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Free Azure SQL offers           | Zero-cost POC / pilots                                 | MI free 12 months; SQL DB free for the subscription lifetime (serverless GP).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Reservations / Savings Plans    | 1- / 3-yr commitment discount                          | Stacks with AHB. Partner Earned Credit (15%) does not apply to reservations.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Savings plan for databases      | up to 35% on Azure SQL (DB / MI)                       | 1- or 3-year hourly compute commitment; auto-applies across participating database services up to the commitment; stacks with AHB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

**\*\* AVS licensing has a deadline, and it is not one date.\*\*** The Azure VMware Solution **license-included** service is being retired: Microsoft will no longer bundle a VMware licence with AVS, and continued use requires a customer-provided **portable VMware Cloud Foundation (VCF) subscription bought from Broadcom**. Three dates matter, and quoting only the last one understates the problem by ten months:

| Date                   | What happens                                            |
|------------------------|---------------------------------------------------------|
| <b>15 October 2026</b> | License-included <b>pay-as-you-go</b> SKUs retire       |
| <b>31 October 2026</b> | <b>No new sales</b> of license-included AVS             |
| <b>30 August 2027</b>  | End of service for the remaining reserved-instance SKUs |

**AVS itself is not retiring** — only the bundled-licence option. Do not tell a customer the target is going away. But do not recommend AVS without confirming access to a portable VCF licence and its cost either: a recommendation made today on a pay-as-you-go assumption fails in under two months, and Broadcom procurement is measured in weeks. Registration is per private cloud, not per subscription. Source: [Azure update 569535](#) and the [portable VCF licensing reference](#).

## 15.2 Microsoft-funded engagement programs

| Program                                                                                                  | Funds                                                                          | Access                                                                          |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| Azure Accelerate (FY26 umbrella = Azure Migrate & Modernize + Azure Innovate + Cloud Accelerate Factory) | Assessments, POC, pilots, deployments, Azure credits, skilling                 | Self-serve — Partner Center nomination → POE → paid ≤ 45 days                   |
| Azure Accelerate for Databases                                                                           | SQL / data-estate modernization                                                | Same workflow (database scenario)                                               |
| Cloud Accelerate Factory                                                                                 | Zero-cost Microsoft expert deployment                                          | Via Azure Accelerate in Partner Center                                          |
| FastTrack for Azure                                                                                      | Free Microsoft engineering guidance (not cash)                                 | Account team / program alias                                                    |
| ECIF (End-Customer Investment Funds)                                                                     | Assessments, POCs, migrations, training                                        | Field-led via PDM / AE — not self-serve                                         |
| Azure Frontier Offer (ECIF + ACO, dual-run offset)                                                       | Services + dual-run during migration; competitive Oracle / legacy displacement | Field-led via PDM; typically ≥ 50% ACR from Fabric / first-party Databases / AI |

## 15.3 Partner mechanics

- **Attribution first** (funding prerequisite): link the customer via PAL (Partner Admin Link) or DPOR → unlocks the 15% Partner Earned Credit on managed Azure consumption.
- **Routes:** *Self-serve* (Partner Center) — Azure Accelerate, Databases, Cloud Accelerate Factory · *Field-led* (engage the PDM early) — ECIF, Azure Frontier Offer · *Customer self-serve* (Azure portal) — AHB, ESU, free offers, reservations.
- **Typical sequence:** Azure Migrate discovery + TCO → nominate assess/pilot in Azure Accelerate (Databases) → if competitive or ≥ 50% data ACR, engage PDM for the Azure Frontier Offer → pilot on free SQL DB / MI → CAF for zero-cost deploy → POE → lock run-rate with reservations.

## 16 Sources (Microsoft Learn)

**Overviews & taxonomy** - Database Migration hub — <https://learn.microsoft.com/en-us/data-migration/> - SQL Server → Azure SQL Database — <https://learn.microsoft.com/en-us/data-migration/sql-server/database/overview> - SQL Server → Azure SQL Managed Instance — <https://learn.microsoft.com/en-us/data-migration/sql-server/managed-instance/overview> - SQL Server → SQL Server on Azure VM — <https://learn.microsoft.com/en-us/data-migration/sql-server/virtual-machines/overview> - Azure SQL feature comparison — <https://learn.microsoft.com/en-us/azure/azure-sql/database/features-comparison> - PolyBase data virtualization guide — <https://learn.microsoft.com/en-us/sql/relational-databases/polybase/data-virtualization-guide> - SQL MI data virtualization overview — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/data-virtualization-overview> - SQL MI distributed transaction coordinator (DTC) — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/distributed-transaction-coordinator-dtc>

**Control planes / tools** - Azure Migrate (SQL assessment) — <https://learn.microsoft.com/en-us/azure/migrate/how-to-create-azure-sql-assessment> - SQL Server migration in Azure Arc — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/migration-overview> - SQL migration to SQL Server on Azure VMs in Azure Arc (GA how-to) — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/migrate-to-sql-server-on-azure-vm?view=sql-server-ver17> - Migrate to Azure SQL Managed

Instance in Azure Arc — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/migrate-to-azure-sql-managed-instance> - GA announcement — SQL migration to SQL Server on Azure Virtual Machines in Azure Arc — <https://techcommunity.microsoft.com/blog/microsoftdatamigration/generally-available-sql-migration-to-sql-server-on-azure-virtual-machines-in-azu/4536940> - Managed identity overview — SQL Server enabled by Azure Arc — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/managed-identity?view=sql-server-ver17> - Set up managed identity and Microsoft Entra authentication — SQL Server enabled by Azure Arc — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/microsoft-entra-authentication-with-managed-identity?view=sql-server-ver17> - SSMS (download/overview) — <https://learn.microsoft.com/en-us/sql/ssms/sql-server-management-studio-ssms> - Azure Database Migration Service — <https://learn.microsoft.com/en-us/azure/dms/dms-overview> - DMS supported scenarios (offline/online per target) — <https://learn.microsoft.com/en-us/azure/dms/resource-scenario-status> - Az.DataMigration PowerShell — <https://learn.microsoft.com/en-us/powershell/module/az.datamigration/> - SSMA — <https://learn.microsoft.com/en-us/sql/ssma/sql-server-migration-assistant> - Database Experimentation Assistant (DEA) — <https://learn.microsoft.com/en-us/previous-versions/sql/dea/database-experimentation-assistant-overview> - SQL Server Distributed Replay — <https://learn.microsoft.com/en-us/sql/tools/distributed-replay/sql-server-distributed-replay> - RML Utilities / OStress — <https://learn.microsoft.com/en-us/troubleshoot/sql/tools/replay-markup-language-utility> - What's happening with Azure Data Studio — <https://learn.microsoft.com/en-us/sql/tools/whats-happening-azure-data-studio>

**Methods** - Managed Instance link — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/managed-instance-link-feature-overview> - Managed Instance link preparation — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/managed-instance-link-preparation> - Log Replay Service — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/log-replay-service-migrate> - Log Replay Service overview — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/log-replay-service-overview> - Compare LRS and MI Link — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/log-replay-service-compare-mi-link> - Native backup & restore (MI) — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/restore-sample-database-quickstart> - Transactional replication (SQL DB) — <https://learn.microsoft.com/en-us/azure/azure-sql/database/replication-to-sql-database> - Import/Export · BACPAC — <https://learn.microsoft.com/en-us/azure/azure-sql/database/database-import> - bcp utility — <https://learn.microsoft.com/en-us/sql/tools/bcp/bcp-utility> - Connect to SQL database in Fabric with bcp — <https://learn.microsoft.com/en-us/fabric/database/sql/connect#connect-with-bcp-utility> - Fabric Data Factory SQL database connector — <https://learn.microsoft.com/en-us/fabric/data-factory/connector-sql-database-overview> - Smart Bulk Copy — <https://github.com/Azure-Samples/smartbulkcopy> - Backup to URL — <https://learn.microsoft.com/en-us/sql/relational-databases/backup-restore/sql-server-backup-to-url> - Move a TDE-protected database — <https://learn.microsoft.com/en-us/sql/relational-databases/security/encryption/move-a-tde-protected-database-to-another-sql-server> - Availability group → Azure VM — <https://learn.microsoft.com/en-us/data-migration/sql-server/virtual-machines/availability-group-migrate> - Log shipping — <https://learn.microsoft.com/en-us/sql/database-engine/log-shipping/about->

log-shipping-sql-server - Elastic Jobs (SQL DB) — <https://learn.microsoft.com/en-us/azure/azure-sql/database/elastic-jobs-overview>

**Targets — containers, Fabric, AVS, Arc** - Create Arc-enabled SQL Managed Instance — <https://learn.microsoft.com/en-us/azure/azure-arc/data/create-sql-managed-instance> - Migrate to Arc-enabled SQL MI — <https://learn.microsoft.com/en-us/azure/azure-arc/data/migrate-to-managed-instance> - SQL Server on Kubernetes / AKS — <https://learn.microsoft.com/en-us/sql/linux/quickstart-sql-server-containers-kubernetes> - SQL Server in a Docker container — <https://learn.microsoft.com/en-us/sql/linux/quickstart-install-connect-docker> - Fabric Migration Assistant for SQL database (Preview) — <https://learn.microsoft.com/en-us/fabric/database/sql/migration-assistant> - Ingest data into Fabric SQL database — <https://learn.microsoft.com/en-us/fabric/database/sql/tutorial-ingest-data> - Migrate to Fabric SQL DB via DACPAC — <https://learn.microsoft.com/en-us/fabric/database/sql/migrate-with-migration-assistant-using-dacpac> - Fabric Mirroring for SQL Server — <https://learn.microsoft.com/en-us/fabric/mirroring/sql-server> - Limitations for SQL database in Fabric — <https://learn.microsoft.com/en-us/fabric/database/sql/limitations> - Fabric — choose a data store (decision guide) — <https://learn.microsoft.com/en-us/fabric/fundamentals/decision-guide-data-store> - Azure VMware Solution — <https://learn.microsoft.com/en-us/azure/azure-vmware/introduction> - SQL MI — Next-gen General Purpose — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/service-tiers-next-gen-general-purpose-use> - Azure SQL DB Hyperscale — <https://learn.microsoft.com/en-us/azure/azure-sql/database/service-tier-hyperscale> - Reporting Services consolidation FAQ — <https://learn.microsoft.com/en-us/sql/reporting-services/reporting-services-consolidation-faq> - Migrate SSRS reports to Power BI — <https://learn.microsoft.com/en-us/power-bi/guidance/migrate-ssrs-reports-to-power-bi>

**Data movement & VM-level** - Azure Data Box / Data Box Heavy — <https://learn.microsoft.com/en-us/azure/databox/data-box-overview> - ExpressRoute — <https://learn.microsoft.com/en-us/azure/expressroute/expressroute-introduction> - AzCopy — <https://learn.microsoft.com/en-us/azure/storage/common/storage-use-azcopy-v10> - Azure Storage Mover — <https://learn.microsoft.com/en-us/azure/storage-mover/service-overview> - Azure Site Recovery — <https://learn.microsoft.com/en-us/azure/site-recovery/site-recovery-overview> - Azure-SSIS Integration Runtime — <https://learn.microsoft.com/en-us/azure/data-factory/create-azure-ssis-integration-runtime> - SQL Data Sync (retiring 30 Sep 2027) — <https://learn.microsoft.com/en-us/azure/azure-sql/database/sql-data-sync-data-sql-server-sql-database?view=azuresql>

**Licensing / programs / lifecycle** - Azure Hybrid Benefit (Azure SQL) — <https://learn.microsoft.com/en-us/azure/azure-sql/azure-hybrid-benefit> - SQL Server ESU enabled by Azure Arc — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/extended-security-updates> - Move SQL Server license to PAYG (Arc) — <https://learn.microsoft.com/en-us/sql/sql-server/azure-arc/manage-pay-as-you-go-transition> - SQL Server end-of-support / ESU — <https://learn.microsoft.com/en-us/sql/sql-server/end-of-support/sql-server-extended-security-updates> - SQL Server 2016 lifecycle — <https://learn.microsoft.com/en-us/lifecycle/products/sql-server-2016> - Azure SQL MI free offer — <https://learn.microsoft.com/en-us/azure/azure-sql/managed-instance/free-offer> - Azure SQL DB free offer — <https://learn.microsoft.com/en-us/azure/azure-sql/database/free-offer>

[us/azure/azure-sql/database/free-offer](#) - Azure Accelerate (partner programs) — <https://partner.microsoft.com/en-us/partnership/azure-offerings> - Tool consolidation / retirement (blog) — <https://www.microsoft.com/en-us/sql-server/blog/2024/09/12/modernize-your-database-with-the-consolidation-and-retirement-of-azure-database-migration-tools/> - Cloud Adoption Framework — migrate — <https://learn.microsoft.com/en-us/azure/cloud-adoption-framework/migrate/> - Azure landing zones (CAF) — <https://learn.microsoft.com/en-us/azure/cloud-adoption-framework/ready/landing-zone/> - Savings plan for databases — <https://learn.microsoft.com/en-us/azure/cost-management-billing/savings-plan/savings-plan-overview> - Modernize your databases (hub) — <https://aka.ms/modernizedatabases>

*Links last verified: 5 August 2026. Microsoft migration guides moved from .../azure-sql/migration-guides/... to .../data-migration/sql-server/... (redirects in place). Items marked **Preview** are subject to change.*

---

## 17 Document version & changelog

Current version: **v3.13** (2026-09-09).

**Version history (current: v3.13)**

[illegible]

Versioning: **MAJOR.MINOR** — MINOR bumps for fact/link refresh and additive content; MAJOR bumps for structural rewrites or scope changes.



## 18 Appendix — Using the sql-migration-advisor Copilot CLI skill

This knowledge base also powers sql-migration-advisor, a GitHub Copilot CLI skill that turns the inventory above into a guided, preliminary recommendation. Ask Copilot “*migrate a SQL Server environment to Azure*”: it runs a short two-tier interview — triage (scope, source location & version, intent, feature dependencies, size, downtime tolerance, network, compliance, ancillary services), then confirmation questions only where they can change the answer — and returns a grounded recommendation card: target and tier, method, downtime class, blockers + remediations, the best alternative, confidence and open evidence gaps, cost levers, and the right Microsoft program. It never recommends retired tooling (DMA, Azure Data Studio extension, DMS classic).

### 18.1 Install (once)

macOS / Linux:

```
git clone https://github.com/fredgis/sql-migration-advisor.git
↪ ~/.copilot/skills/sql-migration-advisor
```

Windows (PowerShell):

```
git clone https://github.com/fredgis/sql-migration-advisor.git
↪ "$env:USERPROFILE\.copilot\skills\sql-migration-advisor"
```

Restart Copilot CLI, run /skills to confirm sql-migration-advisor is listed, then ask your question in natural language (English or French).

### 18.2 Example output

The card below is a real recommendation for an estate of ~100 on-premises SQL Server 2012 databases (limited WAN, exiting out-of-support):

**Verdict** - estate of ~100 databases (on-prem SQL 2012 + PaaS)  
 Azure SQL Managed Instance (General Purpose) via LRS in seed-then-sync - downtime minimal - grounded in the FY27 SQL knowledge base.

Fully-managed PaaS + "not sure" dependencies + exiting out-of-support SQL 2012: SQL MI is the default managed lift-and-shift. It absorbs your 100 GB-4 TB databases in General Purpose, handles any undocumented dependencies (Linked servers, SQL Agent), and MI Link is excluded because the 2012 source is below the required 2016+ - the method is LRS.

**Estate strategy** (100 databases)

1. Azure Migrate: agentless discovery, dependency mapping, costed business case, and MI right-sizing.
2. **Az DataMigration** (CLI/PowerShell): industrializes LRS beyond ~50 databases - the only viable path at this scale.
3. Data Box for the initial seed (limited WAN), then LRS catches up the log delta before each cutover.

**At a glance**

|                      | Recommendation                                                                |
|----------------------|-------------------------------------------------------------------------------|
| Target               | Azure SQL Managed Instance - General Purpose (size 150 GB-4 TB, managed PaaS) |
| Method               | Log Replay Service (LRS) - 2012 source OK; MI Link excluded (requires 2016+)  |
| Downtime             | Minimal (LRS replays full/diff/log, short outages)                            |
| Assess / orchestrate | Azure Migrate → Az.DataMigration at scale → SSMS 22 / Arc                     |

**Blockers & fixes**

- Limited WAN + multi-TB → Data Box for the initial seed, then LRS sync (seed-then-sync pattern); otherwise timeouts are guaranteed.
- Out-of-support SQL 2012 source → migrate fast; restoring via LRS removes the need for ESU.
- "Not sure" dependencies → run an Azure Migrate dependency map before locking the target (~60% of migrations stumble on forgotten Linked servers / SQL Agent jobs).
- License / users → script and recreate (not migrated by default).
- EU data boundary → MI region within the EU perimeter from creation.
- Network → validate outbound 403 (Glob) and 1433 across all 100 sources.

**Cost & program** (your question)

- Azure Hybrid Benefit (AHB): eligible on SQL MI (vCore) - reuse your SQL licenses with SA, up to ~80% savings combined with 1-3 year reservations.
- ESU = the real "pay to migrate" lever: staying on SQL 2012 → gives forced paid ESU via Azure Arc; migrating to MI (evergreen) eliminates that cost entirely.
- Consolidation: 100 databases → group onto a few MI instances (instance pools / shared vCores) instead of 100 isolated targets - a major cost lever.
- GP vs BC: stay General Purpose (pay-per-use storage) unless you need local latency + Business Critical.
- Sizing: baseline perfom ~7 days + ~20% headroom, never average CPU - over-sizing across 100 databases is expensive.
- Programs: Cloud Accelerate Factory (zero-cost delivery), SQL in a Day, Azure Accelerate / FastTrack - attach to fund the delivery.

**Biggest risk**: network throughput over a limited WAN with 100 databases. Don't compute **size + bandwidth** - test AzCopy + one real full backup, seed via Data Box, and plan a rollback window. Validate target performance with DEA (capture + replay) on sensitive databases.

🔗 LRS - Az.DataMigration - Azure Migrate - business case - AHB - LRS: planned offline, no read-only target.

Would you like a per-database-group table, a scaled LRS runbook, or a summary slide for the estate?