

Sublime Text (UNREGISTERED) window showing the HTML file `index.html`. The code defines a web application class with a header, social media links, and a navigation bar.

```
<!DOCTYPE html>
<html>
<head>
  <link rel="icon" type="image/jpg" href="images/fred_logo.jpg">
  <link rel="stylesheet" href="orig.css">
</head>
<body>

  <!-- THIS IS PURE CSS!! hehehe
  Developer: Fred Garingo
  Frameworks: None
  Languages used: HTML, CSS, Php, Javascript
  Date made: 4/28/19
  -->

  <title>Web Application Class</title>
  <div class="header">
    
    <div class="header-social">
      <ul>
        <li title="Twitter"><a href="#twitter"></a></li>
        <li title="Instagram"><a href="#instagram"></a></li>
        <li title="Facebook"><a href="#facebook"></a></li>
      </ul>
    </div>
  </div>

  <div class="navbar">
    <ul>
      <li><a href="#aw">Home</a></li>
      <li><a href="#aw">Products/Service</a></li>
      <li><a href="#aw">About Us</a></li>
      <li><a href="#aw">Contact Us</a></li>
    </ul>
```

Sublime Text (UNREGISTERED) window showing the continuation of the HTML file `index.html`. The code includes a login link, a banner image, and a table for skins.

```
<li id="login"><a href="#aw">Login</a></li>
</ul>
</div>

<div class="banner">
  <center>
    
  </center>
</div>

<!-- FOR MAIN HEHE -->
<center>
  <h1 style="background-color:#222; padding:20px; margin-top: -2px;">Counter - Strike Global Offensive Skins</h1>
  <table>
    <tr>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
    </tr>
    <tr id="skin">
      <td>Made by the french</td>
      <td>Made by the french</td>
      <td>Made by the french</td>
      <td>Made by the french</td>
      <td>Made by the french</td>
    </tr>
  </table>
```

Z:\L14X08W02\Garingo_Fredrick John\Midterm\Web Application School\index.html (Web Application School) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- Web Application School
 - images
 - act4.php
 - bootstrap.css
 - collapsenavbar.html
 - ex2navbar.html
 - filecomplaint.php
 - fredrekt_styles.css
 - index.html
 - orig.css

```
94 <td>$920</td>
95 <td>$430</td>
96 <td>$420</td>
97 <td>$750</td>
98 <td>$2100</td>
99 </tr>
100 <tr>
101 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
102 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
103 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
104 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
105 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
106 </tr>
107 <tr>
108 <td></td>
109 <td></td>
110 <td></td>
111 <td></td>
112 <td></td>
113 </tr>
114 <tr id="skin">
115 <td>Made by the french</td>
116 <td>Made by the french</td>
117 <td>Made by the french</td>
118 <td>Made by the french</td>
119 <td>Made by the french</td>
120 </tr>
121 <tr>
122 <td>$9000</td>
123 <td>$520</td>
124 <td>$420</td>
125 <td>$3500</td>
126 <td>$820</td>
127 </tr>
128 <tr>
```

Line 161, Column 48 - Field 1 of 2

Spaces: 2 HTML

Type here to search

8:27 AM 4/29/2019

Z:\L14X08W02\Garingo_Fredrick John\Midterm\Web Application School\index.html (Web Application School) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- Web Application School
 - images
 - act4.php
 - bootstrap.css
 - collapsenavbar.html
 - ex2navbar.html
 - filecomplaint.php
 - fredrekt_styles.css
 - index.html
 - orig.css

```
64 <tr>
65 <td>$200</td>
66 <td>$520</td>
67 <td>$120</td>
68 <td>$720</td>
69 <td>$1200</td>
70 </tr>
71 <tr>
72 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
73 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
74 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
75 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
76 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
77 </tr>
78 <tr>
79 <td></td>
80 <td></td>
81 <td></td>
82 <td></td>
83 <td></td>
84 </tr>
85 <tr id="skin">
86 <td>Made by the french</td>
87 <td>Made by the french</td>
88 <td>Made by the french</td>
89 <td>Made by the french</td>
90 <td>Made by the french</td>
91 <td>Made by the french</td>
92 </tr>
93 <tr>
94 <td>$920</td>
95 <td>$430</td>
96 <td>$420</td>
97 <td>$750</td>
98 <td>$2100</td>
```

Line 161, Column 48 - Field 1 of 2

Spaces: 2 HTML

Type here to search

8:27 AM 4/29/2019

Sublime Text (UNREGISTERED) window showing the editing of index.html. The file explorer on the left shows the project structure. The main editor displays HTML code with line numbers 124 to 158. The code includes a table with product details and a list of items made by 'the french'.

```
124 <td>$420</td>
125 <td>$3500</td>
126 <td>$820</td>
127 </tr>
128 <tr>
129 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
130 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
131 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
132 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
133 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
134 </tr>
135 <tr>
136 <td></td>
137 <td></td>
138 <td></td>
139 <td></td>
140 <td></td>
141 </tr>
142 <tr id="skin">
143 <td>Made by the french</td>
144 <td>Made by the french</td>
145 <td>Made by the french</td>
146 <td>Made by the french</td>
147 <td>Made by the french</td>
148 </tr>
149 <tr>
150 <td>$500</td>
151 <td>$850</td>
152 <td>$120</td>
153 <td>$350</td>
154 <td>$2100</td>
155 </tr>
156 <tr>
157 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
158 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
```

Sublime Text (UNREGISTERED) window showing the editing of index.html. The file explorer on the left shows the project structure. The main editor displays HTML code with line numbers 124 to 158. The code includes a table with product details and a list of items made by 'the french'.

```
124 <td>$420</td>
125 <td>$3500</td>
126 <td>$820</td>
127 </tr>
128 <tr>
129 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
130 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
131 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
132 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
133 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
134 </tr>
135 <tr>
136 <td></td>
137 <td></td>
138 <td></td>
139 <td></td>
140 <td></td>
141 </tr>
142 <tr id="skin">
143 <td>Made by the french</td>
144 <td>Made by the french</td>
145 <td>Made by the french</td>
146 <td>Made by the french</td>
147 <td>Made by the french</td>
148 </tr>
149 <tr>
150 <td>$500</td>
151 <td>$850</td>
152 <td>$120</td>
153 <td>$350</td>
154 <td>$2100</td>
155 </tr>
156 <tr>
157 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
158 <td><button class="myButton" onclick="toast()">Add to cart</button></td>
```


Sublime Text (UNREGISTERED) window showing the HTML file `index.html`. The code defines a form for submitting a complaint and a footer with navigation links.

```
181 <form action="filecomplaint.php" method="get">
182 <table style="margin-top: 20px; margin-bottom: 20px;">
183 <tr>
184 <th><h1 style="background-color: #babfc1;">Submit Complaint!</h1></th>
185 </tr>
186 <tr>
187 <td>Name:<input type="text" name="name"></td>
188 </tr>
189 <tr>
190 <td>Email:<input type="text" name="email"></td>
191 </tr>
192 <tr>
193 <td>Contact:<input type="text" name="contact"></td>
194 </tr>
195 <tr>
196 <td>Comment:<input type="text" name="comment"></td>
197 </tr>
198 <tr>
199 <td id="aw"><input class="myButton" type="submit" value="Submit it!" name="submit"></td>
200 </tr>
201 </table>
202 </form>
203 </center>
204 </footer>
205 <div class="Footer2">
206 <ul>
207 <li><a href="#aw">Home</a></li>
208 <li><a href="#aw">Products/Service</a></li>
209 <li><a href="#aw">About Us</a></li>
210 </ul>
211 </div>
212 </body>
213 </html>
```

CSS

Sublime Text (UNREGISTERED) window showing the CSS file `orig.css`. The code defines styles for the body, header, and navigation bar.

```
1 body{
2   background-color: #fff;
3   max-height: 2000px;
4   max-width: 2000px;
5   border-radius: 15px;
6   border-color: #222;
7   max-height: 500px;
8 }
9 html{
10   scroll-behavior: smooth;
11 }
12 .header{
13   background-color: #babfc1;
14 }
15 .header img{
16   float: left;
17   width: 85px;
18 }
19 .header-social img{
20   width: 30px;
21   padding: 5px;
22 }
23 .header-social{
24   padding: 5px;
25 }
26 .header-social li{
27   float: right;
28 }
29 .header-social ul{
30   list-style: none;
31   overflow: auto;
32 }
33 .navbar{
34   display: inline;
35 }
```



Z:\L14X08W02\Garingo_Fredrick John\Midterm\Web Application School\orig.css (Web Application School) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- Web Application School
 - images
 - act4.php
 - bootstrap.css
 - collapsenavbar.html
 - ex2navbar.html
 - filecomplaint.php
 - fredrekt_styles.css
 - index.html
 - orig.css

```
55 .navbar li a {
56     display: block;
57     color: white;
58     text-align: center;
59     padding: 15px;
60     text-decoration: none;
61 }
62
63 .navbar li a: hover {
64     color: #000;
65     background-color: #fff;
66 }
67
68 li#login{
69     float: right;
70 }
71
72 .banner {
73     background-color: #595959;
74 }
75
76 .banner img{
77     float: center;
78     width: 100%;
79 }
80
81 /*
82 For Mainn heheh display of
83 For Sale Items (maybe use table or col row div classes)
84 */
85
86 .main {
87 }
88
89 .main td, tr {
90     font-style: bold;
91     text-align: center;
92     font-family: courier;
93     padding: 20px;
94 }
```

Line 1, Column 1

Tab Size: 4 CSS

Type here to search

8:28 AM 4/29/2019

Z:\L14X08W02\Garingo_Fredrick John\Midterm\Web Application School\orig.css (Web Application School) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- Web Application School
 - images
 - act4.php
 - bootstrap.css
 - collapsenavbar.html
 - ex2navbar.html
 - filecomplaint.php
 - fredrekt_styles.css
 - index.html
 - orig.css


```
94     border-radius: 20px;
95     padding: 20px;
96     /* border: 2px solid #222; */
97 }
98
99 .main img{
100     width: 80%;
101     padding: 15px;
102 }
103
104 h1{
105     color: #fff;
106     background-color: #222;
107     font-family: arial;
108     margin-top: 2px;
109 }
110
111 /*
112 Time for the footer
113 */
114
115 /* Footer 1 */
116 footer{
117 }
118
119 /* Footer 2 */
120
121 .footer2{
122     display: inline;
123 }
124
125 .footer2 ul {
126     list-style-type: none;
127     margin: 0;
128     padding: 2px;
129     overflow: hidden;
130     background-color: #222;
131 }
```



Line 1, Column 1


Tab Size: 4 CSS

Type here to search

8:28 AM 4/29/2019







Z:\14X08W02\Garingo_Fredrick John\Midterm\Web Application School\orig.css (Web Application School) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- Web Application School
 - images
 - act4.php
 - bootstrap.css
 - collapse navbar
 - ex2 navbar.html
 - filecomplaint.php
 - fredekt_styles.css
 - index.html
 - orig.css

```
208 -webkit-box-shadow:inset 0px 1px 3px 0px #91b8b3;
209 box-shadow:inset 0px 1px 3px 0px #91b8b3;
210 background:-webkit-gradient(linear, left top, left bottom, color-stop(0.05, #768d87), color-stop(1, #6c7c7c));
211 background:-moz-linear-gradient(top, #768d87 5%, #6c7c7c 100%);
212 background:-webkit-linear-gradient(top, #768d87 5%, #6c7c7c 100%);
213 background:-o-linear-gradient(top, #768d87 5%, #6c7c7c 100%);
214 background:-ms-linear-gradient(top, #768d87 5%, #6c7c7c 100%);
215 background:linear-gradient(to bottom, #768d87 5%, #6c7c7c 100%);
216 filter:progid:DXImageTransform.Microsoft.gradient(startColorstr='#768d87', endColorstr='#6c7c7c',GradientType=0);
217 background-color:#768d87;
218 -moz-border-radius:5px;
219 -webkit-border-radius:5px;
220 border-radius:5px;
221 border:1px solid #566963;
222 display:inline-block;
223 cursor:pointer;
224 color:#ffffff;
225 font-family:Arial;
226 font-size:15px;
227 font-weight:bold;
228 padding:11px 23px;
229 text-decoration:none;
230 text-shadow:0px -1px 0px #2b665e;
231 }
232 .myButton2:hover {
233 background:-webkit-gradient(linear, left top, left bottom, color-stop(0.05, #6c7c7c), color-stop(1, #768d87));
234 background:-moz-linear-gradient(top, #6c7c7c 5%, #768d87 100%);
235 background:-webkit-linear-gradient(top, #6c7c7c 5%, #768d87 100%);
236 background:-o-linear-gradient(top, #6c7c7c 5%, #768d87 100%);
237 background:-ms-linear-gradient(top, #6c7c7c 5%, #768d87 100%);
238 background:linear-gradient(to bottom, #6c7c7c 5%, #768d87 100%);
239 filter:progid:DXImageTransform.Microsoft.gradient(startColorstr='#6c7c7c', endColorstr='#768d87',GradientType=0);
240 background-color:#6c7c7c;
241 }
242 .myButton2:active {
```

Line 1, Column 1 Tab Size: 4 CSS 8:29 AM 4/29/2019

Z:\14X08W02\Garingo_Fredrick John\Midterm\Web Application School\orig.css (Web Application School) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- Web Application School
 - images
 - act4.php
 - bootstrap.css
 - collapse navbar
 - ex2 navbar.html
 - filecomplaint.php
 - fredekt_styles.css
 - index.html
 - orig.css

```
223 cursor:pointer;
224 color:#ffffff;
225 font-family:Arial;
226 font-size:15px;
227 font-weight:bold;
228 padding:11px 23px;
229 text-decoration:none;
230 text-shadow:0px -1px 0px #2b665e;
231 }
232 .myButton2:hover {
233 background:-webkit-gradient(linear, left top, left bottom, color-stop(0.05, #6c7c7c), color-stop(1, #768d87));
234 background:-moz-linear-gradient(top, #6c7c7c 5%, #768d87 100%);
235 background:-webkit-linear-gradient(top, #6c7c7c 5%, #768d87 100%);
236 background:-o-linear-gradient(top, #6c7c7c 5%, #768d87 100%);
237 background:-ms-linear-gradient(top, #6c7c7c 5%, #768d87 100%);
238 background:linear-gradient(to bottom, #6c7c7c 5%, #768d87 100%);
239 filter:progid:DXImageTransform.Microsoft.gradient(startColorstr='#6c7c7c', endColorstr='#768d87',GradientType=0);
240 background-color:#6c7c7c;
241 }
242 .myButton2:active {
243 position:relative;
244 top:1px;
245 }
246
247
```

Line 1, Column 1 Tab Size: 4 CSS 8:29 AM 4/29/2019

Output

