

Column width distributions

ID	Component	Material	Stress	Status
C-01	Front Spar	Carbon Fiber	450.0	OK
C-02	Rear Spar	Al 7075-T6	385.7	WARN
C-03	Center Rib	Al 7075-T6	180.3	OK
C-04	Upper Skin	Ti-6Al-4V	320.0	OK
D-01	Bulkhead #2	Steel 4340	560.2	FAIL

ID	Component	Material	Stress	Status
C-01	Front Spar	Carbon Fiber	450.0	OK
C-02	Rear Spar	Al 7075-T6	385.7	WARN
C-03	Center Rib	Al 7075-T6	180.3	OK
C-04	Upper Skin	Ti-6Al-4V	320.0	OK
D-01	Bulkhead #2	Steel 4340	560.2	FAIL

ID	Component	Material	Stress	Status
C-01	Front Spar	Carbon Fiber	450.0	OK
C-02	Rear Spar	Al 7075-T6	385.7	WARN
C-03	Center Rib	Al 7075-T6	180.3	OK
C-04	Upper Skin	Ti-6Al-4V	320.0	OK
D-01	Bulkhead #2	Steel 4340	560.2	FAIL

ID	Component	Material	Stress	Status
C-01	Front Spar	Carbon Fiber	450.0	OK
C-02	Rear Spar	Al 7075-T6	385.7	WARN
C-03	Center Rib	Al 7075-T6	180.3	OK
C-04	Upper Skin	Ti-6Al-4V	320.0	OK
D-01	Bulkhead #2	Steel 4340	560.2	FAIL

Mixed: fixed-width columns with per-cell alignment
