

Centered Text

Right-aligned

PartValue	
Alpha	1.50
Beta	2.70

Part Value	
Gamma	3.20
Delta	4.80

Component	Material	Stress (MPa)	Safety Factor
Spar	Carbon Fiber	450.0	2.50
Rib	Aluminum	180.3	3.80
Skin	Titanium	320.0	1.95
Bulkhead	Steel	560.2	1.50

/ Assembly Part Number	Material	Weight	Unit	Notes
Front Spar	Carbon Fiber	45.2	lb	Prepreg T700
Rear Spar	Carbon Fiber	38.5	lb	Prepreg T700
Center Rib Assy	Aluminum	70.1	lb	
Upper Skin Panel	Fiberglass	62.4	lb	
Lower Skin Panel	Fiberglass	62.4	lb	
Bulkhead	Steel	36.1	lb	AISI 4340

PERCENT — 60% width, column distributions

Component	Stress (MPa)	Safety Factor
Spar	450.0	2.50
Rib	180.3	3.80
Skin	320.0	1.95
Bulkhead	560.2	1.50

Component	Stress (MPa)	Safety Factor
Spar	450.0	2.50
Rib	180.3	3.80
Skin	320.0	1.95
Bulkhead	560.2	1.50

Component	Stress (MPa)	Safety Factor
Spar	450.0	2.50
Rib	180.3	3.80
Skin	320.0	1.95
Bulkhead	560.2	1.50