

Typography Showcase

Sixteen theme typography combinations

Helvetica Bold 14

Times-Roman 12 italic

Courier 10 bold red

Times-Bold 16 blue

Helvetica 11 black

Courier-Bold 9 green


Helvetica-Oblique 13 gray

Times-Italic 15 dark magenta


Helvetica 9 teal center

Plots Gallery


Sine Wave



Cosine



Damped



Data Tables


Zebra table

Parameter	Value	Target	Deviation (%)	Status
Efficiency	94.5	92.0	2.7	Pass
Power (kW)	250.0	240.0	4.2	Pass
Temperature (C)	85.3	90.0	-5.2	Warning
Pressure (bar)	101.3	100.0	1.3	Pass


Engineering data

Dashboard

Efficiency



Power



Temperature



Summary:
All systems nominal.

Warnings: 1
Critical: 0

Uptime: 99.8%
Status: OK

Component	Status	Temp (C)
Pump	OK	45.2
Valve	OK	38.1
Sensor	Warning	72.8
Actuator	OK	41.5
Controller	OK	36.0

Nested Layouts

Top panel

Middle panel with info

Bottom panel, all good

A

B

C

D

Detailed Analysis

The simulation converged after 312 iterations. The residual dropped below $1e-6$. Mesh quality was adequate.

Temperature distribution shows a maximum gradient of 15 K/m near the leading edge. Further refinement recommended.

Pressure coefficient matches experimental data within 3% across the entire chord. Validation criteria met.

WARNING: Temperature exceeds limits.

All other parameters nominal.

Report generated automatically.

TableSpec Demo

Case	Mach	Efficiency	PR
Engine Test Cases			
2	0.780	91.0%	26.30
3	0.650	88.0%	24.20
4	0.450	72.0%	18.10

Stage	Section	Efficiency	PR
Stage 1	Rotor	93.0%	1.85
	Stator	91.0%	1.72
Stage 2	Rotor	94.0%	1.88
	Stator	92.0%	1.75
Stage 3	Rotor	95.0%	1.91
	Stator	93.0%	1.78

Iteration	Continuity	X-Momentum	Y-Momentum
50	1.50e-03	4.200e-04	6.800e-04
100	7.50e-04	2.100e-04	3.400e-04
150	5.00e-04	1.400e-04	2.267e-04
200	3.75e-04	1.050e-04	1.700e-04
250	3.00e-04	8.400e-05	1.360e-04

Solid Background

This slide uses a solid background color.

Gradient Background

This slide uses a pronounced linear gradient.

Image Background

This slide uses an image as background.

Custom Title Formatting

Subtitle beside title — panel 70px

60% column: title config demo.

Times-Bold 26pt, subtitle italic right 12pt.

40% column: right panel.

BELOW Subtitle Placement

Separator enabled, centered, taller panel (80px)

60% column: title config demo.
Times-Bold 26pt, subtitle italic right 12pt.

40% column: right panel.

BELOW Subtitle Placement

Separator enabled, centered, taller panel (80px)

60% column: centered title + subtitle,
green separator, 80px panel.

40% column: secondary info.

black	maroon	darkred	brown	dimgray	firebrick	red	gray	indianred	rosybrown	darkgray	lightcoral	silver	lightgray	gainsboro
whitesmoke	snow	white	mistyrose	salmon	tomato	darksalmon	coral	orangered	lightsalmon	sienna	seashell	saddlebrown	chocolate	sandybrown
peachpuff	peru	linen	bisque	darkorange	burlywood	antiquewhite	tan	navajowhite	blanchedalmond	papayawhip	moccasin	orange	wheat	oldlace
floralwhite	darkgoldenrod	goldenrod	cornsilk	gold	lemonchiffon	khaki	palegoldenrod	darkkhaki	olive	yellow	lightgoldenrodyellow	beige	lightyellow	ivory
olivedrab	yellowgreen	darkolivegreen	greenyellow	chartreuse	lawngreen	darkgreen	green	forestgreen	limegreen	lime	darkseagreen	lightgreen	palegreen	honeydew
seagreen	mediumseagreen	springgreen	mintcream	mediumspringgreen	mediumaquamarine	aquamarine	turquoise	lightseagreen	mediumturquoise	darkslategray	teal	darkcyan	aqua	cyan
paleturquoise	lightcyan	azure	darkturquoise	cadetblue	powderblue	lightblue	deepskyblue	skyblue	lightskyblue	steelblue	aliceblue	dodgerblue	slategray	lightslategray
lightsteelblue	cornflowerblue	royalblue	navy	midnightblue	darkblue	mediumblue	blue	lavender	ghostwhite	slateblue	darkslateblue	mediumslateblue	mediumpurple	rebeccapurple
blueviolet	indigo	darkorchid	darkviolet	mediumorchid	purple	darkmagenta	fuchsia	magenta	violet	plum	thistle	orchid	mediumvioletred	deeppink
hotpink	lavenderblush	palevioletred	crimson	pink	lightpink									