

CPF Specification / 기술 명세

Public API·Annotation·Starter·Config·State 를 빠르게 찾는 기술 Reference

Core Platform Framework

기준: 최신 로컬 Source / 2026-08-16

전체 목차


장	찾을 수 있는 내용
1. <u>Architecture·Ownership</u>	CPF 영역/Module 책임과 공개 경계
2. <u>Public Profile·Starter</u>	사용자가 선택할 Artifact/Provider
3. <u>Web·Controller</u>	@CpfController/CpfBaseController 계약
4. <u>Service</u>	@CpfService/CpfBaseService 계약
5. <u>Persistence·Transaction</u>	Repository/DAO/@CpfTx 계약
6. <u>Cache·Lock</u>	Cache 공개 API/옵션
7. <u>Domain·Integration</u>	CpfDomainClient/CpfResult/ServiceCall
8. <u>Messaging</u>	Publisher/Listener 계약
9. <u>Security·Logging·Audit</u>	Annotation 계약
10. <u>Common Function</u>	Code/Parameter/Message/Calendar API
11. <u>Batch 공개 계약</u>	Job/Step/Runtime 공개 경계
12. <u>Gateway·Runtime</u>	Gateway/ADM Runtime 경계
13. <u>Command·Config·DB</u>	개발 명령/환경/DB Vendor
14. <u>Error·State·UNKNOWN</u>	표준 결과/운영 상태
15. <u>Source Index</u>	정확한 Source 위치

1. Architecture·Ownership

전체 목차로

CPF 전체 Architecture

외부 진입부터 업무 Domain, Public Starter, 공통 계약, 선택 Runtime, 운영·개발 지원과 외부 자원 경계를 한눈에 봅니다.



영역	공식 책임	사용자 경계
cpf-core	Topology-independent 핵심 계약	Context/Result/Error/Domain Client 계약
cpf-starters	Public Profile/Starter/Provider/API	업무 Domain 이 선택/사용
cpf-admin	플랫폼 운영·관리	ADM
cpf-biz-admin	업무 관리자 기능	필요 시 사용하는 BZA
cpf-batch	Batch Runtime	Scheduler/Worker/Agent/Center-Cut
cpf-gateway	외부 진입 Runtime	필요 시 사용하는 Gateway
cpf-tools	Generator/Build/DB/Verification	개발/배포 도구

2. Public Profile·Starter

전체 목차로

분류	Public 선택	용도
Profile	cpf-starter-web-api	일반 REST API
Profile	cpf-starter-secure-api	인증/권한 API
Profile	cpf-starter-bff	Browser BFF
Profile	cpf-starter-event	이벤트 중심 서비스
Profile	cpf-starter-batch	Batch 구성
Data	cpf-starter-data-jdbc/mybatis/jpa	Persistence Provider
Cache	cpf-starter-cache-caffeine/redis/valkey	Local/Shared Cache
Messaging	cpf-starter-messaging-kafka/rabbitmq/jms/ibm-mq	Broker Provider
Session	cpf-starter-session-jdbc/valkey	Session Provider
기타	cpf-starter-object-storage-s3 / graphql / realtime / oidc	선택 기능

Internal Starter Catalog 의 internalOnlyArtifacts 는 Generator 로 생성한 업무 Domain 이 직접 의존하는 Public 선택 Surface 가 아닙니다.

3. Web·Controller

[전체 목차로](#)

API	계약	주요 멤버/옵션
@CpfController	CPF Web Controller 등록 + RestController	contextRequired=true
CpfBaseController	Context/Validation/Response helper	requireCurrentContext, requireContext, requireText, requireValue, requireRule, ok, created, noContent, executionFacts

4. Service

[전체 목차로](#)

API	계약	주요 멤버/옵션
@CpfService	CPF Business Service 등록	contextRequired=true
CpfBaseService	최소 공통 Service Base	requireText
Domain Base Service	Generator Domain 공통 Helper	requireTransactionId, transactionSequence, actorId 등 Domain 별 생성 내용

5. Persistence·Transaction

[전체 목차로](#)

API	계약	주요 멤버/옵션
@CpfRepository	Persistence Repository 등록	contextRequired=true
@CpfDao	JDBC/MyBatis Class DAO 등록	contextRequired=true
CpfBaseRepository	Context/Validation/Paging helper	statementId, boundedSize, executionFacts
CpfBaseDao	DAO Base helper	statementId, boundedSize, executionFacts
@CpfTx	CPF Transaction 선언	id,name,ownerDomain,transactionManager,propagation,isolation,readOnly,timeoutSeconds 등

6. Cache·Lock

[전체 목차로](#)

API	Method/옵션	계약
CpfCachePort	get/put/evict/evictNamespace/metrics/health	Provider-neutral Cache Port
CpfCacheAsideService	getOrLoad(key,options,loader)	Cache-aside + single-flight
CpfCacheOptions	ttl, negativeTtl, lockWait, lockLease, cacheNull, failOpen	만료/Negative/장애 정책
CpfDistributedLockPort	tryAcquire/release	분산 Lock 경계

7. Domain·Integration

[전체 목차로](#)

API	Method/상태	계약
CpfDomainClient<I,O>	execute(I) → CpfResult<O>	Topology-independent Typed Domain Client
CpfResult<T>	SUCCESS/BUSINESS_FAILURE/ TECHNICAL_FAILURE/UNKNOWN	분산 Boundary 표준 Result
CpfServiceCaller	invoke(CpfServiceRequest, transport)	Registry/Health/Retry/Failover/Circuit/UNKNOWN 공개 진입점
CpfServiceRequest	serviceId, endpointCode, instanceId, method, path, timeoutMillis, retryCount, headers, attributes	외부/서비스 호출 요청
CpfServiceResult<T>	success/businessFailure/technicalFailure/ unknown/recoveryRequired	서비스 호출 공개 결과

8. Messaging

[전체 목차로](#)

API	Method/옵션	계약
CmnMessagePublisher	publish(key,payload) / publish(destination,key,payload,headers)	Broker-neutral 업무 발행
@CpfMessageListener	destination, consumerGroup, idempotencyRequired, contextRequired	Provider 종속 Listener 와 분리된 정책
CpfBrokerBridgePort	publish/subscribe/findRecent	Provider adapter 경계

9. Security·Logging·Audit

[전체 목차로](#)

Annotation	주요 옵션	계약
@CpfPermission	value[], all=true	Authority fail-closed 검사
@CpfApprovalRequired	action, approvals, reasonRequired, approvalId/reason parameter	위험 동작 승인 요구
@CpfLogging	operation, mode, includeArguments/allowlist, includeResult/resultAllowlist	Context correlation + masking 로그
@CpfAudit	action, reasonRequired, includeSafeResultSummary	변경/위험 작업 Audit

10. Common Function

[전체 목차로](#)

API	주요 메소드	계약
CpfCodeService	values/find/required	공통코드 조회
CpfParameterService	find/requiredValue/findValue/ requiredValue(key,type)	Typed 공통 파라미터
CpfMessageService	resolve(code,locale,args)	Locale/Argument 메시지
CpfCalendarService	isBusinessDay/shiftBusinessDay/next/previous	영업일 API

11. Batch 공개 계약

[전체 목차로](#)

영역	공개 계약	주요 계약/응도
Annotation Job	com.cpf.batch.api.annotation.CpfBatchJob	value / restartable / maxConcurrentExecutions
Job Bean Metadata	com.cpf.batch.api.CpfBatchJob	id / name / ownerDomain; Spring Batch Job Bean 기반 구성
Step	com.cpf.batch.api.annotation.CpfBatchStep	value / order / idempotent
실행 요청	CpfBatchExecutionRequest	run / scheduledRun / retry / restart / rerun / stop / onDemand
Control Plane	BatchExecutionControlPort	start / stop / restart / abandon / reconcile
Topology	BatchExecutionTopology	LOCAL / PARALLEL_STEPS / LOCAL_PARTITION / REMOTE_PARTITION / REMOTE_CHUNK / REMOTE_STEP
상태	BatchControlState	RESERVED~COMPLETED / FAILED / UNKNOWN_RESULT / ABANDONED / REJECTED
실행 설정	cpf.batch.execution.*	Chunk/Partition/Remote/Executor 기본값·범위는 배치 개발자 가이드 §15

동일 **Annotation** 명칭 `CpfBatchJob`은 package 에 따라 계약이 다릅니다. Annotation Job/Step 모델과 Job Bean metadata 모델의 import 와 속성을 구분합니다.

12. Gateway·Runtime

[전체 목차로](#)

영역	계약	참고
Gateway	Route/Target/Policy/Health/Connection Test	외부 진입 선택 Runtime
ADM	운영 조회/제어 API	권한·승인·Audit 포함
BZA	업무 관리자 기능	필요 시 사용
Local Runtime	cpfRunLocal	개발 통합 1 JVM/1 Port

13. Command·Config·DB

[전체 목차로](#)

분류	계약	값/명령
개발 Shell	cpf-tools\build\tools\cpf-dev.ps1	build/test/verify-fast/verify-full/run-local/run-batch/status/stop/modules/resource
Root Gradle	cpf-root-conventions.gradle	cpfBuild/cpfTest/cpfVerifyFast/cpfVerifyFullLocal/cpfRunLocal/Adm/Bza/Gateway/Batch/Education/cpfModules
Resource Profile	gradle\cpf-runtime	common/local/dev/test/stg/prod.properties
DB Vendor	공식 Vendor	Oracle / PostgreSQL / MariaDB

14. Error·State·UNKNOWN

[전체 목차로](#)

상태	의미	사용 경계
SUCCESS	성공 확정	Domain/ServiceCall/Batch
BUSINESS_FAILURE	업무 실패 확정	업무 오류
TECHNICAL_FAILURE	기술 실패 확정	Runtime/Dependency
UNKNOWN	성공/실패를 확정할 수 없음	분산/외부 Boundary → Reconcile
PARTIAL	일부 Source 만 성공/가용	운영 통합 조회

15. Source Index

[전체 목차로](#)

계약	Source
CpfBaseController / @CpfController	cpf-starters/web/src/main/java/com/cpf/web/api
CpfBaseService / @CpfService	cpf-starters/base/runtime/src/main/java/com/cpf/foundation
Repository / @CpfTx	cpf-starters/data/persistence/src/main/java/com/cpf/data/persistence/api
Cache	cpf-starters/data/src/main/java/com/cpf/data/cache
Domain Result/Client	cpf-core/src/main/java/com/cpf/core/api
ServiceCall	cpf-starters/integration/src/main/java/com/cpf/integration/api/servicecall
Messaging	cpf-starters/messaging/src/main/java/com/cpf/messaging
Common	cpf-starters/common/src/main/java/com/cpf/common
Security	cpf-starters/security/src/main/java/com/cpf/security/api
Batch API	cpf-batch/api/src/main/java/com/cpf/batch/api
Batch Runtime	cpf-batch/runtime/src/main/java/com/cpf/batch/execution
Starter Catalog	cpf-tools/generator/contracts/cpf-starter-catalog.json