AlgoExpert Quad Layout JavaScript 12px Sublime Monokai 00:00:00

Prompt Scratchpad Our Solution(s) Video Explanation Run Code

Solution 1

```
1\, // Copyright @ 2020 AlgoExpert, LLC. All rights reserved.
 3 \, // \, O(n) time \,|\, O(d) space - where n is the number of people
 4 // in the org and d is the depth (height) of the org chart
  5 \quad \text{function getLowestCommonManager(topManager, reportOne, reportTwo)} \ \{ \\
    return getOrgInfo(topManager, reportOne, reportTwo).lowestCommonManager;
8
9 function getOrgInfo(manager, reportOne, reportTwo) {
    let numImportantReports = 0;
      for (const directReport of manager.directReports) {
11
       const orgInfo = getOrgInfo(directReport, reportOne, reportTwo);
12
13
        if (!!orgInfo.lowestCommonManager) return orgInfo;
       numImportantReports += orgInfo.numImportantReports;
14
15
16
      if (manager === reportOne || manager === reportTwo) numImportantReports++;
17
      const lowestCommonManager = numImportantReports === 2 ? manager : null;
18
      return {lowestCommonManager, numImportantReports};
19 }
20
21 exports.getLowestCommonManager = getLowestCommonManager;
```