AlgoExpert Quad Layout JavaScript 12px Sublime Monokai 00:00:00

Prompt Scratchpad Our Solution(s) Video Explanation Run Code

Solution 1 Solution 2 Solution 3

```
1\, // Copyright @ 2020 AlgoExpert, LLC. All rights reserved.
 3 // 0(b^2 + ns) time | 0(b^2 + n) space
 4 function multiStringSearch(bigString, smallStrings) {
     const modifiedSuffixTrie = new ModifiedSuffixTrie(bigString);
     return smallStrings.map(string => modifiedSuffixTrie.contains(string));
9 class ModifiedSuffixTrie {
10
    constructor(string) {
11
       this.root = {};
        this.populateModifiedSuffixTrieFrom(string);
12
13
14
      populateModifiedSuffixTrieFrom(string) {
15
16
        for (let i = 0; i < string.length; i++) \{
17
          this.insertSubstringStartingAt(i, string);
18
19
20
21
      insertSubstringStartingAt(i, string) {
22
        let node = this.root;
23
        for (let j = i; j < string.length; j++) {</pre>
         const letter = string[j];
if (!(letter in node)) node[letter] = {};
24
25
26
          node = node[letter];
27
28
29
30
      \verb|contains(string)| \{
31
        let node = this.root;
32
        for (const letter of string) \{
          if (!(letter in node)) return false;
33
34
          node = node[letter];
35
36
        return true;
37
38 }
39
40 exports.multiStringSearch = multiStringSearch;
```