


Fall/2003



Los Angeles Times

Guide to Advertising Production and Print Quality



To make your ads look their best in the Los Angeles Times, keep this guide at your fingertips.

It contains answers to most of your production questions – from the best graphic design strategies for newspaper ads, to preparing files for digital submission, to production deadlines, and more.

Review these guidelines and refer to them often.

When you do, you can be assured of outstanding reproduction in the Los Angeles Times.



Fall/2003

Contents



INTRODUCTION 2

CONTENTS 3

BLACK AND WHITE SPECIFICATIONS 4-5

Recommendations for B/W reproduction in the Los Angeles Times.
For digital and publication-set ads.

PROCESS COLOR SPECIFICATIONS 6-8

Recommendations for color reproduction in the Los Angeles Times.
For digital and publication-set ads.

SUBMITTING A DIGITAL AD 9-10

Information important to clients that are currently
processing their work digitally.

LOS ANGELES TIMES NEWSPAPER AD SIZES 11

LOS ANGELES TIMES PROCESS COLOR RECOMMENDATIONS 12-13

Charts of process colors that reproduce well in the Los Angeles Times.

LOS ANGELES TIMES MAGAZINE 14-16

Recommendations for reproduction in Los Angeles Times Magazine.
For digital and publication-set ads.

TV TIMES 17-19

Recommendations for reproduction in TV Times Magazine.
For digital and publication-set ads.

SPECIAL PRODUCTS AND PROMOTIONAL ITEMS 20-23

Reproduction information for Times promotional products: Preprints, Toppers,
We-Prints, Polybags, Product Samples, Times Direct.

LOS ANGELES TIMES ONLINE PRODUCTS 24-25

Los Angeles Times Internet presence and online information sites.

GLOSSARY OF TERMS 26-27

Common terms used in the printing industry. Includes digital terms.

OFFICE LOCATIONS, TELEPHONE AND FAX NUMBERS 28

Includes helpful numbers for production advice.

The Times reserves the right, in the exercise of its sole discretion, to revise or reject any advertisement or portion thereof. Submission of an ad to a Times Advertising Sales Representative or other agent of The Times does not constitute a commitment by The Times to publish the advertisement. Publication of an advertisement by The Times shall not affect its right to revise or reject such advertisement thereafter.

Fall/2003

Black & White Specifications

Type Style and Usage

TYPEFACES

- Sans serif typefaces are the recommended choice for newspaper. They reproduce clearly and are easy to read.
- Typefaces with thin or delicate serifs/strokes and non-uniform characters or line thickness are not recommended.
- For clarity and readability 10 point or larger type is recommended in newspaper advertising design.
- Due to the ink/newsprint relationship, small type may lose its definition when reproduced. The Los Angeles Times accepts no responsibility for clarity and readability for ads submitted with type 8 point or less.
- Screened type of more than 70% will print solid.

REVERSE TYPE

- When using reverse type, be aware that some type styles with delicate serifs and fine lines may not reproduce clearly (thin lines tend to fill with ink during the printing process).
- Using reverse type less than 12 points is not recommended for newspaper reproduction.
- For contrast and readability, reverse type should not be positioned on screened areas containing less than a 40% screen.
- Screened reverse type should not be more than 50% for legibility.

BLACK/WHITE SPECIFICATIONS

- Adjust values for highlight-midtone shadow after conversion from RGB grayscale.
- Highlights (quarter tones) = 4% to 5%.
- Midtones (halftones) = 30% to 35%.
- Three-quarter tones = 50%-60%
- Shadows = 85% to 88%.
- Veloxes should be on photographic paper (RC).
- Desktop laser prints are not suitable for reproduction.



DOT SHAPE

Euclidean dot @ 45° angle .

SCREEN RULING

- 100 lines per inch.

DOT GAIN COMPENSATION

Newspaper dot gain compensation is very important. Typically a 50% dot on the printing plate will grow or gain to 85% on the printed paper – that is a maximum dot gain of 35% at the midtone level. Please note, dot compensation is not linear and is substantially less in the highlight and shadow regions. For example, a 20% dot increases to approximately 40% and a 70% dot increases to 95% in the printing process.

SURPRINT AND REVERSE

Do not surprint type on a combined background tone greater than 30%. When reversing type, (printing white type on a background tone), the combined background tone should be greater than 40%. Use discretion when using light gray for type and background tone.

SHARPENING

Unsharp masking is preferred.

Visit www.latimes.com, click Advertise for submission of ads and deadline information.

Black & White (Continued)

Specifications for Digital Black and White Ads*

LAYOUT APPLICATIONS (Macintosh Format)

- QuarkXPress 4.0 (or greater) • Multi-Ad Creator 4.0

GRAPHIC FILE FORMATS (Macintosh Format)

- Adobe Acrobat 4.0 (or greater) PDF
- TIFF
- EPS
- JPG and PICT not supported.

DATA COMPRESSION

Stuffit Deluxe or Disk Doubler (self-extracting format only).

FONTS

Include all printer and screen fonts in a folder designated "Fonts."

LW FILES (BIT MAP)

- LW resolution + bit map minimum.
- Minimum 1000 dpi, RES + 40 pixel/mm.

SUPPLIED SCANNED GRAPHICS FILES (GRAY SCALE)


- 150 -300 dpi continuous tone image resolution.
- Appropriate USM (Unsharp Masking) for newspaper reproduction.
- Maximum shadow + 93-96%.

PROFILES

The Los Angeles Times does not support ICC profiles

The Los Angeles Times will NOT revise digital-ready ads delivered by disk or via digital transmission.

*See Page 9 and 10 for more information on submitting a digital ad.



Visit www.latimes.com, click Advertise for submission of ads and deadline information.

Process Color Specifications



Type Style and Usage

THE LOS ANGELES TIMES ONLY ACCEPTS DIGITAL FILES FOR PROCESS COLOR ADS.

TYPEFACES

- Sans serif typefaces are the recommended choice for newspaper. They reproduce clearly and are easy to read.
- Typefaces with thin or delicate serifs/strokes and non-uniform characters or line thickness are not recommended.
- For clarity and readability 10 point or larger type is recommended in newspaper advertising design.
- Due to the ink/newsprint relationship, small type may lose its definition when reproduced on press (specifically process color type).
- Four color text is not recommended if less than 24 pt or has fine lines.

SURPRINT (OVERPRINT TYPE)

For optimum results it is recommended that type not overprint a background screen (tint or ghosted areas) greater than 30%. (This allows for dot gain and provides necessary contrast between the type and background image).

REVERSE TYPE

- When using reverse type, be aware that some type styles with delicate serifs and fine lines may not reproduce clearly (thin lines tend to fill with ink during the printing process).
- Using reverse type less than twelve (12) points is not recommended for newspaper reproduction.
- Type reversed out of process color (four-color) image area should be 12 points or larger. This allows for light variances in registration while allowing for maximum readability.
- For contrast and readability, reverse type should not be positioned on screened areas containing less than a 70% screen.
- On-press color registration can vary up to 0.012" and ink will fill in lines on fine reversed type.

SCREENED TEXT

Reproducing text as a screen percentage of a solid can be successfully achieved on newsprint. For best results, avoid screening type styles with a fine to medium weight and those with serifs. As a general rule, text screened at 80% or more will reproduce as solid. For more legibility reasons, consideration should be given when attempting to reproduce type as a light screen tint. Screened text should not be less than 24 point for improved registration. If screened text is same color as background screens higher than 50% will be difficult to read.

IMAGE REGISTRATION EXPECTATIONS

An important factor in four-color printing is the proper alignment (registration) of the four-color printing plates so images and text looks clean and sharp. Improperly aligned images look fuzzy and out-of-focus. However, the printing process is a mechanical process with moving cylinders, gears, printing plates and paper that can shift. There are built-in variances that can not be corrected by the pressroom 100% of the time. Alignment of any color to the black image meets LAT specifications if it is as close as 0.012" or less. This is why fine reversed or narrow type and small four-color text is not recommended. Normal press variation can make such images illegible.

PROOFS

For proofing purposes, proofs that accurately simulate newspaper printing characteristics for color matching, resolution, and print contrast (SNAP standard) should be used.

Visit www.latimes.com, click Advertise for submission of ads and deadline information.

Process Color (Continued)

PRINTING COLORS

- The Los Angeles Times uses NAA Volume 8 inks that are especially formulated for newspaper reproduction as listed in the Newspaper Association, Volume 8, Ad-Litho Inks Book. Refer to the Process Color Matching Guide or contact our Digital Prepress office for assistance at 213-237-6960.

The Los Angeles Times does not support PMS or Pantone Colors.

See pages 12 -13 for more information on Los Angeles Times Process Color recommendations.

- Gray Component Replacement (GCR) enhances the overall resolution of the image by reducing ink coverage. The Los Angeles Times recommends GCR of 50% to 70% or total ink coverage of 220% - 240%.

CREATING BLACK USING 4-COLORS

- 4-color black is unacceptable. Color can shift and misregistration of type becomes more visible. The Los Angeles Times recommends using 20% cyan behind black to boost color as needed.

SHARPENING

Unsharp masking is preferred.

SCREEN RULING

The Los Angeles Times Rips files using a screen ruling of 100 lines per inch applied by Rips inhouse.

HIGHLIGHT DOTS

Cyan = 3%, Magenta = 2%, Yellow = 2%

MIDTONE GRAY BALANCE

Cyan = 30%, Magenta = 22%, Yellow = 22%

DOT GAIN COMPENSATION

Newspaper offset printing uses images composed of four colors of very small ink dots (the biggest dots are just 0.010" in diameter). The ink dots dry by absorbing into the newsprint substrate. They grow when they are absorbed (imagine the "paper-towel" commercial soaking up spills). This is a normal part of the newspaper printing process. Because of the dot growth or dot gain, images that look good on an uncompensated computer monitor will appear dark on the printed page. Newspaper printing images gain 30-35% at the 50% area (mid-tone) of the image.

For example: If the eye-dropper tool in your image-manipulation software measures 50% (mid-tone area) on the screen, the image dots can grow to as much as 85% (a dark shadow) on newsprint.

Therefore, Dot Percentages in the images must be lightened (or reduced) to compensate for this Dot Gain. Images that contain the most detail in the mid-tone areas should have dot percentages measured on screen of no more than 30%. The images will look light on the computer monitor but the press dot gain will bring those areas to 60-65%.

Please note: Dot gain is not linear and gain compensation curves resemble a bell curve, with less dot gain in the highlight and shadow regions.

For example: A 20% highlight dot on screen will increase to 40% on newsprint. A 70% shadow dot on screen becomes a 95% or non-detail shadow when printed.

Please contact Digital Prepress (213-237-6960) if you have further questions or would like to create an adjustment curve for newspaper printing.

MAXIMUM SCANNING DENSITY FOR TOTAL AREA COVERAGE

Newspaper printing is a "non-heatset" offset process. Consequently, it requires maximum scanning densities (or Total Area Coverage - TAC), of between 220% and 240%. TAC too high causes increased ink set-off (transfer of ink to an adjacent page) and image show-through (image visible on the other side of the page).

SUPPLIED SCANNED GRAPHICS

- Composite CMYK, TIFF and EPS. The Los Angeles Times does not support DCS, JPG or most forms of data compression.
- **No RGB files, please use CMYK only.**
- Appropriate USM (Unsharp Masking) for newspaper reproduction.
- Continuous Tone Image (CT) resolution: 170 - 300 dpi. (Optimum 200 dpi).
- Minimum Linework (LW) resolution: 1000 dpi.
- Graphics created in Adobe Photoshop, Adobe Illustrator, Macromedia Freehand.

Visit www.latimes.com, click Advertise for submission of ads and deadline information.



Process Color (Continued)



GRAY BAR FOR COLOR ADS

- The Los Angeles Times page template places a gray bar at the bottom of the page for improved color management (3/32" high and the width of the ad).
- Gray tint with the following film dot percentages: Cyan = 30%, Magenta = 22%, Yellow = 22%.
- 5/32" clearance on top or bottom of the BAR from all other elements is required for proper measurement.

Specifications for Digital Color Ads*

THE LOS ANGELES TIMES ACCEPTS ONLY ADS IN DIGITAL FORM.

* See pages 9-10 for specifications on preparing and submitting a digital ad to the Los Angeles Times.

FILE FORMATS PREFERRED (Macintosh Format)

- Adobe Acrobat 4.0 (or greater) PDF

DOCUMENT FORMATS ACCEPTABLE

- QuarkXPress 4.0. (or greater)
- Multi-Ad Creator 4.0 (or greater)
- Tiffit
- PDF



Visit www.latimes.com, click Advertise for submission of ads and deadline information.

Submitting a Digital Ad

Delivery Methods

AD TRANSIT

Ad Transit is a COMPLETELY FREE digital service provided by the Los Angeles Times. Ad Transit is a Web-browser based, with no software installation required. Using AdTransit is as easy as sending an email. Advertisers may sign up on-line following the simple registration process. To register to go www.adtransit.com. For account set-up call the Digital Ad Services Department at 213-237-6908.

Hours: 9 a.m. - 9 p.m. (Please contact Digital Ad Services at 213-237-6908 or Stephen Ebert 213-237-7274 if you need clarification).

ADSEND

A third-party digital ad delivery service provided by the Associated Press with direct link to The Times. Cost determined by usage.

For account set-up and 24-hour customer service, call AdSend at 1-800-823-7363.

WAM!NET

A third-party digital file delivery service with direct link to The Times.

Cost determined by usage. For account set-up call WAM!NET at 1-800-611-9006.

FILE FORMATS PREFERRED*

- Adobe Acrobat 4.0 (or greater) PDF

DOCUMENT FORMATS ACCEPTABLE* (Macintosh format)

- Adobe Illustrator 8.0
- QuarkXPress 4.0 (or greater)
- Adobe Pagemaker 6.5 (or greater)
- Macromedia Freehand 8.0 (or greater)
- Multi-Ad Creator 4.0 (or greater)

NO E-MAIL ACCEPTED



Visit www.latimes.com, click Advertise for submission of ads and deadline information.

Submitting a Digital Ad (Continued)

Making a PDF

Create a PostScript file or EPS of your ad. Remember to convert all your color elements to CMYK. RGB is not accepted. Use Adobe Acrobat to create pdf files. Do not use Photoshop, Quark, or other applications to create pdf. Launch Acrobat Distiller and set Distiller options as follows:

GENERAL

- Compatibility = Acrobat 4.0 (or greater)
- Default Resolution = 1016
- Optimize PDF
- Deselect ASCII
- Generate Thumbnail
- Binding - left

COMPRESSION

- Select Compress Text and Line Art
- Color bit map Images = Bicubic Down Sampling 300 Compression Automatic medium
- Grey Scale bit map Images = Bicubic Down Sampling 300 Compression Automatic medium
- Monochrome bit map Images = Bicubic Down Sampling 1200
- Compression CCITT Group 4

FONT EMBEDDING

- Select Embed All Fonts
- Select Subset Fonts Below 35%
- Select Cancel Job when embedding fails

COLOR

- Select Leave Color Unchanged
- Select Preserve Halftone Screen Information
- Select Preserve Overprint setting
- Select Preserve Under Color Removal/Black Generation

* Please call Digital Ad Services at 213-237-6908 as versions vary frequently.

ADVANCED

- Allow Postscript File to Override Job Options
- Preserve Level 2 Copypage Semantics
- Save Portable Job Ticket Inside PDF File
- Document Structuring Conventions (DSC) Select
- Resize Page and Center Artwork for EPS files
- Process DSC
- Preserve EPS Info from DSC
- Preserve Document Info from DSC
- Default Page Size = 11.5 x 21.5 Inches

Drag and drop your Postscript file or EPS onto the Acrobat Distiller icon.


Check your PDF by opening your file using Acrobat Acrobat.

0101001000100001010100001
0100101010101000101010100
0010010100101010101000101
0101000010010100001010010
1010101000101010001010010
1010101000101010001010010
1010101000101010001010010
1010101000101010001010010
1010101000101010001010010
1010101000101010001010010
1010101000101010001010010
1001010101010001010100010



Visit www.latimes.com, click Advertise for submission of ads and deadline information.

Los Angeles Times Newspaper Ad Sizes



DISPLAY			
Column	Inches	Decimal	Pica/Point
1	1-13/16	1.8125	10p11
2	3-3/4	3.75	22p7
3	5-11/16	5.6875	34p3
4	7-5/8	7.63	45p11
5	9-9/16	9.5625	57p7
6	11-1/2	11.5	69p3

STANDARD FULL PAGE - ROP		
Column	Page Width	Page Depth
6 col.	11-1/2"	21-1/2"
Double Truck	23-7/8"	21-1/2"
True and Bleed Double Truck - Display = 12 1/2 col. (includes gutter)		

FULL PAGE TABLOID - COLOR and B/W		
Column	Page Width	Page Depth
5 col.	9-9/16"	11-1/2"
Double Truck	20-9/16"	11-1/2"
True Bleed - Tabloid Double Truck - Display = 10 1/2 col. (includes gutter)		

CLASSIFIED			
Column	Inches	Decimal	Pica/Point
1	1-1/16	1.0625	6p5
2	2-1/4	2.25	13p4.5
3	3-3/8	3.375	20p4
4	4-9/16	4.5625	27p3.5
5	5-11/16	5.6875	34p3
6	6-7/8	6.875	41p2.5
7	8	8.00	48p2
8	9-3/16	9.1875	55p1.5
9	10-3/8	10.375	62p1
10	11-1/2	11.5	69p3
20.5			(includes gutter)

Measurement conversions:
72.27 points = 1 inch
60 picas = 1 inch
12 points = 1 pica

Inches	Decimal	Pica/Point
1/4	.25	1p6
1/2	.50	3
3/4	.75	4p6
1	1.00	6
1-1/4	1.25	7p6
1-1/2	1.50	9
1-3/4	1.75	10p6
2	2.00	12
2-1/4	2.25	13p6
2-1/2	2.50	15
2-3/4	2.75	16p6
3	3.00	18
3-1/4	3.25	19p6
3-1/2	3.50	21
3-3/4	3.75	22p6
4	4.00	24
4-1/4	4.25	25p6
4-1/2	4.50	27
4-3/4	4.75	28p6
5	5.00	30
5-1/4	5.25	31p6
5-1/2	5.50	33
5-3/4	5.75	34p6
6	6.00	36
6-1/4	6.25	37p6
6-1/2	6.50	39
6-3/4	6.75	40p6
7	7.00	42
7-1/4	7.25	43p6
7-1/2	7.50	45
7-3/4	7.75	46p6

PRINTED DEPTH CONVERSION TABLES		
Inches	Decimal	Pica/Point
8	8.00	48
8-1/4	8.25	49p6
8-1/2	8.50	51
8-3/4	8.75	52p6
9	9.00	54
9-1/4	9.25	55p6
9-1/2	9.50	57
9-3/4	9.75	58p6
10	10.00	60
10-1/4	10.25	61.6
10-1/2	10.50	63
10-3/4	10.75	64p6
11	11.00	66
11-1/4	11.25	67p6
11-1/2	11.50	69
11-3/4	11.75	70p6
12	12.00	72
12-1/4	12.25	73p6
12-1/2	12.50	75
12-3/4	12.75	76p6
13	13.00	78
13-1/4	13.25	79p6
13-1/2	13.50	81
13-3/4	13.75	82p6
14	14.00	84
14-1/4	14.25	85p6
14-1/2	14.50	87
14-3/4	14.75	88p6
15	15.00	90
15-1/4	15.25	91p6
15-1/2	15.50	93

Inches	Decimal	Pica/Point
15-3/4	15.75	94p6
16	16.00	96
16-1/4	16.25	97p6
16-1/2	16.50	99
16-3/4	16.75	100p6
17	17.00	102
17-1/4	17.25	103p6
17-1/2	17.50	105
17-3/4	17.75	106p6
18	18.00	108
18-1/4	18.25	109p6
18-1/2	18.50	111
18-3/4	18.75	112p6
19	19.00	114
19-1/4	19.25	115p6
19-1/2	19.50	117
19-3/4	19.75	118p6
20	20.00	120
20-1/4	20.25	121p6
20-1/2	20.50	123
20-3/4	20.75	124p6
21	21.00	126


Measurement conversions:
72.27 points = 1 inch
6 picas = 1 inch
12 points = 1 pica

Camera-ready and digital ads must be received in the sizes listed.
 Effective for publication date January 11, 2000.


Los Angeles Times Process Color Recommendations

All colors in newspaper printing are achieved by blending industry colors of Cyan, Magenta, Yellow and Black. The Los Angeles Times uses the CMYK system. Using the four-character CMYK allows you to easily and accurately order the colors you want. For best results, always specify a CMYK code. If you use another color-matching system, such as Pantone) you will not get the exact shade you wish*.

READING THE CMYK CODE



The four characters in the CMYK code refer to the individual percentage of each of the four inks used to produce newspaper color. The first letter in the code equals the percentage of Cyan. (0=0% Cyan); second letter equals the percentage of Magenta, (A=100% Magenta); third letter equals the percentage of Yellow, (8=80% Yellow) and the fourth character equals the percentage of Black, (2=20% Black).



0 = 0%
 1 = 10%
 2 = 20%
 3 = 30%
 4 = 40%
 5 = 50%
 6 = 60%
 7 = 70%
 8 = 80%
 9 = 90%
 A = 100%



* Colors for representation only. Refer to NAA color book or Los Angeles Times color guide packet for accurate newsprint reproduction.

Los Angeles Times Process Color Recommendations (Continued)

8080 8080	A0A0 A0A0	A0A1 A0A1	A0A2 A0A2	A0A3 A0A3	A0A4 A0A4	A0A5 A0A5	5054 5054
8280 8280	6260 6260	4140 4140	8060 8060	8050 8050	8040 8040	8030 8030	8020 8020
6020 6020	5030 5030	5040 5040	4040 4040	4030 4030	3030 3030	5010 5010	8010 8010
A001 A001	A000 A000	8000 8000	7000 7000	6000 6000	5000 5000	4000 4000	3000 3000
6100 6100	7300 7300	8400 8400	A100 A100	A200 A200	A300 A300	A400 A400	7500 7500
7700 7700	8800 8800	8A00 8A00	AA00 AA00	AA01 AA01	6600 6600	5500 5500	5400 5400
4400 4400	3400 3400	3310 3310	3300 3300	2300 2300	2200 2200	3220 3220	3330 3330
4330 4330	3600 3600	4600 4600	3800 3800	5A00 5A00	0200 0200	0220 0220	0330 0330
0440 0440	0550 0550	0660 0660	0661 0661	0880 0880	1880 1880	1200 1200	1300 1300
1310 1310	0420 0420	For additional information contact the Los Angeles Times Digital Prepress at 213-237-6960 * Colors for representation only. Refer to NAA color book or Los Angeles Times color guide packet for accurate newsprint reproduction.				0210 0210	3130 3130

Los Angeles Times Magazine



Acceptable Los Angeles Times Magazine ad sizes

Unit		Non-Bleed (Safety)	Trim	Bleed
U511	Full Page	9" x 11"	9 1/2" x 11 1/2"	9 3/4" x 11 3/4"
U411	4/5 Page Vertical	7 1/8" x 11"	7 3/8" x 11 1/2"	7 5/8" x 11 3/4"
U3H9H	Jr. Page	6 5/8" x 9 1/2"	—	—
U311	3/5 Page Vertical	5 5/16" x 11"	5 9/16" x 11 1/2"	5 13/16" x 11 3/4"
U56F	3/5 Page Horizontal	9" x 6 3/4"	9 1/2" x 7"	9 3/4" x 7 3/16"
U2h11	1/2 Page Vertical	4 3/8" x 11"	4 5/8" x 11 1/2"	4 7/8" x 11 3/4"
U55h	1/2 Page Horizontal	9" x 5 1/2"	9 1/2" x 5 3/4"	9 3/4" x 6 1/16"
U211	2/5 Page Vertical	3 1/2" x 11"	3 3/4" x 11 1/2"	4 1/4" x 11 3/4"
U35h	1/3 Page	5 5/16" x 5 1/2"	—	—
U11	1/5 Page Vertical	1 5/8" x 11"	—	—
U25h	1/5 Page Horizontal	3 7/16" x 5 1/2"	—	—
L6T	Two 1/2 Page Horizontal*	18 1/2" x 5 1/2"	19 x 5 3/4"	19 1/4" x 6 1/16"
L2	Two Page Spread*	18 1/2" x 11"	19 x 11 1/2"	19 1/4" x 11 3/4"
L3T	Two 4/5 Page Vertical*	14 1/2" x 11"	14 1/2" x 11 1/2"	14 1/2" x 11 3/4"
L5T	Two 3/5 Page Horizontal*	18 1/2" x 6 3/4"	19" x 7"	19 1/4" x 7 3/16"

*1/4 inch Total Gutter Safety

Mechanical Requirements

MAGAZINE SPECIFICATIONS

- Publishes Sunday.
- Printed Rotogravure.
- Paper: 35# SuperCal A, self-cover.
- No fifth colors are available in Los Angeles Times Magazine.

DEADLINES

- Space closes: 27 days prior to publication date.
- Camera-ready & digital orientation: 23 days prior to publication.
- Final film for conversion to digital: 20 days prior to publication.
- Digital ads: 18 days prior to publication.
- Deliver to: Los Angeles Times Magazine, Mezzanine, Magazine Operations
130 South Broadway, Los Angeles, CA 90012
- Assistance: 213-237-3522, or the Digital Prepress at 213-237-6960.

Any deviations to the above specifications must be pre-approved by the Los Angeles Times.

Los Angeles Times Magazine (Continued)

Digital Ad Specifications

Prior to sending your ad digitally, please contact:

Los Angeles Times Magazine Operations Department: 213-237-3522

When shipping a digital ad, the following components **MUST** accompany each file:

- The page layout file.
- EPS and TIFF format image files.
- All fonts used in the file, both screen and printer fonts in a folder called "Fonts."
- A hard copy proof of the complete file must include all print information:

**Advertiser Name, Agency Name,
Ad Number, Ad File, File Format Name,
Publication Date, Color Information,
Ad Size, Production Contact Name and Number**

DISK MEDIA ACCEPTED


(Macintosh format only)

- **MACINTOSH**
CD ROM disk
100 MB Iomega Zip

AD SPECIFICATIONS

(Macintosh format only)

- **Adobe Acrobat 4.0. (or greater) PDF Files are preferred.**
QuarkXPress 4.0 (or greater), Multi-Ad Creator 4.0,
Adobe Acrobat PDF 4.0 (or greater), Adobe Photoshop 4.0 (or greater),
Adobe Illustrator 8.0, Macromedia Freehand 8.0.
- **Macintosh Graphic File Formats** TIFF & EPS. (NOT supported: JPG, PICT, DCS or Preseparated EPS).
- **Shira Format** Tiffit.
- **Stuffit and LZW** compression supported.
- **EFI Color** is NOT supported.
- **Line Work Files** Resolution (bit map) minimum 1500 dpi, Res-60.
- **Scanned Graphic Files** Composite CMYK, EPS, TIFF or Scitex CT. 203-300 dpi or 8-12mm pixels continuous tone image resolution.
- **20%-50% GCR** affecting grey component between 25%-95% levels.
Tonal gradation appropriate to GAA/SWOP gravure standards.
- **Maximum density** not to exceed 340%.
- **Surprint background** maximum of 30%.
- **Reverse background** minimum of 70%.
- **Proofs**
Industry Standard Hi Resolution Digital or Photomechanical SWOP proof. (Iris, Kodak Approvals or Matchprint preferred).
The Times, if requested, will supply the advertiser one digital proof for ads received on deadline.
- **PC files** are not accepted.



NOTE: THE LOS ANGELES TIMES PREFERS/RECOMMENDS RECEIVING ALL ADS IN DIGITAL FORM.

The Los Angeles Times will NOT revise digital-ready ads delivered by disk or via digital transmission.

Los Angeles Times Magazine (Continued)

Final Proof Specifications

The Los Angeles Times does not accept film. Digital files, only, are accepted.

PROOFING

- Cromalins, Matchprints, Fuji or other suitable furnished pre-press proofs must be submitted on publication base stock and made in accordance to SWOP standards. Color keys are unacceptable.
- All toners used must match the shade and strength of the SWOP Reference to within plus or minus .05 density. Pre-press proofs must be stamped as final OKs. Each proof should contain the manufacturer's control guide for exposure, hues and densities; a Brunner Control Guide is preferred.

DENSITIES

- Yellow 1.25+.05; Magenta 1.30+.05; Cyan 1.30+.05; Black 1.45+.05. Densitometer: above readings are narrow band (5mm aperture preferred).
- Two proofs are required. All pre-press proofs are non-returnable.
- Improper reproduction material, less than minimum size type or failure to provide specified color proofs for color, releases the Los Angeles Times and printer from responsibility for quality of reproduction.

STITCHED-IN PREPRINTED INSERTS

- Please contact your Advertising Sales Representative for more information regarding:
 - Availability of inserts for partial circulation.
 - Poster Inserts and We-Prints.
- **Blow-in card inserts:** are available; please contact your Advertising Sales Representative for details.
- **Business reply cards:** must be no larger than 4" x 9" including binding flaps and must be accompanied by a full page ad.
- **Scent strips and packettes:** must be accompanied by a full-page ad in the same issue. Scent strip inserts must comply with California Health and Safety regulations.
- **Polybagging:** is a unique packaging concept that allows the advertiser to package preprinted inserts with Los Angeles Times Magazine.



For assistance in delivering a shipment after business hours (9 am to 5 pm)
please contact the Los Angeles Times Security Office at 213-237-4475 to make arrangements.

TV Times

Magazine Specifications

- Publishes Sunday
- Printed offset
- Trim size 8 5/16"x10 7/8"
- 85 line screen
- All advertising will be scanned and converted to digital files. The Times recommends submitting ads in digital format.
- No fifth colors are available in TV Times.

Space & Material Deadlines

SPACE RESERVATIONS

- **Noon, 13 days prior to publication.**
No cancellations accepted after this date.
- **Premium positions 30 days prior to publication.**

MATERIAL DUE

- **Pubset Ads 20 days prior to publication.**
- Digital orientation for first time advertisers
30 days prior to publication.


COLOR DIGITAL

13 days prior to publication

B/W DIGITAL OR B/W CAMERA-READY*

Noon, 13 days prior to publication date

*Final film and camera-ready material will be converted to digital. No extensions on deadlines.



SHIPPING ADDRESS

Los Angeles Times
Magazine Operations
Mezzanine
130 South Broadway
Los Angeles, California 90012
Assistance 213-237-3541

Acceptable TV Times Ad Sizes

Trim: 8 5/16" x 10 7/8"

Bleed: 9 1/8" x 11 3/8" (available for Page 2 or back cover position only)

Unit 510	Full Page - non-bleed	8" x 10"	50 col.	inches
Unit 310	3/5 Page	4 3/4" x 10"	30 col.	inches
Unit 55	1/2 Page (H)	8" x 5"	25 col.	inches
Unit 27H	3/10 Page (H)	4 3/4" x 5"	15 col.	inches
Unit 240	1/5 Page (V)	4 3/4" x 3 1/4"	10 col.	inches
Unit 11	1/5 Page (H)	3 1/8" x 5"	10 col.	inches
Unit 37	1/2 Page (V)	4 3/4" x 7"	25 col.	inches
Unit 210	2/5 Page (H)	8" x 3"	20 col.	inches
Unit 5h	under prime time grid	8" x 1/2"		

TV Times Magazine (Continued)



Digital Ad Specifications

All advertisers must undergo a digital advertising process orientation before they deliver a digital ad to The Times. This process is designed to ensure the compatibility of software and acceptability of digital ads.

**Prior to sending your ad digitally, please contact
Magazine Operations Department at
213-237-3541**

When shipping a digital ad, the following components must accompany each file.

- The page layout file.
- Macintosh EPS or TIFF format image
- All fonts used in the file, both printer and screen fonts. Use only Adobe fonts.
- A hard copy proof of the complete file must include all print information:
Advertiser Name, Agency, Name, Ad Number, Ad File Name, File Format Name, Pub Date, Ad Size, Production Contact Name & Number, & Ad Description.

DISK FORMATS ACCEPTABLE

- CD - MAC Formatted

AD SPECIFICATIONS

- **Adobe Acrobat PDF files are preferred.**
- **Macintosh Graphic File Formats** TIFF & EPS. (NOT supported: JPG, PICT, DCS or Pre-separated EPS)
- **PC files** are not accepted.
- **Layout & Graphic Applications**
QuarkXPress 4.0.2, Multi-Ad Creator 4.0, Adobe Photoshop 4.0, Adobe Illustrator 7.0, Macromedia Freehand 7.0 (EPS only), Adobe Acrobat PDF 3.0.1.
- **Data compression** is not accepted.
- **EFI Color** is not supported.
- **Scanned Graphic Files** Composite CMYK, EPS, or TIFF.
- **50%-70% GCR** affecting grey component between 25% - 95% levels. SWOP standards.
- **Maximum Density** not to exceed 240%.
- Surprint background maximum of 30%.
- Reverse background minimum of 70%.
- **Color Proofs**
Any Industry Standard Hi Resolution Digital or Photomechanical SWOP proof. (Iris, Kodak Approvals or Matchprint preferred).
- **Black & White Proofs** must be of velox quality.

NOTE: THE LOS ANGELES TIMES PREFERS/RECOMMENDS RECEIVING ALL ADS IN DIGITAL FORM.

The Los Angeles Times will NOT revise digital-ready ads delivered by disk or via digital transmission.

TV Times Magazine (Continued)

Final Film Specifications (Continued)

- **Color Proofs**
Any Industry Standard Photomechanical SWOP proof.
(Iris, Kodak Approvals or Matchprint).
- **Color keys are unacceptable.**
All toners used must match the shade and strength of the SWOP Reference to within plus or minus .05 density.
- **Pre-press proofs** must be stamped as final OKs.
- Each proof should contain the manufacturer's control guide for exposure, hues, and densities; Brunner Control Guide is preferred.
Two proofs are required.
All pre-proofs are non-returnable.

Wrap and Stitch-In Specifications

- **Front cover wrap trim size**
front 8 5/8" x 3 3/4", back 4" x 3 3/4"
- **Digest size stitch-in** (four pages)
trim size: 5 1/8" x 7 5/16" bleed at foot.
- **Full page stitch-in** (four pages) trim size: 8 5/8" x 10 7/8"
bleed at head, foot and face.

These specifications do not include bleed image requirements. Specific size dimensions must be requested from the Los Angeles Times before artwork is prepared or inserts are printed.

- **Space Deadline**
30 days prior to publication date.
- **Pub-Set Deadline**
27 days prior to publication date.
- **Digital Deadline**
20 days prior to publication date.

TV Times Pop-Out

Glossy process color with exclusive, high-visibility positioning. Unique branding with the advantage of TV Times' week long shelf life.

SPECIFICATIONS:

Product: TV Times stitched-in glossy insert with a pop-out that extends 3/4".

SIZE: 14-3/8" x 10-7/8" (flat, finished trim size, non-bleed)
Insert page 8-5/8" x 10 7/8"
Pop-Out: 3/4" x 10 7/8"
Back Flap: 5" x 10 7/8"

IMAGE: Insert page: 7-7/8" x 10-1/8" (live image area)
Pop-Out: To be determined
Back Flap: 4-1/4" x 10-1/8"

DEADLINES: Space: 30 business days prior to publication
Pubset: 27 business days prior to publication
Final Film: 23 business days prior to publication



Special Products and Promotional Items

- **PREPRINTS**

Insert distribution is available at the zip code level with a minimum of 10,000.

- **TOPPERS**

For special impact, we'll put your preprint on top of the paper rather than inside (home delivered only). Minimum of 100,000.

- **WE-PRINTS**

The Times can print your advertising section in available ROP positions. Minimum of one ZIP code.

- **POLYBAGS**

Print your ad on a plastic bag in which the paper is inserted.

- **TIMES DIRECT**

Insert distribution to non-subscribers is available at the ZIP code level mid-week.

- **TOTAL MARKET COVERAGE PROGRAM**

This product is offered in combination with an in-paper insert daily.

- **PRODUCT SAMPLES**

Get your product into the hands of consumers with this special program.



GENERAL GUIDELINES

- Inserts, toppers, polybags, and product samples are charged on a cost per thousand basis. Required distribution quantities are available from your advertising sales representative.
- Employment-related advertising in the preprint or Times Direct programs subject to approval.
- All preprinted inserts containing editorial material must be submitted in advance for approval.
- Inserts containing advertisements for more than one advertiser are accepted only under very limited circumstances, and must be submitted in advance for approval. If approved, the general rate will apply.

Polybags

There are several polybag options available:

- **Preprinted Polybag**

A plastic bag printed with your advertising message. The paper is inserted into the bag for home delivery.

- **Polybag and Topper**

Available with or without a printed message on the bag. Minimum quantity and prior approval required.

- **Polybag and sample**

Sample products must be submitted in advance to The Times for approval.

Available with or without a printed message on the bag.

POLYBAG SPECIFICATIONS

Acceptability guidelines for the polybag program are the same as guidelines for preprints, including, without limitation, the following additions:

- The Los Angeles Times will only accept bags that have been manufactured and printed to Times specifications. Bags must be clear or white only, and of appropriate size. (There are different sizes, depending on the day of the week.) The Los Angeles Times reserves the right of final approval for all printed polybags.
- A caution notice and recycling information must be included on all polybags as specified by The Times.
- The Los Angeles Times horizontal logo must appear with minimum 102 point size on all full circulation polybags. All partial circulation polybags that do not include the Los Angeles Times logo must be clear on at least one side.
- Double-walled bags are preferred. Single-walled bags may be used; however, if inclement weather dictates the use of a double-walled bag, the advertiser's polybag will be treated as a topper rather than a bag.
- Please consult your advertising sales representative for further information, specifications and printing requirements.

AVAILABILITY AND DEADLINES

- **Minimum quantity** of 400,000 daily or 500,000 Sunday will guarantee date and position within a 90-day period. Minimum quantity accepted is 100,000.
- **Reservations/Cancellations** 90 days in advance of insertion date.
- **Artwork** If The Times or a Times vendor is printing a polybag for you, deadline for digital files is 56 days in advance of insertion date.

Special Products and Promotional Items (Continued)

Product Samples

You may distribute a sample of your product to Times subscribers in several ways:

- **Sample in Times Polybag** The sample may be placed in a Times-supplied clear plastic bag along with the newspaper.
- **Sample in Advertiser Polybag** The sample may be placed in an advertiser-supplied plastic bag along with the newspaper. The bag must meet The Times' requirements for polybags.
- **Sample in Advertiser Pouch** The sample may be sealed in a "kangaroo" pouch or "hanging" pouch that puts the sample either on top of or beside the samples already sealed into the pouch-bags.

SPECIFICATIONS

All samples must be pre-approved by The Times.

- Maximum sample weight is 8 ounces.
- Products must not be harmful, flammable, perishable or prone to spillage or breakage.

AVAILABILITY AND DEADLINES

- **Minimum quantity** of 400,000 daily or 500,000 Sunday will guarantee date and position within a 90-day period. Minimum quantity accepted is 100,000.
- **Reservations/Cancellations** 90 days in advance of insertion date.
- **Artwork** If The Times or a Times vendor is printing a polybag for you, the deadline for digital files is 56 days in advance of insertion date.
- **Material Due** Product samples and polybags (if needed) are due 14 days in advance of insertion date.

Times Direct

Times Direct™ combines preprinted inserts or ROP advertisements in The Times with insert distribution to non-subscriber households throughout our market area.

- Subscribers receive Times Direct™ in The Times on Wednesday, Friday, and/or Sunday.
- Non-subscribers receive Times Direct™ midweek through one of the following distribution methods:
 - Mail/Alternate Delivery- Tuesday/Wednesday
 - The Daily Breeze - Wednesday
- 80% penetration market-wide
- 100% penetration of single-family dwellings.
- Minimum buy of one ZIP code.
- Full coverage of Los Angeles and Orange counties and portions of Ventura, Riverside and San Bernardino counties.

Please contact your Advertising Sales Representative regarding these advertising opportunities.

CALIFORNIA WEEKEND DIRECT™

Our weekend distribution program delivers your preprints to your target audience on the weekends.

Combine in-paper preprints with home-delivered inserts, and custom target distribution to fit your needs.

This program extends your reach to 4.6 million households in all five counties of Los Angeles, Orange, Riverside, San Bernardino, and Ventura.

TIMES DIRECT PRINT™

Ad design and printing are available at attractive rates. Ask your Advertising Sales Representative for more details.

latimes.com

The Los Angeles Times brings its journalistic products to the Internet through an extensive interactive web site. Increase your reach by placing your print campaign on **www.latimes.com**. Ads must be properly formatted and submitted digitally to qualify. Each ad remains online for 7 days unless instructed by client to run for less. See page 25 for more information regarding preparation and reproduction of digital ads for online display.



Special Products and Promotional Items (Continued)

Times Direct (Continued)

ROP OPTION

You may run a display (run-of-press) advertisement in The Times while adding mail distribution of your insert.

1. The minimum size ROP advertisement is 31.5 column inches.
2. The size of the preprinted insert cannot exceed the size of the display ad.
3. Non-subscriber publication date must be within seven days of the in-paper advertisement.
4. Regular rates apply for the display advertisement. Times Direct™ rates apply for non-subscribers.

CHARGES

Times Direct™ charges are determined by the weight of the insert.

Times Direct™ Wrap Program


The Times Direct™ wrap is a full-color 4 page advertisement that “wraps” around Times Direct™ inserts. The wrap typically features four different advertisements a week, one to each page.

SPECIFICATIONS, DEADLINES & DELIVERY INSTRUCTIONS

- Size: Minimum - 5" x 7", Maximum - 10 1/2" x 13".
- Paper Stock, Single Sheets: 70# card stock (.0065) for sizes up to 8 1/2" x 11". 50# bond for sizes from 8 1/2" x 11" to 10 1/2" x 13".
- Four-page tabloid may be on 30# stock, minimum.

Note: No guarantee of accuracy on the insertion can be made if the material does not meet specifications.

- Metal objects such as keys, coins, etc. attached to any page are not acceptable.
- Political copy must be identified with “Political Advertisement” on each page. Consult your Advertising Sales Representative for more information.
- Sections with or simulating editorial content must be identified with “Advertising Supplement” on every page.



Special Products & Promotional Items (Continued)

AVAILABILITY AND DEADLINE

- Space reservation deadline is Wednesday 4pm, three weeks before publication date.
- Times Direct™ reserves the right to cancel a wrap date or wrap zone at any time.
- Digital-ready ads are due three weeks before the publication date.

DEADLINES

See Times Direct™ Wrap Program for deadlines for that program.
Deadlines below apply to regular Times Direct™ inserts only.

Ordering deadline, all inserts -14 days prior to insertion date.

DELIVERY DEADLINES

For Sunday Los Angeles Times distribution - Friday, 10 days prior to insertion date.

For Wednesday and Friday in-paper distribution - 7 days prior to insertion date.

For Non-subscriber distribution - Tuesday, 8 days prior to insertion date.

Note: Most Times Direct orders have two insertion dates, one for in-paper distribution and one for mail distribution.
Be sure to use the earlier date as your deadline guide.

PACKING REQUIREMENTS

- Daily inserts (Monday-through-Saturday insertion date) must be tied in equal-count bundles approximately 4" to 6" in height, with 50, 100, 200, 500, or 1,000 to a bundle.
- Sunday inserts must not be tied.
- Preprinted supplements may be brick-stacked on solid base, non-returnable skids or pallets with four-way entry. If necessary to maintain product integrity, cards and single sheets may be packed in cartons. The cartons must be fully packed or well dunnaged internally. Cartons must then be placed on skids with a required 4-inch minimum floor clearance. Maximum height: 5 feet. Maximum weight: 2,500 lbs.
- A protective cover must be placed on the pallet before stacking, between layers, and on top of the stack before adding the skid top. This will help minimize dampness and curling of the sections. The skid top must be of wood or sturdy synthetic and of the same size as the base. The stacked product must not extend beyond the edges of the skid. Each pallet must be securely banded and plastic-wrapped, taking care not to damage the inserts.
- Each skid must be marked with a skid flag that states printer's name and address, advertiser's name, newspaper's name, version name or number, insertion date, quantity in each skid, individual skid number of total number of skids, and total quantity in the shipment.
- Every publication included in a shipment must be accompanied by a bill of lading which states printer's name and address, advertiser's name, newspaper's name, version name or number and insertion date.

Delivery Instructions

1. Inserts for Los Angeles Times portion of distribution should be delivered to:

California Community News (CCN)

5091 4th Street

Irwindale, CA 91706

Call for appointments: (626)-472-5222.

Monday through Friday 6 a.m. - 3 p.m.

Saturday 7 a.m. - 12 p.m.

Sunday closed

Online Advertisement Specifications

Supported Formats For All Ads



All creative elements, logos, Java Apps, JavaScripts, etc. should be supplied by advertiser. Rail ads served through IFRAMES are not acceptable. All rich media formats must be tested on our development servers for at least one week prior to start of run.

Banners

Run at the top and bottom of every page. Can be targeted to a specific section or run-of-site.

Supported Formats

- **Animation:** Continuous looping ok. No strobing effects. Flash 3.0 and higher is ok though the banner must default to a gif for non-enabled browsers.
- **Action:** clicks through to a web site




Right Rail (Featured Advertiser)

Run in the rightmost column of page alongside the editorial content.

Supported Formats

- **Animation:** Right rails may animate.
- **Action:** HTML form elements ok, no pulldown entry or text area can push rail width; limit all list words to 8 characters or less.
- JavaScript + dHTML must work on all browsers 3.0 and higher and must degrade gracefully on older browsers.
- Streaming Flash and Quicktime 3.0 (and newer versions) must not auto-start.
- Java Apps must be screened out for Netscape 4.x browsers.




Tower Ad (Featured Advertiser)

Run in the rightmost column of page alongside the editorial content.

Supported Formats


- **Animation:** Right rails may animate.
- **Action:** HTML form elements ok, no pulldown entry or text area can push rail width; limit all list words to 8 characters or less.
- JavaScript + dHTML must work on all browsers 3.0 and higher and must degrade gracefully on older browsers.
- Streaming Flash and Quicktime 3.0 (and newer versions) must not auto-start.
- Java Apps must be screened out for Netscape 4.x browsers.

Online Advertisement Specifications




Skyscraper

An exclusive featured advertiser position*, this ad runs the entire length of the rightmost column. Banners also run at the top and bottom of most pages, so this is not an exclusive placement for the page. The enhanced size gives you plenty of room both for branding and any interactivity that fits in the 120 pixel width. Currently available on chicagotribune.com section fronts (first page on a channel) only, based on availability. (Note: *Skyscraper ads run exclusive only on the Homepage, meaning, no other rails run in addition to the skyscraper ad. Skyscrapers are stacked with the other rail ads on all interior pages.)



Sponsorship

Run your logo at the top of the page above the left navigation as an 88 x 31 size tile. All logos should be supplied by advertiser but sponsorships will be assembled by the Tribune Interactive production staff. Talk to your sales representative about other opportunities.)



Rectangle

Enable greater interactivity and creativity in your online messaging with a rectangle ad. This ad runs as the only ad on the page in the text area of a story. The size and placement of this ad make it a powerful way to reach audiences. The best ads here go beyond grabbing attention and provide real interactivity in this space. Currently available on chicagotribune.com story level pages only.

Supported Formats

- **Animation:** Flash 3.0 and higher is ok though the ad must default to a gif for non-enabled browsers.

Pop Up/Under

Daughter window displays over or under the requested page. Users will receive the pop-up/under only once per site per browser session (24-hour cookies upon request). Pop-ups cannot run on any Tribune Interactive site homepage. No more than two Pop-up/unders per section will run on any site concurrently.

Supported Formats

- **Size:** 650 pixels wide max x 450 pixels deep max. (with or without tool bars), 25k max.
- **Functionality:** Window min/max/close button must always remain active and accessible. Tool bars (navigation, scroll, title, menu, status, etc.) may be displayed, however it is recommended that they be turned off to maximize creative content area. The window should be clearly labeled as "Advertisement". Links to client site contained in pop-up/under should either shutdown window and spawn a new window, or expand current pop-up/under window to full size. In either case, final window should have all tool bars enabled. All content is subject to TI approval.

Glossary of Terms



AD-LITHO COLORS

Standard color inks tested and approved by the Newspaper Association of America (NAA) for process and spot color reproduction.

ARTWORK

Images (photographs, illustrations, etc.), excluding text, intended for reproduction.

BANDING

Distinct progression (bands) of tones, rather than a smooth transition caused when the difference between adjacent screen values is too great in electronically generated vignettes or graduated screens.

BLEED

To run an image off the edge of a page (no margin).

BROADSHEET

A publication format with a single page dimension of 11.5" wide by 21.5" deep.

BUTT TO FOLD

Two facing pages where the image extends to the fold line at the center of the gutter.

CAMERA READY

Art or a combination of art/type of acceptable quality that requires no additional processing (i.e. final paper positives/veloxes).

CHOKE/SHRINK

A process by which an image is slightly reduced to allow for trapping.

CMYK

The four process colors: cyan, magenta, yellow and black. (K is used to stand for black to avoid confusion with blue).

COATED STOCK

Slick glossy paper used in heat set commercial printing.

COLOR CAST

The dominance of one color, i.e. green, which intrudes on all other colors in an image.

COLOR CORRECTIONS

Adjustments made during the color separation process to compensate for known deficiencies in the original material and/or the printing process.

COLOR EDITS

Changes made during the color separation process to enhance reproduction.

COLOR SEPARATIONS

Four negatives representing cyan, magenta, yellow and black. Each carries halftone dots that, when printed, will reproduce the original color image.

COMPOSITE

Standard color inks tested and approved by the newspaper photomechanically combine various elements of a graphic project into a single piece of film for each color necessary.

CONTINUOUS TONE/CONTONE

A black and white or color image containing a range of tones that has not been converted to a halftone.

CONTRAST

The tonal difference between light (highlight) and dark (shadow) on art or copy.

CROPPING

Marking artwork or photos to designate the image area desired for reproduction.

D-MAX

The area of maximum density (darkest area) on photographic material.

D-MIN

The area of minimum density (lightest area) on photographic material.

DENSITY

A measurement to describe the light absorbing ability of a material.

DETAIL HIGHLIGHT

The lightest areas of a printed halftone which contain printing dots. These areas appear to be white, yet have gray tonal values.

DOT GAIN

Increase in the size of halftone printing dots on press, which causes images to reproduce darker.

DOUBLETRUCK

An ad that spans two facing pages and usually prints/bleeds across the inside margins/gutter.

DPI

Dots per inch. The measure of resolution in a halftone or printed image.

FONTS

Fonts are the typefaces that are used to create text in documents. The TIMES owns over 7000 Adobe fonts.

FPO

Abbreviation of "For Position Only," marked on a rough image, not intended for inclusion in a finished product.

FULL COLOR

A printing term applied to the use of the process colors that are cyan, magenta, yellow and black.

EPS

Encapsulated PostScript is a file format developed by Adobe Systems, Inc. According to the GATF Encyclopedia of Graphic Communications, the EPS format provides an output device-dependent PostScript representation of page, graphic element, or other object. In addition to including a low-resolution bitmap file of the page or image to permit quick on-screen viewing. EPS files are able to image smooth lines and curves at the output resolution called for using the output device.

GRAY BALANCE

The halftone dot percentage combination of cyan, magenta and yellow required to produce a neutral gray within a printing system.

GRAY COMPONENT REPLACEMENT (GCR)

A function in the 4-color separation process, in which the gray component (neutral value composed of cyan, magenta and yellow) throughout the tonal range and in colors is replaced with a correlating amount of black.

GENERATION

Each succeeding stage in reproduction from the original copy.

GRADUATED SCREEN

A shaded area that runs in a continuous pattern from 0% (white) to 100% (solid).

GRAIN

The pattern of particles in the film emulsion of negatives, prints and transparencies. Graininess is most visible in fast speed films, enlargements, and increased negative density.

GUTTER

The vertical white space, fixed per product, between facing image areas.

HALFTONE

A continuous tone image converted into various size dots for print reproduction.

HIGHLIGHT

The whitest white, or lightest tone of an image.

HUE

A color, or the quality that distinguishes colors in the visible spectrum.

IMAGE AREA

The reproducible area of a page. Elements placed outside the image area will not print.

IMAGESetter

A high resolution laser printer that can print to film or photo quality paper.

KEY TO LAYOUT

To code copy or art to a layout or dummy by using letters or numbers to denote placement/positioning.

KNOCKOUT

Eliminating portions of a background image.

LINE ART

Art that consists of solid (black) lines and white, with no intermediate tones. Suitable for reproduction without using a halftone screen.

LINE SCREEN RULING

A measure indicating the number of dots per linear inch in a halftone screen.

MECHANICAL

An advertising paste-up where the base art is placed and tissue overlays are attached.

MEMORY COLORS

Known colors of familiar object, i.e. green grass, blue sky.

MOIRÉ

An objectionable pattern that results when multiple screen patterns are incorporated into an image at uncomplimentary angles.

Glossary of Terms (Continued)

MIDTONE

The middle tonal areas in a halftone or color separation film and reproduction. Midtones encompass halftone values ranging from 40% to 60%.

NON-DETAIL HIGHLIGHT

The lightest area in an image that does not carry detail and therefore, does not require a halftone printing dot in reproduction (i.e. reflection from metal).

OUTLINE HALFTONE (SILHOUETTE)

The separation/isolation of selected portion of an image from its surrounding/background.

OVERLAY

Paper, film or masking material attached to the mechanical/base art, used to isolate specific elements and to give production instructions.

PASTE-UP

The process of combining the materials, such as copy, artwork, and photos, to make up completed mechanicals ready for printing.

PANTONE MATCHING SYSTEM (PMS)

Commercial color coding system used to identify specific colors. These colors physically cannot be matched to swatches in newsprint reproduction.

PDF

Adobe Systems Incorporated, the software company that created PostScript™, has published an updated page description software called Portable Document Format, or PDF. PDF lets you create electronic documents from a wide range of applications with no further dependency on the application (except all users need the Acrobat program). PDF embeds fonts and graphics and contains compression.

PLUGGING

A reproduction condition which occurs when small non-printing areas in letters or between dots print as solid.

POSTSCRIPT

A programming language created by Adobe Systems with powerful graphics capabilities. Its main function is to describe the appearance of text and graphical shapes on a page.

PRESS GAIN

The spreading of ink (dots) in the press reproduction process. Unless proper adjustments are made in the prepress stage, images will reproduce darker than the original.

PROCESS COLOR

Color which is produced in the printing process with some combination of cyan, magenta, yellow and black inks.

QUARTERTONE

In imaging and photography, the portions of an image (such as a photograph) with tonal values between those of highlights and midtones, containing halftone dot sizes of approximately 25% dot area.

REFLECTION COPY

Artwork and photographic prints that are opaque rather than transparent.

REGISTRATION MARKS

Marks that are used to allow for proper alignment of color separations at the top, bottom and ends of characters.

REVERSAL

An image in which light and dark areas are switched. For example, black type on a white background printed as white type on a black background.

SANS SERIF

A type style without fine cross strokes on the ends of the character. It is generally even in weight with little contrast between thick and thin strokes.

SCREEN ANGLE

Angles at which halftone screens are positioned for color reproduction which help eliminate objectionable moiré patterns.

SCREEN TINT

A shade of gray or color expressed as a dot percentage.

SERIF

A type style of uneven line weighting and/or light cross strokes.

SET-OFF

The undesirable transfer of ink from a printed page to a facing page.

SHOW THROUGH

A condition existing when one side of a printed sheet shows through to the other side.

SPECULAR HIGHLIGHT

A non-detail white, which for optimum reproduction should not carry a halftone dot.

SPLIT DOUBLE TRUCK

A double truck ad that prints on two facing pages, however is not located in the center-spread of a section. It must be vertically split and positioned butt to fold.

SPOT COLOR

One color, in addition to black in reproduction.

SPOT COLOR CONVERSION

When one color spot is converted into process colors (cyan, magenta, yellow) to simulate the spot color. The reason for conversion is due to placement and press capacity for spot and process color.

SURPRINTS/OVERPRINTS

Type elements or images which are printed onto a background screened area.

SYQUEST

A removable hard disk, available in 44MB, 88MB, or 200MB formats.

TEARSHEET

An entire page that is torn from a publication for one of the following purposes: proof of publication, to initiate corrections or changes, for color guidance or as a layout.

THREE-QUARTERTONE

In imaging and photography, the portions of an image (such as a photograph) with tonal values between those of midtones and shadows, containing halftone dot sizes of approximately 75% dot area.

TOPE RANGE

The variation of tones in a photograph, ranging from the lightest to the darkest.

TOTAL AREA COVERAGE (TAC)

The sum of the tone values on all the color separations in the darkest area of an image.

TOTAL PRINT DENSITY

The maximum saturation limit in the shadow area. For minimized ink set-off, four color separations should not exceed a total of 240% total print density.

TIFF

Tagged Image File Format. Another graphics standard that the Los Angeles Times accepts for placement on a page. TIFFs are bit maps.

TRANSMISSION COPY

Images submitted in transparency or film negative format (i.e. 35mm slide, color negative).

TRAP

To prepare color material with a slight overlap to compensate for variations in registration in normal press operations.

UNDER COLOR REMOVAL (UCR)

A function in color separation which reduces the amounts of cyan, magenta and yellow in neutral shadow areas and replaces them with black.

UNSHARP MASKING

A function in color separation and B/W which enhances or maintains sharpness from the original in-print reproduction.

VELOX

A paper positive made from photosensitive material.

VIGNETTE

A screening technique in which an image gradually fades until it disappears.

WEIGHT

The degree of darkness in an image. In the halftone process, weight may be pulled (lightening of the image) in order to compensate for press/dot gain.

ZIP (DISK)

A 100MB removable hard disk.

Los Angeles Times Office Locations, Telephone and Fax Numbers

CORPORATE OFFICE

Los Angeles Times

Mailing:

202 West First Street
Los Angeles, California 90012

Messenger/Delivery and Shipping:

130 South Broadway,
Ad Operations, 4th floor
Los Angeles, California 90012

Online: www.latimesads.com

Display Advertising

213-237-5000 - Fax: 213-237-3152
Toll Free: 1-800-528-4637

Classified Advertising

213-629-4411 - Fax: 213-237-3175
Toll Free: 1-800-234-4444

NATIONAL OFFICES

Tribune Media Net

Tribune Interactive

212-448-2665 - Fax: 212-448-2670
2 Park Avenue
New York, NY 10016

Los Angeles

800-528-4637 or 213-237-5000
202 West 1st Street
Los Angeles, 90012

Chicago

312-527-8118 - Fax: 312-527-8117
435 N. Michigan Ave., Suite 200
Chicago, IL 60611

Dallas

972-789-6920 - Fax: 972-239-2737
12900 Preston Road, Suite 615
Dallas, TX 75230

Detroit

734-464-6500 - Fax: 734-464-7188
19500 Victor Parkway, Suite 100
Livonia, MI 48152

Florida

954-989-8833 - Fax: 954-963-3395
3107 Stirling Road, Suite 205
Fort Lauderdale, FL 33312

New York

212-448-2600 - Fax: 212-448-2629
2 Park Avenue, 8th Floor
New York, NY 10016

San Francisco

415-693-5600 - Fax: 415-391-4992
111 Pine Street, Suite 1400
San Francisco, CA 94111

Atlanta

770-433-9554 - Fax: 770-433-1927
2839 Paces Ferry Road, Suite 1105
Atlanta GA 30339

REGIONAL OFFICES

Inland Empire

800-568-2387 - Fax: 909-484-7050
5555 Ontario Mills Parkway
Ontario, CA 91764

Orange County

714-966-5600 - Fax: 714-966-7706
Fax: 714-966-4676
1375 Sunflower Avenue
Costa Mesa, CA 92626

From Cypress area - 714-220-1434

From Fullerton area - 714-773-9101

From North Orange County - 714-773-9101

San Fernando Valley/Glendale

800-933-4586 - Fax: 818-772-3726
818-772-3600
20000 Prairie
Chatsworth, CA 91311

San Gabriel Valley

626-359-4445 - Fax: 626-303-8926
1333 S. Mayflower Avenue,
Suite 100
Monrovia, CA 91016

Ventura County

800-542-7272 - Fax: 805-653-7535
93 S. Chestnut Street
Ventura, CA 93001

Westside/Southbay

310-314-1200 - Fax: 310-450-4675
1717 Fourth Street, Suite 100
Santa Monica, CA 90401



For assistance in delivering a shipment after business hours (9am-5pm) please contact the **Security Office at 213-237-4475** to make arrangements.

Note: Please call for contact person before sending a fax and always indicate the name of the recipient on the fax.

Digital Ad Services

www.latimes.com/ads/dasweb


Specifications Online:

www.latimes.com/extras/ads/pdf/ProductionGuide.pdf

If you have any questions or need further information, please contact:

ADSEND	800-823-7363
ADVERTISING OPERATIONS	213-237-5000
AD TRANSIT.COM	800-254-6533
DIGITAL PREPRESS	213 237-6960
DIGITAL ADVERTISING SERVICES	213-237-6908
LOS ANGELES TIMES MAGAZINE	213-237-3522
PRINT QUALITY SERVICES	213-237-5353
TV TIMES	213-237-3541
WAM!NET	800-611-9006
LATIMES.COM	www.latimes.com

Fall/2003



99-CO-028

Los Angeles Times
www.latimes.com