Logbooking Software for Science

F.P. van der Meulen, 500713781, (tel)+31 6 17506168
Amsterdam, 2nd of March 2018
Amsterdam University of Applied Sciences
HBO-ICT, Game Development
C.J. Rijsenbrij
Software for Science
Marten Teitsma
February Semester, 2017-2018

May 15, 2018

F.P. van der Meulen, 500713781, (tel)+31 6 17506168
Amsterdam, 2nd of March 2018
Amsterdam University of Applied Sciences
HBO-ICT, Game Development
C.J. Rijsenbrij
Software for Science
Marten Teitsma
February Semester, 2017-2018

Contents

| 1 | Pref | Face Tace | 5 |
|----|-------|--------------------------------|----------|
| 2 | Abst | traction | 5 |
| 3 | Intro | oduction | 6 |
| 4 | Tech | nniques | 8 |
| | 4.1 | Javascript | 8 |
| | 4.2 | AliceO2/WebUi framework | 8 |
| | 4.3 | Postgresql | 8 |
| | 4.4 | Mocha | 8 |
| | 4.5 | Sublime text 3 | 8 |
| | 4.6 | Lucichart | 8 |
| | 4.7 | Scrum | 8 |
| 5 | Met | hods | 9 |
| | 5.1 | Database | 10 |
| | 5.2 | Req analysis | 12 |
| | | 5.2.1 Entries | 13 |
| | | 5.2.2 Reports | 14 |
| | | 5.2.3 Email | 14 |
| | | 5.2.4 Roles and Authentication | 15 |
| | 5.3 | Consequences | 16 |
| | | 5.3.1 Sprint one | 18 |
| | | 5.3.2 Sprint two | 18 |
| | | 5.3.3 Sprint three | 19 |
| | | 5.3.4 Sprint four | 19 |
| | 5.4 | Prototype | 20 |
| 6 | Resu | ults | 21 |
| 7 | Con | clusion | 22 |
| 8 | Reco | ommendations | 23 |
| 9 | Glos | ssary | 24 |
| 10 | Reso | ource List | 25 |
| 11 | Atta | nchments | 26 |
| | 11.1 | Interview transscript | 26 32 |

| 11.3 | Entries | 3 |
|-------|--------------------------|---|
| | 1.3.1 Forum | 3 |
| | 1.3.2 View | 3 |
| | 1.3.3 Search | 4 |
| | 1.3.4 Creation | 5 |
| | 1.3.5 Files | 6 |
| | 1.3.6 Flags | 7 |
| | 1.3.7 Data Extraction | 7 |
| 11.4 | Reports | 8 |
| 11.5 | Email | 9 |
| 11.6 | Roles and Authentication | 0 |
| 11.7 | View with Dash boards | 1 |
| 11.8 | Statistics | 2 |
| 11.9 | Run | 2 |
| 11.10 | Announcements | 3 |
| 11.11 | Other | 3 |

1 Preface

2 Abstraction

The abstraction of the report.

3 Introduction

This is a student thesis from the Amsterdam University of Applied Sciences from the HBO-ICT-Game Development study course. This student thesis is made for the organization Software for Sciences.

Software for Science is an organization, at the moment lead by Dr. Marten Teitsma, that combines software with science. The organization works with Astron, eScience center and CERN to create software for their scientific experiments.[?]

Conseil Europen pour la Recherche Nuclaire, CERN, is a science research center in Geneve, focused on researching nuclear energy. This happens mostly with particle research, e.g., shooting particles against each other in order to find out what energy comes free from one of those runs. CERN achieves this with the help of particle colliders. One of those particle colliders is ALICE.

ALICE, A Large Ion Collider Experiment, has its own bookkeeping system. This system makes sure that the runs ALICE makes are recorded into the bookkeeping system so that researchers, collaborators and other people can look back upon the runs.

At the moment, ALICE is under maintenance. During the maintenance, subsystems and parts of ALICE are being renewed. Before the maintenance started, the request for a new bookkeeping system was made. There are three reasons for a new bookkeeping system with first reason is that the new system must combine the bookkeeping system with AliMonitor, a monitoring system. The second reason is that there are multiple desired functions that are not added to the current system, such as automated report making with the help of a template(at the moment, the shifter that has to make a report copies the previous report(bron interview transcriptie). The third reason is that most of the technologies and frameworks used to develop the system is outdated due to the fact that development started around 2009. From 2009 until now, new features were added to the system and new tables were created in the database. This caused that the structure of the code is not organized, the database structure was not efficient in handling requests from the client.

Software for Science is planning to deliver the new bookkeeping system in January. At first, they plan to show a prototype of the bookkeeping system in June to CERN workers that are involved with the creation of the prototype. After the prototype, Software for Science hosts a summer school in which interested people can work on expanding the prototype and start on creating new features. Finally, at September of 2018, a semester at the University of Applied Sciences will be held in order to create the final product. Due to the size of the project, the little amount of time available for the development, and the many wishes from CERN, considerations for the prototype must be made. This brings the following main research question:

Which requirements can be implemented into the logbook system for ALICE?

In order to make a prototype for the new bookkeeping system, the back-end and the front-end are separated from each other. This was done due to the fact that the scope of

the project would become to big. Another reason was that the front-end and back-end of the application will run differently. While the back-end will run on a server, the front-end must run on every computer at CERN. This thesis handles the back-end of the new bookkeeping system. The front-end will be developed by Naomi Nazar.

This thesis is split into four parts. Every part resembles a sub research question. An explanation why these sub research questions are important and how they could help solving the main research question can be found later in the thesis. The sub research questions are as followed:

- 1. What database would fit the prototype?
- 2. Which requirements are important for the logbook system for ALICE?
- 3. What are the consequences for the development process of the prototype based upon the important requirements and the database choices?
- 4. How can the prototype be developed?

4 Techniques

This chapter will talk about the techniques used to create the prototype. These techniques vary from software frameworks to programming languages to tools used to complete the research.

4.1 JavaScript

The main programming language for this research is Node JavaScript. Node JavaScript is a hard set requirement, e.g. the project must use JavaScript on the back and the front end side of the application. The version of Node that is used is version 9.4.0.

4.2 AliceO2/WebUi framework

The preference of CERN is to use CERN's own developed frameworks as much as it is possible to do so. The WebUi framework is a framework to handle HTTP requests made by the client, in this case, the front-end. The base of this framework is the ExpressJs framework.

The ExpressJs(BRON) framework is a lightweight framework for handling HTTP calls. CERN has expanded this framework with features such as Json Web token support, debug logger systems and support for CERN's own authentication system, SAMS. SAMS will be used later in the application as the main authentication method. The API however, has not been made public yet due to security reasons.

4.3 Postgresql

The main database that will be used for the prototype is a Postgres database (BRON). Postgresql is chosen as the main database because after research and performance tests, this database architecture was the best. This research can be found later in the thesis.

4.4 Mocha

The testing framework that has been chosen is the Mocha(BRON) testing framework. It is important that the entire application is tested. For instance, whenever a new feature is added to the prototype, it is important that the older features are still working as intended. With using tests, this can be prevented and

4.5 Sublime text 3

The development environment for developing the prototype is Sublime Text 3 (BRON).

4.6 Lucichart

Lucichart(BRON is used for the creation of the Entity Relation Diagram's and the Unified Modelling Language Diagrams.

4.7 Scrum

Scrum(BRON) is the


5 Methods


This chapter discusses the methods used to solve the research questions. The four research questions that were earlier created will be discussed and further explored. At first, the method on how to complete the research questions will be explained, then the outcome of the use of those methods will be discussed and finally a conclusion will be given to the research questions.

5.1 Database

In this section, different kinds of databases will be compared with each other in order to find out which database would be the best choice for the logbook prototype.

The REST-API will make use of the SAMS authentication API created by CERN. However, this API is not made available yet for the back-end of the bookkeeping system prototype. To still being able to work with users, the database scheme(bron) technique will be used. With the help of this technique, the database can be 'split' into two different databases. This will not affect the later implementation of the SAMS API. What is also important, is the design of the database. The database design will be created with the help of an Entity Relation Diagram(bron). This diagram displays all the entities that are in the database and shows the relation between different entities. Due to 'splitting' the database, two different ERD's will be shown. These ERD's were made with the Lucichart program and were created based upon a global overview of the requirements





These Entity Relationship Diagrams are not yet completed. The reason for this has to do with the continued development of the back end. The design is not final, this will be decided later in the development process.

The main criteria for choosing the database is that the database needs to be open-source. Since the bookkeeping prototype is open-source, using a database that isn't open-source would make the prototype not open-source any more. To find out which database is the best for the prototype, tests will be made to test the different kind of databases. The tests will involve the log entry table, due to the fact that this table will be the most important table of the back end.

The databases will be test on two different aspects. The first aspect is retrieving information. The front end will do a lot of get http-requests in order to display the information. The database should be able to retrieve these requirements fast enough to prevent loading times in the database. The second aspect that will be tested will be the post-requests. All the log entries need to be stored in the database and it is again important that this happens fast enough. Within these two aspects different sizes will be tested: one, ten, 100 and 1000. The results of the test can be found below:

Tabel met de resultaten

5.2 Req analysis

This section of the thesis will discuss the requirements analysis. There are over 120 requirements created by CERN. It is impossible to use every requirement in the prototype, due to scale of the requirements and due to time constraints that are set. An analysis is needed in order to check which requirements are necessary to add to the prototype and which requirements can be left out.

Inside the requirement document were some vague terms that weren't explained. The terms were follow-ups, on call intervention, announcements, and an EOS report. These vague terms would create confusion when prioritizing the requirements. And that could cause that important features could be skipped.

To solve the vague requirements and unknown wishes, a former shifter by the name of Pascal Buschoten has been interviewed. The full transcript can be found in the attachments. The interview with Pascal clarified a couple of terms like the on call intervention and the end of shift reports with templates. On call Interventions are emergency issues with a detector, a particle collider or another system that need to be solved as soon as possible. These issues need to be fixed within a very short amount of time. Currently, there is not a formal template available for the E.O.S. reports and because of that, all the reports do not follow the same structure. With a template, it is better to evaluate all the E.O.S. reports).

A criteria for the prototype was given by Dr. Teitsma. This criteria was that all the requirements related to the Subsystem Run Coordinator must be added to the prototype. This criteria was crucial for the requirement analysis.

During a meeting at the ninth of may, one of the developers from CERN, Vasco Chibante Barroso, stated that he prefers that the prototype would focus more on the features instead of the roles and the authentication. This complicates the planning of the new features for the prototype. Therefore, there will be a focus on both the features wish from CERN and a focus on the Sub System Run Coordinator from Dr. Teitsma.

The technique that will be used is the Analytic Hierarchy Process technique. (bron van pakistaanse artikel die dit voor het eerst beschrijft). "In A.H.P., initially whole requirements are recognized and then criteria under which these requirements will be preferred. In A.H.P. we pair wise analysing between the probable pairs of the hierarchy. Now users can recognize the possible relationship between the hierarchies. We then pair wise analyse them and users can select its preferences from the scale which ranges from 1 to 9." (Javed Ali Khan, Izaz Ur Rehman, Yawar Hayat Khan, Iftikhar Javed Khan, Salman Rash, 2015). One of the main advantages of using this technique is that ""(Bron pakistaanse artikel). The second software requirements analysis technique that will be used for the software is the Hierarchy Analytic Hierarchy Process technique (bron van artikel die dit voor het eerst beschrijft). H.A.H.P. is a technique that creates so called planes of requirements in order to simplify the requirement analysis process. A plane is a group of requirements that are grouped together if they share a similarity. These planes can, for example, align to a user of the system or a feature that will be implemented into the final product. For this requirement analysis, the planes will consists of features since this will be more important for the prototype than the users themself.

Lastly, time will be an important factor for the requirement analysis. The time will be estimated using the story points technique. This technique consists of giving points to requirements in order to organize the effort and scale of a requirement. The range of these points are: zero, zero point five, one, two, three, five, eight, thirteen, 20, 40 and 100.

Applying the chosen techniques to the requirements document results in tables with prioritized requirements with scrum points given to the requirements. The requirements are grouped by feature so that it is easier to read. There were numerous requirements that were double. In cases like these, the requirements were the same, but, the requirements were assigned to different roles. These requirements are grouped together to prevent duplicity.

The four most important features will be given and explained due to the amount of requirements. The complete requirements table can be found as an attachment.

5.2.1 Entries

These requirements are about the different kind of entries into the system(log entries, on call interventions, run entries etc.). This feature sits at the core of the to be delivered product and therefore has the most requirements attached to it. Due to the amount of requirements that are related to the entries, this section is divided into different sections for readability.

| Role | User Story | Priority | Time |
|------------------|--|----------|------|
| Shifter | A shifter makes an entry into the database con- | 9 | 8 |
| | sisting of several items. Each entry records the | | |
| | following items: time of creation, which class the | | |
| | creator originates: human, type of entry, general, | | |
| | EOS, DCS, number of run, author of the entry, | | |
| | title of the entry, log entry, follow ups, files and | | |
| | actions | | |
| User | As a user, I want to search log entries by differ- | 9 | 8 |
| | ent criteria (e.g. title, content, author, creation | | |
| | date,() and have the results listed. | | |
| Run coordinator, | As run coordinator, S.R.C., S.T.C. or as Shifter, | 8 | 8 |
| S.R.C. , S.T.C. | I may need to attach files to log entries. These | | |
| and Shifter | files may contain text or binary information | | |
| | (PNGs, JPGs etc.) (Roberto Divia). | | |
| Subsystem expert | As a subsystem expert, I want to attach quality | 8 | 8 |
| | flags to runs so that physicists can use them while | | |
| | searching for good data sets for their analysis | | |
| | (Vasco Chibante Barroso). | | |

5.2.2 Reports

A requested feature in the new final product was the automatic creation of reports and templates. This is not available in the current product, therefore, there are a couple of requirements referencing towards the creation of templates and reports.

| Role | User Story | Priority | Time |
|---------------|---|----------|------|
| Subsystem Run | As a SRC I would like to be able to create my | 8 | 20 |
| Coordinator | own detector specific templates for example On- | | |
| | Call interventions. In this case I can specify | | |
| | the relevant information which are required from | | |
| | the OnCall shifter for different kind of standard | | |
| | events (Robert Munzer). | | |
| Shifter | As a shifter, I want to have templates that prefill | 2 | 13 |
| | most of my end-of-shift reports from the available | | |
| | metadata so that I dont need to fill inmyself | | |
| | what the system already knows (Vasco Chibante | | |
| | Barroso). | | |

5.2.3 Email

Sending emails is available in the current system, however, the current way the emails are send are send in a spam related way, e.g., a shifter receives an email if another shifter makes an entry from another subsystem. Therefore, the email system needs to be optimized and it should be designed in a way that will not be annoying to the user. The reason that this is of more importance, is that it is easy to adjust the way the emails are send, how the emails look like and who receives an email. Therefore, with adding it to the prototype, it will be easier to adjust it to the wishes of the users.

| Role | User Story | Priority | Time |
|---------------|---|----------|------|
| ALICE member | As an ALICE member, I would like to receive | 8 | 20 |
| | via email a global summary of each LHC Fill in | | |
| | order to follow ALICE operations without vis- | | |
| | iting the bookkeeping tools. Currently in the | | |
| | ALICE logbook, I like that I receive via email a | | |
| | document with info on efficiency and EOR Rea- | | |
| | sons and that on the body of the email there is a | | |
| | summary for each fill (Vasco Chibante Barroso). | | |
| Subsystem Run | As a subsystem responsible, I want to be noti- | 8 | 13 |
| Coordinator | fied by email (or other channels) of log entries | | |
| | which are related with my subsystem so that I | | |
| | can better follow-up activities without having to | | |
| | constantly visit the product, e.g. EOS report | | |
| | (Robert Munzer) (Vasco Chibante Barroso). | | |

| Run coordinator | As run coordinator I may request to receive auto- | 6 | 13 |
|-----------------|--|---|----|
| | matic e-mails concerning all Logbook entries that | | |
| | include all systems (either without distinction or | | |
| | using special selection criterias). The e-mail de- | | |
| | livery address will probably be an e-group (single | | |
| | e-mail address ¡¿@cern.ch)(Roberto Divia). | | |

5.2.4 Roles and Authentication

There are different kinds of roles and users in the bookkeeping system. It is possible that a user is assigned to multiple subsystems with different roles. Only certain roles can move in and out of subsystems. Since the different roles play an important part in the bookkeeping system, it is mandatory to have them in the prototype.

| Role | User Story | Piority | Time |
|----------------|--|---------|------|
| User | As a user, I want to be able to login with my | 9 | 13 |
| | CERN credentials to avoid having to remember | | |
| | a new set of credentials. This should be done by | | |
| | using the CERN authentication method. | | |
| Run cordina- | As run cordinator, SRC or Admin, I must be | 9 | 13 |
| tor, SRC and | able to move collaborators to and out of subsys- | | |
| Administrator | tem teams. These action may be conflict the | | |
| | information stored in SAMS (Roberto Divia). | | |
| Run cordinator | As run cordinator or SRC I need to give ALICE | 6 | 13 |
| and SRC | collaborators write or read-only access to the | | |
| | logbook. These rights will be superseeded by | | |
| | equivalent rights given according to the function | | |
| | of the user (e.g. a ALICE collaborator with read- | | |
| | only access will be given write access during the | | |
| | time of his/her duties as a shifter, subsystem run | | |
| | cordinator or system team member) (Roberto | | |
| | Divia). | | |
| | | | |

5.3 Consequences

This section of the thesis will be about the consequences for the development of the prototype after the prioritization of the requirements and the database choice. The wishes of the front-end(being developed by Naomi Nazar) will be taken in account as well, due to the reason that Naomi has to decide what she wants to show for the prototype on the front-end side.

To help the development of the prototype, agile techniques will be used in order to plan and organize the development process. The technique that will be used for the development of the prototype will be the SCRUM(bron) technique. At the prioritization of the requirements, a time measurement was given. The time measurement was important, because with the times estimated, it will be possible to create sprints. A sprint is a set time in which a development team works to fulfil the requirements. The length of a sprint varies from one day till two weeks. The recommended length for a sprint is one week, therefore, this length will be chosen. Every requirement that was estimated had a time measurement in story points given. The amount of story points a developer can work on in a week varies. Since the story points are estimated, it will be hard to say how much story points a developer can take in a week. For the prototype, a maximum of 40 story points per sprints will be chosen.

The front-end and the back-end were asked to come up with features that they think should be added to the prototype. Both the front-end and the back-end used the prioritized requirements as a start, then looked at the amount of time needed to complete the requirements. These are the requirements that have chosen to be added to the prototype.

| Role | User Story | Priority | Time |
|------------------|--|----------|------|
| Run coordinator, | As run coordinator, SRC, STC or as Shifter, I | 8 | 8 |
| SRC, STC and | may need to attach files to log entries. These files | | |
| Shifter | may contain text or binary information (PNGs, | | |
| | JPGs etc) (Roberto Divia). | | |
| Shifter | As a shifter, I want to have templates that prefill | 8 | 13 |
| | most of my end-of-shift reports from the available | | |
| | metadata so that I dont need to fill in myself | | |
| | what the system already knows (Vasco Chibante | | |
| | Barroso). | | |
| Subsystem expert | As a subsystem expert, I want to attach quality | 8 | 8 |
| | flags to runs so that physicists can use them while | | |
| | searching for good data sets for their analysis | | |
| | (Vasco Chibante Barroso). | | |
| User | As a user, I want to search log entries by differ- | 9 | 8 |
| | ent criteria (e.g. title, content, author, creation | | |
| | date,() and have the results listed. | | |

| Run coordinator | As run coordinator, I want to attach tags to | 4 | 8 |
|------------------|--|---|----|
| | runs so that I can then use them while searching | | |
| | (Vasco Chibante Barroso). | | |
| User | As a user, I want to list all runs that match a | 8 | 8 |
| | given criteria to create my own run set. | | |
| Subsystem Run | As a subsystem responsible, I want to be noti- | 8 | 13 |
| Coordinator | fied by email (or other channels) of log entries | | |
| | which are related with my subsystem so that I | | |
| | can better follow-up activities without having to | | |
| | constantly visit the product, e.g. EOS report | | |
| | (Robert Munzer) (Vasco Chibante Barroso). | | |
| SRC | As subsystem run coordinator I may request to | 8 | 13 |
| | receive automatic emails concerning all Logbook | | |
| | entries that include the System I am working | | |
| | for (either without distinction or using special | | |
| | selection criterias). The e-mail delivery address | | |
| | will probably be an e-group (single e-mail address | | |
| | j;@cern.ch) (Roberto Divia). | | |
| Run coordinator, | As run coordinator, S.R.C. or Admin, I must | 9 | 13 |
| SRC and Admin- | be able to move collaborators to and out of sub- | | |
| istrator | system teams. These action may be conflict the | | |
| | information stored in SAMS (Roberto Divia). | | |
| - | | | |

Not every requirement with a priority of eight or higher made the list. This is due to the requirement not fitting with the rest of the requirements or that the requirement takes too much time to complete. Another thing that should be notified, is that there is a requirement that has a low priority. This requirement was a wish from the CERN development team. Since this has something to do with the search fields that are going to be added, the front-end and the back-end has decided to add this to the prototype for CERN.

There is an additional requirement, however, this requirement is dependent on access of the SAMS API used by CERN. This has not been given at the moment of writing, therefore, this requirement will be added to the list of the other requirements once access to SAMS is available.

| Role | User Story | Piority | Time |
|------------------|--|---------|------|
| Run coordinator, | As run coordinator, S.R.C. or Admin, I must | 9 | 13 |
| S.R.C. and Ad- | be able to move collaborators to and out of sub- | | |
| ministrator | system teams. These action may be conflict the | | |
| | information stored in SAMS (Roberto Divia). | | |

With the chosen requirements, sprints can be created. With every sprint is an

explanation why the requirements were chosen for this sprint. There are a total of four sprints formulated. Every sprint will take a week to complete, as stated earlier.

5.3.1 Sprint one

The first sprint will be about wrapping up the requirements that were not implemented into the demo. Once these features are implemented, the implementation of the search features can start. These features are adding tags, flags, and the search bar to the front end. The back end needs to store the flags and tags, and is also required to handle all the search requests from the front end. This is chosen first, since this is a relative easy thing to implement into the prototype.

| Role | User Story |
|-----------------------|--|
| Run coordinator, SRC, | As run coordinator, SRC, STC or as Shifter, I may need to |
| STC and Shifter | attach files to log entries. These files may contain text or |
| | binary information (PNGs, JPGs etc) (Roberto Divia). |
| Shifter | As a shifter, I want to have templates that prefill most of |
| | my end-of-shift reports from the available metadata so that |
| | I don't need to fill inmyself what the system already knows |
| | (Vasco Chibante Barroso). |
| User | As a user, I want to list all runs that match a given criteria |
| | to create my own run set. |

5.3.2 Sprint two

The second sprint is the start of the implementation of the automated templates. This is a new feature, so it will be important for the prototype that this feature is fully functional. There will be a focus on the front and the back end of the system. The front end will display the templates and the back end will store the entries and the templates. The earlier that this is implemented, the better. The remaining user stories from the first sprint will be taken into account.

| Role | User Story |
|------------------|--|
| Run coordinator | As run coordinator, I want to attach tags to runs so that I |
| | can then use them while searching (Vasco Chibante Barroso). |
| User | As a user, I want to list all runs that match a given criteria |
| | to create my own run set. |
| Subsystem expert | As a subsystem expert, I want to attach quality flags to runs |
| | so that physicists can use them while searching for good data |
| | sets for their analysis (Vasco Chibante Barroso). |

5.3.3 Sprint three

The third sprint will be about implementing the email related features into the prototype. There was a lot of negative feedback on the current way the system handles the emails, so with placing this in the third sprint, there is still some time to implement feedback related to the email. The reason why this is pushed back to the third sprint, is that it is still debatable at the moment on how to handle the way the emails are send. This gives more time to look at the architecture of the emails. The remaining user stories from the previous sprint will be taken into account.

| Role | User Story | |
|-----------------------|--|--|
| Subsystem Run Coordi- | As a subsystem responsible, I want to be notified by email | |
| nator | (or other channels) of log entries which are related with my | |
| | subsystem so that I can better follow-up activities without | |
| | having to constantly visit the product, e.g. EOS report | |
| | (Robert Munzer) (Vasco Chibante Barroso). | |
| SRC | As subsystem run coordinator I may request to receive auto- | |
| | matic emails concerning all Logbook entries that include the | |
| | System I am working for (either without distinction or using | |
| | special selection criterias). The e-mail delivery address will | |
| | probably be an e-group (single e-mail address ¡;@cern.ch) | |
| | (Roberto Divia). | |

5.3.4 Sprint four

The final sprint will only implement that the SRS can drag shifters in and out of the subsystem. The reason for this, is that the back end and the front end can work on fixing bugs and completing the remaining user stories.

| Role | User Story |
|----------------------|---|
| Run coordinator, SRC | As run coordinator, S.R.C. or Admin, I must be able to move |
| and Administrator | collaborators to and out of subsystem teams. These action |
| | may be conflict the information stored in SAMS (Roberto |
| | Divia). |

5.4 Prototype

This section of the thesis will talk about the development process of the prototype.

6 Results

This section of the report will discuss the results, which are in this case the prototype. An U.M.L. diagram of the final prototype will be shown, as well code examples of the prototype.

Conclusion

Concluding the report with a conclusion.

8 Recommendations

Recommendations for future use of the electronic bookkeeping system.

9 Glossary

This section of the report will explain terms that will be used during the report.

References

10 Attachments

10.1 Interview transscript

Transscript Interview

Frederick van der Meulen April 21, 2018

1 Overview

To gain more in-dept information regarding some requirements, Pascal Buschoten, a former shifter, has been interviewed.

2 Interview questions + answers

The interview is split into three parts; common, front-end and back-end related questions. The common questions are about features or rquiremeths that aren't clear for the front-end and the back-end. The front-end questions are about the front-end and finally the back-end questions are about the back-end of the new logbooking system.

Pascal is answering all the questions. Sometimes during the interview, Heiko and Dr. Marten stepped in to expand the answer. They're answers and comments are given into the answers of the research questions.

2.1 Common questions

Do you have any objections if this interview is recorded? The record will only be used to write the full answers down as s source for the thesis? I do not have any objections that this interview is recorded.

Can you introduce yourself and tell what you have done for CERN? I'm Pascal Buschoten and, for my graduation project, I've spend one year working at CERN. I've worked at a prototype for data process algorithmes for the upgrade of OSquare. That was mainly aimed at the TPC, Time Projection Chamber, that is the biggest detector of CERN. The data that comes free from that detector contains a lot of noise, for example, particles that make signals that are not usefull. I've tried to remove this noise from the data. After that, I've stayed there for two years as a trainee and I've worked a lot with drivers for the PCI-Express Reroute cards, cards that read out the data from the cables that are connected to the detectors. That was a big task, because the drivers needed to be developed, maintained and a lot of new requirements we're added to the system. My second task was evaluating a database for the process-configuration, that is all the processes that are running on the OSquare farm. At the start-up of the processes, they need to gain parameters, and it happends often in one big burst at the start of a run. I've looked at a couple of back-end systems to look at which back-end fitted the most for this process. I've also written an interface for this system. And that's what I've done during my time at CERN.

This interview is divided into three parts: some common questions regarding concepts that are not clear to us(Naomi and Frederick red.) so that we gain insight into them. Is this clear for you? Yes.

During reading the requirements for the new logbooking system, the term

follow-ups are reguarly mentioned. Do you know what they mean with this? I've got a vague guess, but I'm not sure. Perhaps they mean that, when they have an on call intervention, then they write down what's next to do or what the other problems could be? I'm not sure.

One of the posibilities for the new system is the functionallity to add files to log entries. What kind of files are added? Are these text based files or special files related to ALICE? I think that these are text based files, such as logs, and maybe crash-dumps, but generally, if you want to give more information, you write it down into a bug report.

There are announcements in the current system. What are these announcements and who creates these announcements? Can you show these announcements (asked to Heiko van der Heijden)? I don't know exactly what this means. Is this into the current system? (Heiko shows the announcements). I have no idea what this means.

What are on call interventions? Who can make these and how many times do they appear I've done on calls when I was in the DAC(Data Aquisition Chain) team, and everone in the team is responsible or maintains a piece of software in the DAC. On every moment, someone need to be accesible when problems arise that the shifters cannot solve in the control room. So the team has divided that every member must take a sum of days in a year to be on call duty. When your are on call duty, you have a CERN phone with you and if there's a problem, you will be called. Once your called, you must run to a terminal and log in remotely and look if you can solve the problem. Usually, you look at logs, and if you can't solve this, then you call the specialist on that area. For example, if there's something wrong with the logbook, you call Vasco, the specialist on that area. There are levels of perparedness. So when there is an important period of runs, then you must be reachable in a very small amount of time and being able to perform an intervention. (Frederick): To sum it up, On call interventions are interventions that cannot be created by shifters, and they only happen when there are problems with the system, then you need to solve the problems, and if you cannot solve them, then you need to call a specialist. Did I understood it correctly? (Pascal): yes, a shift leader can say, for instance that you need to call that person. (Naomi): does a on call intervention get added to a log? (Pascal): Every 24 hours, an on caller must make a log entry, and there you give a summary on what you have done. But i'ts not attached to one specific run. It's usually on multiple runs. (Dr. Marten): Every run can take 2 minutes, 2 hours or 0 seconds. (Pascal): That happends sometime (Dr. Marten): Why does that happen actually? (Pascal): Wrong configuration usually. (Dr. Marten): But how is it possible that that can start? (Pascal): It's not litterally zero seconds, but it is possible that something can go wrong in a short amount of time. It doesn't happen that often though.

The requirements refer to a template for making an EOS report. How does a template look like and what is a EOS report? I've been told to look at the previous report and that's your template. I don't know if there is a formal template. More like this is the structure of the report you need to use. (Heiko): It is a wish from Roberto(one of the product owners at CERN red.), becaouse everyone has their own way of writing down things. (Pascal): I can imagine that. (Dr. Marten): It is also Robert's wish. Once every while they look at the logs to look why their machine is not working well. When everyone is just writing down stuff and use different terms for the same thing, then it's very difficult to check the reports. You can't do search and find due to the different terms. So that's why CERN says that it maybe be usefull to use a template. The other problem is that, if everything becomes a template, then its click click and there issues could arise aswell. So, we need to look at how we can create this.(Frederick): But there are not standard thing you need to fill in such as your name, to keep things simple or a description of your shift? (Pascal): Not in the way of a form, but you write down the time and a summary on what you did and how you fixed it?

One of the wishes for the new system is a forum like environment. This forum idea consists of leaving comments after entries. How do you envision this? I think that you need to keep it as a simple forum. You can place a comment under every log. You don't need threads and other difficult stuff as if people want to have a discussion, they can do that either in e-mail, Slack or personal. (Frederick): So the forum is just to say something small? (Pascal): Yes

Are logs only created on location at CERN or can this be made at a different location? These logs can be made everywhere. When you do an on call, you do not sit ever time at the headquarters of CERN. It 24 hours, so there is not a formal time you need to make the report. Not anymore though. In the past, there was not a formal time, but now there is every day a meeting with Roberto, so the report needs to be made before the meeting.

2.2 Front-end related questions

To gain some insight into the front-end, I(Naomi red.) was wondering what you think about the current front-end of the logbooking system and what you liked and disliked about them What I liked about the system is that it works, there are a lot of search options, you can search very specifically on issues What I didn't like about the system is that it's a bit old fashioned and a bit slow. (Frederick): What do you mean about old-fashioned? Does it feel old-fashioned, does it look old-fashioned? (Pascal): Yes, those two options that you mentioned and to be specific it doesn't work very well on smart phones. It would be fine if it was possible on a mobile phone.

What kind of colour scheme would you like to see on the new logbooking

system and what did you think about the current white system? The white looks a bit boring, and there could be some improvements. The people at CERN are tolerable with thing that don't look posh, but they prefer it. (Frederick): Can you give us some colour examples? For example no use of yellow? (Pascal): I would prefer it if you could add the colours of ALICE into the design. Just the highlights would be enough.

How does a big screen view look like and what does it mean? That's about the control room! I'm not sure if you saw some pictures about the control room? Everyone sits in a glass box and people sit in front of a couple of computer screens and at the top of those screens there are big televisions that shows the important information. (Heiko shows a Googled pictured of the control room)(Naomi): What kind of information is shown on those big screens? (Pascal): For example, the status of the detectors, it depends on the piorities. Some graphs. (Heiko): The information is more like Teletekst. (Naomi): And everyone sees that? (Pascal): yes. (Frederick): To come back to the graphs, what kind of information do they show? (Pascal): I don't know but we need to talk specifically about every graph.

2.3 Back-end related questions

Can you tells us more about the OAuthentication used to log into CERN's products and how it exacly works? Are you talking on a technical level or al global level? (Frederick): On a technical level and on a global level? (Pascal): From the users side you can log into CERN's products, thats very nice. On a technical level, I don't know that much. (Frederick): So it's more like a token you receive to use CERN's products? (Pascal): yes

Can you tell us more about SAMS? My experience with SAMS as a on caller and as a shifter is that I use it to book my shifts. You need to do this early since the other shifters want to book their shifts depending on their vacation and the free days they have. At sams you can look at a kind of agenda and with that you can book your shifts. Sams can also be used to search for phonenumbers from shifters to reach somebody. Sams is also used for a big screen view, that sits into the coner of the control room. There, all the cellphone numbers are shown for the on callers.

10.2 Tables with pioritized requirements

10.3 Entries

| Role | User Story | Piority | Time |
|--------------|---|---------|------|
| Administrato | r Only administrator may be given the possibility | 1 | 8 |
| | to remove log entries (and I am not even sure | | |
| | about this) (Roberto Divia). | | |

10.3.1 Forum

| Role | User Story | Piority | Time |
|------|---|---------|------|
| User | As a user, I want to reply to existing log messages | 4 | 20 |
| | so that a conversation stays in a well-defined | | |
| | thread | | |
| User | People can create issues (Pierre vanden Vyvre) | 1 | 13 |

10.3.2 View

| Role | User Story | Piority | Time |
|------------|---|---------|------|
| User | As a user, I want to list log entries in a sum- | 8 | 8 |
| | mary view so that I can get an overview of what | | |
| | happened in a given period. | | |
| User | As a user, I want to list log entries in a detailed | 8 | 2 |
| | view so that I can read them one after the other. | | |
| User | As a user, I want to browse through all the | 4 | 5 |
| | available metadata associated with a given run | | |
| | to understand on which conditions the run was | | |
| | made. | | |
| Shifter | . As a shifter I want to view log entries. | 9 | 5 |
| Shifter | As a shifter I want to view on call interventions. | 4 | 5 |
| Run cordi- | As run coordinator, I want to specify acquisition | 5 | 8 |
| nator | targets for certain time periods and check how | | |
| | far we are in achieving them so that I can keep | | |
| | track of progress (Vasco Chibante Barroso). | | |
| SRC | As System Run Coordinator I need ways to in- | 2 | 13 |
| | terrogate all the runs where the System I am | | |
| | responsible for participated and to get access to | | |
| | individual run entries and to summary statistics | | |
| | (Roberto Divia). | | |

10.3.3 Search

| Role | User Story | Piority | Time |
|---|---|---------|------|
| User | As a user, I want to search log entries by different criteria (e.g. title, content, author, creation date,() and have the results listed. | 9 | 8 |
| User | As a user, I want to list all runs that match a given criteria to create my own run set. | 8 | 8 |
| User | As ALICE collaborator I need to check the details of any run: EOR reason, statistics, log entries (Roberto Divia). | 6 | 5 |
| Run cordi- nator | As run cordinator I may have to cross-reference log entries (e.g. by URL, by unique Reference ID, or by run number) (Roberto Divia). | 4 | 8 |
| Run cordinator, Shifter, SRC and STC | As run cordinator, Shifter, SRC and STC I may need to cross reference log entries or other logbook fields (e.g. run numbers, fill numbers etc) with whatever issue tracking system will be used by the ALICE collaboration (today: Jira). This association may also be done automatically by daemons(e.g. what is done today for EOR reasons and Jira tickets) (Roberto Divia). | 2 | 8 |
| Subsystem expert | As a subsystem expert, I want to store custom fields that are only relevant to my subsystem so that I can correlate them with the rest of the metadata repository (e.g. fetch all runs with configuration X where this happened to my detector) (Vasco Chibante Barroso). | 1 | 4 |
| ECS / DAQ and SRC | As ECS/DAQ System Run Coordinator I need a way to access information of runs matching a selection criteria I specify (timestamps, run numbers, run types, included detectors etc). Navigation between runs must be easy and quick. The target is to check the global runs (production and tests) for quality and errors (Roberto Divia). | 2 | 8 |
| SRC and System Team Mem- ber | As subsystem run cordinator I may have to cross- reference log entries (e.g. by URL, by unique Reference ID, or by run number) (Roberto Di- via). | 4 | 5 |
| CERN Administrator Officer | As CERN administration officer I need to check all the on-call intervention records issued by CERN personnel (use case to be cross-checked with EP-AID-DA management) (Roberto Divia). | 1 | 13 |

| Developer | As a developer, I want to programmatically fetch | 1 | 8 |
|-----------|---|---|---|
| | log entries that match a given criteria so that I | | |
| | can build custom logic or applications based on | | |
| | existing data (Vasco Chibante Barroso). | | |

10.3.4 Creation

| Role | User Story | Piority | Time |
|------------|---|---------|------|
| User | As a user, I want to have a smart editor to create | 4 | 8 |
| | my log entries (WYSIWYG or Markup) and be | | |
| | able to use smart text so that messages look nice | | |
| | (e.g. links, code,) | | |
| User | As a user, I want to be able to save search criteria | 1 | 8 |
| | for later use so that I dont lose time defining them | | |
| | at each visit. | | |
| Shifter | A shifter makes an entry into the database con- | 9 | 8 |
| | sisting of several items. Each entry records the | | |
| | following items: time of creation, which class the | | |
| | creator originates: human, type of entry, general, | | |
| | EOS, DCS, number of run, author of the entry, | | |
| | title of the entry, log entry, follow ups, files and | | |
| | actions | | |
| Shifter | As a shifter I want to be able to create log entries. | 9 | 8 |
| Shifter | As shifter I have to create log entries concerning | 8 | 5 |
| | any system (alone or in combination) (Roberto | | |
| | Divia). | | |
| Run cordi- | As run cordinator I have to create Logbook | 1 | 8 |
| nator | entries that cover almost all the Systems (e.g. | | |
| | global announcements or minutes) (Roberto Di- | | |
| | via). | | |
| Run cordi- | As run cordinator, subsystem run cordinator, | 4 | 8 |
| nator, SRC | system team member I have to create log entries | | |
| and STC | concerning any system (alone or in combination) | | |
| | (Roberto Divia). | | |

| On Call Ex- | A person who is called for a specific intervention | 2 | 8 |
|-------------|---|---|---|
| pert | makes an entry into the log system consisting | | |
| | of the following items; time of creation, author, | | |
| | type of intervention; remote, onsite, title of entry, | | |
| | log entry | | |
| Gas Techni- | As a gas technician I want to create log entries | 4 | 3 |
| cian | when I delivered gas and other substances at | | |
| | Point 2. | | |
| Observer | As an observer I want to be able to look at the | 1 | 5 |
| | bookkeeping without the chance of adding or | | |
| | manipulating data. | | |

10.3.5 Files

| Role | User Story | Piority | Time |
|-------------|---|---------|------|
| User | As a user, I want to attach files to log entries so | 9 | 8 |
| | that I can add additional non-textual information | | |
| Run cordi- | As run cordinator, SRC, STC or as Shifter, I may | 8 | 8 |
| nator, SRC, | need to attach files to log entries. These files | | |
| STC and | may contain text or binary information (PNGs, | | |
| Shifter | JPGs etc) (Roberto Divia). | | |

10.3.6 Flags

| Role | User Story | Piority | Time |
|-------------|---|---------|------|
| Run cordi- | As run cordinator or administrator, I need to be | 2 | 8 |
| nator and | able to update the logbook information for what | | |
| Administra- | concerns subsystems, in particular the run qual- | | |
| tor | ity flag and the EOR reason(s). The question | | |
| | arises if subsystem run cordinators can update in- | | |
| | formation associated to other systems (e.g. EOR | | |
| | reasons) as it is the case today (Roberto Divia). | | |
| Subsystem | As a subsystem expert, I want to attach quality | 8 | 8 |
| expert | flags to runs so that physicists can use them while | | |
| | searching for good data sets for their analysis | | |
| | (Vasco Chibante Barroso). | | |

10.3.7 Data Extraction

| Role | User Story | Piority | Time |
|----------|--|---------|------|
| Detector | As a detector expert I would like be able to | 1 | 13 |
| Expert | extract run/fill information in a format, which | | |
| | allows easier analysis than txt files, e.g. root- | | |
| | files to be able to do specific statistical analysis | | |
| | (Robert Munzer). | | |
| SRC | As subsystem run cordinator I need to be able | 1 | 8 |
| | to update the logbook information for what con- | | |
| | cerns my system and other systems, in particu- | | |
| | lar the run quality flag and the EOR reason(s). | | |
| | The question arises if subsystem run cordinators | | |
| | can update information associated to other sys- | | |
| | tems (e.g. EOR reasons) as it is the case today | | |
| | (Roberto Divia). | | |

10.4 Reports

| Role | User Story | Piority | Time |
|------------|---|---------|------|
| ALICE col- | As ALICE collaborator I have to create statistics | 1 | 20 |
| laborator | reports such as number of runs, quantity of data, | | |
| | number of events, summaries by trigger classes | | |
| | etc These reports will use selection criterias I | | |
| | will specify such as time spans, active systems | | |
| | (e.g. only the runs including my particular sys- | | |
| | tem), run type etc | | |
| Shifter | As a shifter, I want to have templates that prefill | 2 | 13 |
| | most of my end-of-shift reports from the available | | |
| | metadata so that I dont need to fill inmyself | | |
| | what the system already knows (Vasco Chibante | | |
| | Barroso). | | |
| Shifter | As a Shifter, I would like to have templates that | 2 | 13 |
| | automatically compile and format the data avail- | | |
| | able in the system in order to write my end of | | |
| | shift report in a fast and uniform way. Currently | | |
| | in the ALICE logbook, I dont like that I need | | |
| | to compile all the information myself and that | | |
| | not all shifters use the same structure (Vasco | | |
| | Chibante Barroso). | | |
| Run cordi- | As run cordinator, I want shifters to use tem- | 1 | 13 |
| nator | plates so that it is easier and faster to read them | | |
| | (Vasco Chibante Barroso). | | |
| Subsystem | As a SRC I would like to be able to create my | 8 | 20 |
| Run Cordi- | own detector specific templates for example On- | | |
| nator | Call interventions. In this case I can specify | | |
| | the relevant information which are required from | | |
| | the OnCall shifter for different kind of standard | | |
| | events (Robert Munzer). | | |

10.5 Email

| Role | User Story | Piority | Time |
|------------|--|---------|------|
| ALICE | As an ALICE member, I would like to receive | 8 | 20 |
| member | via email a global summary of each LHC Fill in | | |
| | order to follow ALICE operations without vis- | | |
| | iting the bookkeeping tools. Currently in the | | |
| | ALICE logbook, I like that I receive via email a | | |
| | document with info on efficiency and EOR Rea- | | |
| | sons and that on the body of the email there is a | | |
| | summary for each fill (Vasco Chibante Barroso). | | |
| Run cordi- | As run cordinator I may request to receive auto- | 6 | 13 |
| nator | matic e-mails concerning all Logbook entries that | | |
| | include all systems (either without distinction or | | |
| | using special selection criterias). The e-mail de- | | |
| | livery address will probably be an e-group (single | | |
| | e-mail address ¡;@cern.ch)(Roberto Divia). | | |
| Subsystem | As a subsystem responsible, I want to be noti- | 8 | 13 |
| Run Cordi- | fied by email (or other channels) of log entries | | |
| nator | which are related with my subsystem so that I | | |
| | can better follow-up activities without having to | | |
| | constantly visit the product, e.g. EOS report | | |
| | (Robert Munzer) (Vasco Chibante Barroso). | | |
| SRC | As subsystem run cordinator I may request to | 8 | 13 |
| | receive automatic emails concerning all Logbook | | |
| | entries that include the System I am working | | |
| | for (either without distinction or using special | | |
| | selection criterias). The e-mail delivery address | | |
| | will probably be an e-group (single e-mail address | | |
| | j;@cern.ch) (Roberto Divia). | | |
| SRC | . The subsystem cordinator wants to be reported | 6 | 13 |
| | when something is going on with his system. He | | |
| | should not have to take action for himself to find | | |
| | out things (Robert Helmut Munzer). | | |

10.6 Roles and Authentication

| Role | User Story | Piority | Time |
|-------------|--|---------|------|
| User | As a user, I want to be able to login with my | 9 | 13 |
| | CERN credentials to avoid having to remember | | |
| | a new set of credentials. This should be done by | | |
| | using the CERN authentication method. | | |
| Run cordi- | As run cordinator, SRC or Admin, I must be | 9 | 13 |
| nator, SRC | able to move collaborators to and out of subsys- | | |
| and Admin- | tem teams. These action may be conflict the | | |
| istrator | information stored in SAMS (Roberto Divia). | | |
| Run cordi- | As run cordinator, SRC or Administrator, access | 4 | 8 |
| nator, SRC, | to Logbook actions restricted to my role should | | |
| Administra- | be granted without external interventions and | | |
| tor | for the time span of my duties (e.g. for shifters | | |
| | the shifts before and after mine, plus my own | | |
| | shift) (Roberto Divia). | | |
| Run cordi- | As run cordinator or SRC I need to give ALICE | 6 | 13 |
| nator and | collaborators write or read-only access to the | | |
| SRC | logbook. These rights will be superseeded by | | |
| | equivalent rights given according to the function | | |
| | of the user (e.g. a ALICE collaborator with read- | | |
| | only access will be given write access during the | | |
| | time of his/her duties as a shifter, subsystem run | | |
| | cordinator or system team member) (Roberto | | |
| | Divia). | | |

10.7 View with Dash boards

| Role | User Story | Piority | Time |
|----------------------|---|---------|------|
| User | As a user, I want to see in a dashboard the metadata associated with an LHC Fill so that I can have a global image of what happened during that LHC Fill. | 2 | 13 |
| User | As a user, I want to be able to customize dash- boards so that I only see the fields relevant to me. | 1 | 13 |
| User | As ALICE collaborator I may have to open multiple GUIs with independent selection criterias (e.g. one browser window for day-to-day work and a second browser window for statistics) (Roberto Divia). | 1 | 20 |
| ALICE collaborator | As ALICE collaborator I need to be able to access the Logbook on a run-per-run summary view (possibly using a selection criteria I specify) and on a log entry by log entry view (possibly using a selection criteria I specify) (Roberto Divia). | 1 | 13 |
| Shifter | As a shifter I want to view data about calibration of the detector. | 4 | 5 |
| Shifter | As a shifter I want to be able to have a big screen view. | 2 | 3 |
| Shifter | As a shifter I want to view data about the fill. | 1 | 5 |
| Physics Community | The Physics Board has several needs or questions: 1. To make the planning possible an overview of storage and processing power (CPU) is needed. 2. The use of resources per user to run jobs could be more detailed. 3. How much PB is available on disk for storage. 4. For MC-storage a fine grained but lacks an overview. 5. When I want to clean up, where do I have to look? 6. MC production requests. 7. Usage statistics (which data is popular?). 8. Sort out why a train takes a specific time to process. | 1 | 13 |
| Physics Community | Most data is replicated because a lot of people use the data. There are two views from the Physics Board: clean up, to know what could be cleaned up planning, when can this MC be run? | 1 | 13 |

| Adminis- | As an administrator, I want to have a dashboard | 1 | 13 |
|----------|--|---|----|
| trator | that gives me log- entry related analytics so that | | |
| | I follow the evolution of the repository (Vasco | | |
| | Chibante Barroso). | | |

10.8 Statistics

| Role | User Story | Piority | Time |
|------------|---|---------|------|
| Shifter | As a shifter I want to view some statistics of runs | 1 | 8 |
| | and other stuff. | | |
| Run cordi- | As run cordinator I need to gather statistics on | 1 | 13 |
| nator | the runs selected by using custom rules (times- | | |
| | tamps, run numbers, run types, included detec- | | |
| | tors etc). These statistics will include EOR | | |
| | reasons, per-detector and per-system summaries, | | |
| | error recovery (PARs) rates etc.(Roberto Divia) | | |
| Physics | Each week global and specific statistics about | 1 | 13 |
| Community | the system are needed CPU usage data storage | | |
| | etc. | | |

10.9 Run

| Role | User Story | Piority | Time |
|------------|--|---------|------|
| Run cordi- | As run cordinator, I want to attach tags to runs | 4 | 8 |
| nator | so that I can then use them while searching | | |
| | (Vasco Chibante Barroso). | | |
| Run cordi- | As run cordinator, I want to edit certain special- | 1 | 5 |
| nator | ized fields associated to a run (e.g. EOR Reason) | | |
| | so that I correct wrong information inserted by | | |
| | the O 2 software (Vasco Chibante Barroso). | | |
| Developer | As a developer, I want to programmatically fetch | 1 | 8 |
| | runs that match a given criteria so that I can | | |
| | build custom logic or applications based on ex- | | |
| | isting data (Vasco Chibante Barroso). | | |

10.10 Announcements

| Role | User Story | Piority | Time |
|----------|---|---------|------|
| Shifter | As a shifter I want to view announcements. | 4 | 5 |
| Adminis- | System administrators can create an announce- | 2 | 8 |
| trator | ment. This announce- ment consists of the fol- | | |
| | lowing items: time of creation, validity, duration | | |
| | of interruption of the system, author, title of the | | |
| | entry, log entry | | |

10.11 Other

| Role | User Story | Piority | Time |
|----------|---|---------|------|
| Managet | As a manager I want to know whether all the | 1 | 13 |
| | relevant people are involved with respect to an | | |
| | issue (Pierre vanden Vyvre). | | |
| Adminis- | As administrator I may request to replicate either | 1 | 20 |
| trator | selected portions or all of the Logbook data to ex- | | |
| | ternal sites and to provide adequate access tools | | |
| | to it (to facilitate read-only accesses) (Roberto | | |
| | Divia). | | |
| Adminis- | As an administrator I must be able to configure | 1 | 13 |
| trator | the system. | | |