

입문 게임 디자이너 12주 로드맵

근거 기반 실행 참고서

학습 판단 요약

12주 동안 주 8시간을 쓰며 작은 솔로 프로토타입으로 증거를 만든다.

- 후보 역할은 시스템 디자인과 콘텐츠 디자인이다.
- 현재 관심은 숙련 증거가 아니다.
- 관찰 전 결과를 주장하지 않는다.

근거: `request.json#/availableHoursPerWeek`

역할 후보와 증거 공백

역할 선택보다 먼저 각 역할이 요구하는 증거를 만든다.

구분	요구 증거
systems-design	Small combat-resource loop specification
content-design	Three-mission progression slice
gap-rules-edge-cases	Rules and exceptions sheet
gap-playtest-learning	Playtest decision log

근거: `result.json#/roleCandidates` · `result.json#/evidenceGaps`

12주 실행 리듬

학습 → 연습 → 피드백을 매주 반복한다.

주	학습	연습
1주	Core loop and player goal	Describe one loop and its decision points
2주	Rules and state transitions	Build a state table
3주	Exceptions and failure recovery	Add edge cases
4주	Data definitions	Create tunable data fields
5주	UI feedback	Map states to player-facing feedback
6주	Prototype scope	Implement one playable slice
7주	Playtest observation	Run one observed session
8주	Evidence-led iteration	Change one rule from evidence
9주	Alternative design	Compare two alternatives
10주	Implementation handoff	Package rules, data, and acceptance cases
11주	Portfolio evidence	Draft a decision-centered brief
12주	Retrospective and next gap	Publish the bounded artifact

근거: result.json#/weeks

첫 포트폴리오 브리프

A prototype player cannot predict recovery after spending a resource.

- Explicit recovery states will make risk understandable.
- One resource only
- Compare automatic and player-triggered recovery
- State-table acceptance cases plus three observed sessions
- 결과: 증거 대기. 세션 전 성과를 주장하지 않는다.

근거: `result.json#/firstPortfolioBrief`