

Google OAuth Setup Guide

From Project Creation to Client ID Issuance

A step-by-step walkthrough of the Google Cloud Console setup required to connect the YouTube Data API v3.



01 Creating a Google Project


02 Creating a Google Client ID


1 Creating a Google Project

A Google Project is required before you can obtain Google OAuth verification (a Client ID). Follow the steps below.


- 1 **Do you already have a Google Project?** — No.
- 2 You'll need to create a Google Project first in order to obtain Google OAuth verification (Client ID).
Open the link below and create a new project.

Create a Google Project → <https://console.cloud.google.com/projectcreate>





3 Your Google Project has been created.



TIP. Your project name and project ID can always be found later at the top of the Console dashboard.


2 Creating a Google Client ID

Once your Google Project is ready, the next step is to issue an OAuth Client ID.


1 Do you already have a Google Project? — Yes.

- 2 Go to the Create a Google Client page. You'll see "Application Types."


Create a Google Client → <https://console.cloud.google.com/auth/clients/create>




- 3 Open the "Application Types" dropdown and select "**Web applications.**"




- 4 Enter any name you like in the "Name" field.







- 5 Scroll down and you'll see **"Approved JavaScript origins"** and **"Approved redirect URI."** Enter **"https://humateck.com"** in each, then click the **"making"** button at the bottom.




- 6 Your Client ID and Client Secret are generated. Be sure to copy and store both values somewhere safe, then click **"check"** in the bottom-right corner.





⚠ Once you close this dialog, the Client Secret cannot be viewed again. Make sure you've saved it before continuing.

- 7 Your Client ID now appears in the list. This ID is your Google OAuth authentication key.



TIP. The Client ID and Client Secret are used as-is when configuring OAuth login for the YouTube Data API v3. Keep them private and never expose them publicly.

