

# PAW Order Sheet (Basic Specifications)

Date

Sales office

Customer company name


Address / ☎

Contact

Office manager	Contact

1. Enter details of work in progress and purpose of use for PAW.

2. Shape/weight/type of workpiece to be transported

(1) Height H = <u>0.0</u> mm (2) Width W = <u>0.0</u> mm (3) Depth L = <u>0.0</u> mm (4) Diameter $\phi$ = <u>    </u> mm (5) Weight <u>0.0</u> kg (6) Type <u>1</u> Type	Fill in the shape dimensions.
Examples of shape dimensions 	* For multiple workpieces, attach the shape dimensions separately.

3. PAW tip attachment

☒ Manufacturer

☒ Grip method

☒ Summary weight

☒ (CKD)/customer) \* If CKD is selected as the manufacturer, detailed dimensions of the workpiece are required.

☒ Fork / Chuck / Vacuum suction / Other ( )

Approx. 0.0 kg When manufactured by customer

4. PAW control box

☒ Manufacturer

☒ Control method

☒ (Required / Not required)

(Manual pressure regulating control system / Automatic pressure regulating control system)

5. PAW power source

☒ Pneumatic supply pressure 0.5 MPa ☒ Power 110 V

\* For air supply pressure, fill in the pressure which can be supplied by the customer.

6. PAW installation method ☒ Fixed on floor / Movable on floor (dolly) / Other ( )

7. PAW working environment ☒ Water drops (Yes/ No) ☒ Dust (Yes/ No) ☒ Other ( )

8. PAW operating frequency ☒ 0 times/day 0 days/month


9. Work layout

When considering the arm shaft configuration, we need to confirm the vertical and horizontal movable range required.

Provide layout dimensions with the workpiece start and end points indicated.\* Attach drawings if available.

The figure below is an example of layout dimensions showing the start and end point height positions.

Layout diagram showing the start and end point heights when picking workpieces up off the conveyor and stacking them in rows of 4 by 4 high on a transport dolly




# PAW Order Sheet (Work Layout Diagram)

9-1. Workpiece start point/end point position layout diagram (cross-section)

A large rectangular grid consisting of 30 columns and 30 rows of small squares, intended for drawing a cross-section layout diagram.

9-2. Workpiece start point/end point position layout diagram (plane figure) \* Indicate the desired arm arrangement if applicable.

A large rectangular grid consisting of 30 columns and 30 rows of small squares, intended for drawing a plane figure layout diagram.

10. Remarks and notes

Include detailed dimensions, including peripheral equipment, in the layout diagram.