CHANDRU | PORTFOLIO

Introduction

The Chandru Portfolio Website is a modern, interactive, and responsive personal portfolio designed to showcase expertise in web penetration testing and ethical hacking. The website serves as a professional platform where visitors can explore skills, projects, and services, making it ideal for potential clients, recruiters, and cybersecurity enthusiasts.

This portfolio is built with a **sleek and intuitive user interface** to enhance user experience. The integration of animations and smooth scrolling effects ensures a visually appealing and interactive browsing experience.

Project Objective

The primary objective of this project is to create an **online portfolio** that effectively represents Chandru's **technical skills**, **projects**, **and cybersecurity services** in an organized and structured manner. This portfolio serves as:

- A point of contact for recruiters, clients, and like-minded professionals.
- A platform for branding, helping establish a strong professional identity in the cybersecurity domain.

Key Features

- ✓ **Responsive Design** Ensures seamless viewing across devices (PC, tablet, mobile).
- ✓ **Dynamic Navigation** Smooth scrolling and interactive menu with animated transitions.
- ✓ **About Section** Provides a detailed introduction to Chandru and his cybersecurity journey.
- ✓ Skills Display Showcases technical skills in penetration testing tools like Burp Suite, Metasploit, and Nmap.
- ✓ Work & Projects Section Displays past and current cybersecurity projects.
- ✓ Services Section Highlights security services such as Vulnerability Assessment, Penetration Testing, and Security Audits.
- ✓ **Social Media Integration** Links to GitHub, Instagram, and email for networking and contact.
- ✓ **Dark Mode Aesthetics** Enhances readability and adds a professional touch.
- ✓ **Optimized Performance** Efficient CSS and JavaScript ensure smooth animations and fast loading.

Technologies Used

This portfolio leverages modern web development technologies to deliver a highly functional and visually appealing experience.

- HTML (HyperText Markup Language) Structures the webpage layout and content.
- CSS (Cascading Style Sheets) Styles the webpage, ensuring a sleek, modern, and responsive UI.
- **JavaScript (JS)** Adds interactivity, animations, and dynamic content rendering.
- AOS (Animate On Scroll Library) Implements smooth fade-in effects and transitions.
- Font Awesome Provides stylish icons for a polished look.
- Google Fonts (Poppins) Enhances typography for a clean and modern aesthetic.

How It Works

Homepage Navigation

- The homepage welcomes users with an **animated introduction** and a **call-to-action button** leading to the projects section.
- A fixed navigation bar ensures easy access to different sections.

□ About Section

- A brief introduction about Chandru, including cybersecurity experience and professional goals.
- Includes a **GIF** animation to make the section visually engaging.

≯ Skills Section

- Showcases expertise in cybersecurity tools and penetration testing methodologies.
- Uses **progress bars** to visually represent skill proficiency in various domains like **SQL Injection, XSS, and Network Security**.

■ Work & Projects

- Displays **notable projects** such as WAVS-V2, an automated vulnerability scanning tool
- Each project is linked to **GitHub repositories** for further exploration.

Services Offered

- Lists cybersecurity services such as Vulnerability Assessment, Penetration Testing, and Security Audits.
- Describes how each service helps businesses secure their applications and networks.

™ Contact & Social Media Integration

- Users can directly contact Chandru via email.
- Provides **GitHub and Instagram links** for networking and sharing cybersecurity research.

Advantages of the Project

- ★ Professional Digital Presence Serves as an online resume for recruiters and clients.
- ★ Fully Responsive & Mobile-Friendly Adapts to different screen sizes, ensuring accessibility on all devices.
- ★ Enhanced User Engagement Smooth animations and transitions provide an interactive experience.
- ★ Cybersecurity Branding Establishes Chandru as a professional in the field of ethical hacking.
- ★ Optimized Performance Lightweight CSS and JavaScript ensure fast loading and a smooth browsing experience.
- ★ SEO-Friendly Structure The site follows best practices for search engine optimization (SEO), increasing visibility.

Index.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>CHANDRU | PORTFOLIO</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="https://unpkg.com/aos@next/dist/aos.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.2/css/all.min.css">
</head>
    <header>
        <a href="" class="brand" data-aos="zoom-in" data-aos-</pre>
duration="1000">CHANDRU</a>
        <div class="menu-btn"></div>
        <div class="navigation">
            <a href="#main" data-aos="fade-up" data-aos-duration="1000" data-</pre>
aos-delay="100">Home</a>
            <a href="#about" data-aos="fade-up" data-aos-duration="1000" data-</pre>
aos-delay="200">About</a>
            <a href="#skills" data-aos="fade-up" data-aos-duration="1000"</pre>
data-aos-delay="300">Skills</a>
            <a href="#services" data-aos="fade-up" data-aos-duration="1000"</pre>
data-aos-delay="400">Services</a>
            <a href="#work" data-aos="fade-up" data-aos-duration="1000" data-</pre>
aos-delay="500">Work</a>
            <a href="#contact" data-aos="fade-up" data-aos-duration="1000"</pre>
data-aos-delay="600">Contact</a>
        </div>
    </header>
    <section class="main" id="main">
        <div class="content">
            <div class="text-and-image">
                 <div class="text-content">
                     <h2 data-aos="fade-right" data-aos-duration="1000" data-</pre>
aos-delay="800">Hello, I'm <br><<span>Chandru</span></h2>
                     <div class="animated-text" data-aos="fade-left" data-aos-</pre>
duration="1000" data-aos-delay="900">
                         <h3>Web pentester</h3>
                         <h3>Ethical Hacker</h3>
                    </div>
```

```
<a href="#work" class="btn" data-aos="zoom-out" data-aos-
duration="1000" data-aos-delay="1000">See My Work</a>
                </div>
                <div class="image-content" data-aos="fade-left" data-aos-</pre>
duration="1000" data-aos-delay="1100">
                    <img src="hacker.png" alt="Profile Image">
            <div class="media-icons">
                <a href="#" data-aos="fade-in" data-aos-duration="1000" data-</pre>
aos-delay="1200"><i class="fab fa-facebook-f"></i></a>
                <a href="#" data-aos="fade-in" data-aos-duration="1000" data-</pre>
aos-delay="1300"><i class="fab fa-instagram"></i></a>
                <a href="#" data-aos="fade-in" data-aos-duration="1000" data-</pre>
aos-delay="1400"><i class="fab fa-twitter"></i></a>
                <a href="#" data-aos="fade-in" data-aos-duration="1000" data-</pre>
aos-delay="1500"><i class="fab fa-github"></i></a>
        </div>
    </section>
    <!-- About Section -->
    <section class="about" id="about">
        <div class="title reveal">
            <h2 class="section-title" data-aos="fade-up" data-aos-</pre>
duration="1000">About me</h2>
        </div>
        <div class="content">
            <div class="column col-left reveal">
                <div class="img-card" data-aos="fade-right" data-aos-</pre>
duration="2000" data-aos-delay="200">
                    <img src="Hacker Using Laptop.gif" alt="Hacker Using</pre>
Laptop GIF"> <!-- Added GIF here -->
                </div>
            </div>
            <div class="column col-right reveal">
                <h2 class="content-title" data-aos="fade-left" data-aos-</pre>
duration="1000" data-aos-delay="200">Hey There! I'm Chandru</h2>
                duration="1000" data-aos-delay="400">A dedicated Web Penetration Tester and
Ethical Hacker with a passion for digital security. My journey in
cybersecurity began with a fascination for understanding how systems work and
more importantly, how they can be protected from those with malicious
intent.<br>
                    <br> With specialized expertise in vulnerability
assessment and security audits, I help organizations identify and patch
security weaknesses before they can be exploited. My approach combines
technical knowledge with creative problem-solving, as finding security flaws
```

```
often requires thinking like an attacker while maintaining the ethical
boundaries that separate security professionals from hackers.
                <a href="#" class="btn" data-aos="zoom-out-left" data-aos-</pre>
duration="1000" data-aos-delay="600">See more</a>
            </div>
        </div>
    </section>
    <!-- Skill Section -->
    <section class="skills" id="skills">
        <div class="title">
            <h2 class="section-title" data-aos="fade-up" data-aos-</pre>
duration="1000">My Skills</h2>
        </div>
        <div class="content">
            <div class="column col-left">
                <h2 class="content-title" data-aos="fade-right" data-aos-</pre>
duration="1000" data-aos-delay="200">My Skills in Web Pentesting</h2>
                <div class="paragraph-text" data-aos="flip-down" data-aos-</pre>
duration="1000" data-aos-delay="300">
                     Proficient in various web pentesting techniques including
vulnerability assessment, penetration testing, and security audits.
                </div>
                <a href="#" class="btn" data-aos="zoom-in-right" data-aos-</pre>
duration="1000" data-aos-delay="400">See more</a>
            </div>
            <div class="column col-right">
                <div class="bar">
                     <div class="info" data-aos="flip-up" data-aos-</pre>
duration="1000" data-aos-delay="100">
                         <span>Burp Suite</span>
                         <span>70%</span>
                     <div class="line sql-injection" data-aos="zoom-in-right"</pre>
data-aos-duration="1000" data-aos-delay="140"></div>
                </div>
                <div class="bar">
                     <div class="info" data-aos="flip-up" data-aos-</pre>
duration="1000" data-aos-delay="200">
                         <span>Metasploit</span>
                         <span>50%</span>
                     </div>
                     <div class="line xss" data-aos="zoom-in-right" data-aos-</pre>
duration="1000" data-aos-delay="240"></div>
                </div>
                <div class="bar">
                     <div class="info" data-aos="flip-up" data-aos-</pre>
duration="1000" data-aos-delay="300">
```

```
<span>Nmap</span>
                        <span>60%</span>
                    </div>
                    <div class="line network-security" data-aos="zoom-in-</pre>
right" data-aos-duration="1000" data-aos-delay="340"></div>
                </div>
                <div class="bar">
                    <div class="info" data-aos="flip-up" data-aos-</pre>
duration="1000" data-aos-delay="400">
                        <span>Ethical Hacking</span>
                        <span>60%</span>
                    </div>
                    <div class="line ethical-hacking" data-aos="zoom-in-right"</pre>
data-aos-duration="1000" data-aos-delay="440"></div>
                </div>
            </div>
    </section>
    <!-- Services Section -->
    <section class="services" id="services">
        <div class="title">
            <h2 class="section-title" data-aos="fade-up" data-aos-</pre>
duration="1000">My Services</h2>
            delay="200">Offering comprehensive web pentesting and ethical hacking services
to secure your applications.
        <div class="content">
            <div class="card" data-aos="fade-right" data-aos-duration="1000"</pre>
data-aos-delay="400">
                <div class="service-icon">
                    <i class="fas fa-shield-alt"></i></i>
                </div>
                <div class="info">
                    <h3>Vulnerability Assessment</h3>
                    Identify and assess vulnerabilities in your web
applications to enhance security.
                </div>
            </div>
            <div class="card" data-aos="fade-up" data-aos-duration="1000"</pre>
data-aos-delay="400">
                <div class="service-icon">
                    <i class="fas fa-user-shield"></i></i>
                </div>
                <div class="info">
                    <h3>Penetration Testing</h3>
```

```
Simulate attacks to test the security of your systems
and applications.
                </div>
            </div>
            <div class="card" data-aos="fade-left" data-aos-duration="1000"</pre>
data-aos-delay="400">
                <div class="service-icon">
                    <i class="fas fa-lock"></i></i>
                <div class="info">
                    <h3>Security Audits</h3>
                    Conduct thorough audits to ensure compliance with
security standards.
                </div>
        </div>
    </section>
 <!-- Work Section -->
<section class="work" id="work">
    <div class="title">
        <h2 class="section-title" data-aos="fade-up" data-aos-</pre>
duration="1000">My Work</h2>
    <div class="content">
        <div class="card" data-aos="fade-left" data-aos-duration="1000" data-</pre>
aos-delay="200">
            <a href="https://github.com/candyx3/WAVS-V2" target="_blank">
                <div class="info">
                    <h3>WAVS-V2</h3>
                    A fast web app mainly build for scanning
vulnerabilities on a particular web SQL,XSS,CSRF,SSRF and OPEN REDIRECT.
                </div>
            </a>
        </div>
    </div>
</section>
    <!-- Contact Section -->
    <section class="contact" id="contact">
        <div class="title">
            <h2 class="section-title" data-aos="fade-up" data-aos-</pre>
duration="1000">Contact Me</h2>
        </div>
        <div class="content">
            <div class="row">
                <div class="card" data-aos="fade-right" data-aos-</pre>
duration="1000" data-aos-delay="200">
```

```
<a href="https://github.com/candyx3" target="_blank">
                         <div class="contact-icon">
                             <i class="fab fa-github"></i></i>
                        </div>
                        <div class="info">
                             <h3>GitHub</h3>
                             <span>github.com/candyx3</span>
                         </div>
                    </a>
                <div class="card" data-aos="fade-up" data-aos-duration="1000"</pre>
data-aos-delay="300">
                    <a href="mailto:candychandru32@gmail.com">
                         <div class="contact-icon">
                             <i class="fas fa-envelope"></i></i>
                        </div>
                        <div class="info">
                             <h3>Email</h3>
                             <span>candychandru32@gmail.com</span>
                         </div>
                    </a>
                </div>
                <div class="card" data-aos="fade-left" data-aos-</pre>
duration="1000" data-aos-delay="400">
                    <a href="https://instagram.com/ candyx3 " target=" blank">
                         <div class="contact-icon">
                             <i class="fab fa-instagram"></i></i>
                        </div>
                        <div class="info">
                             <h3>Instagram</h3>
                             <span>@_candyx3_</span>
                        </div>
                    </a>
                </div>
            </div>
        </div>
    </section>
    <footer class="footer">
        <span class="footer-title">CHANDRU</span>
        Copyright @2021 <a href="#">Candyx3</a>. All Rights Reserved.
    </footer>
    <script src="https://unpkg.com/aos@next/dist/aos.js"></script>
    <script>
      AOS.init({offset:0});
    </script>
    <script>
```

```
window.addEventListener("scroll", function(){
           scrollBtn.classList.toggle("active", window.scrollY > 500);
       });
       const menuBtn = document.querySelector(".menu-btn");
       const navigation = document.querySelector(".navigation");
       const navigationItems = document.querySelectorAll(".navigation a");
       menuBtn.addEventListener("click", () => {
           menuBtn.classList.toggle("active");
           navigation.classList.toggle("active");
       });
       // Navigation Effects
       window.addEventListener("scroll", function(){
           const header = document.querySelector("header");
           header.classList.toggle("sticky", window.scrollY > 0);
       });
       navigationItems.forEach((navigationItem) => {
           navigationItem.addEventListener("click", () => {
               menuBtn.classList.remove("active");
               navigation.classList.remove("active");
           });
       });
   </script>
</body>
</html>
```

Style.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,
300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,
700;1,800;1,900&display=swap');
    padding: 0;
    margin: 0;
    font-family: 'Poppins', sans-serif;
    box-sizing: border-box;
body {
    width: 100%;
    height: auto;
    overflow-x: hidden;
header {
    z-index: 889;
    position: fixed;
    background-color: rgba(255, 255, 255, 0.1);
    top: 0;
    left: 0;
    width: 100%;
    padding: 15px 200px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    transition: 0.2s ease;
header.sticky {
    background-color: #3a6cf4;
    padding: 10px 200px;
header .brand {
    color: rgb(0, 0, 0);
    font-size: 1.8em;
    font-weight: 700;
    text-transform: uppercase;
    text-decoration: none;
```

```
header .navigation {
    position: relative;
header .navigation a {
    color: rgb(0, 0, 0);
    font-size: 1em;
    text-decoration: none;
    font-weight: 500;
    margin-left: 30px;
header .navigation a:hover {
    color: #3a6cf4;
header .sticky .navigation a:hover {
    color: black;
section {
    padding: 100px 200px;
.main {
    position: relative;
    width: 100%;
    height: 120vh;
    display: flex;
    align-items: center;
    background-image: url(download1.jpeg);
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
    background-attachment: fixed;
.main .content {
    display: flex;
    flex-direction: column;
    align-items: center;
.main .content .text-and-image {
    display: flex;
    justify-content: space-between;
    align-items: center;
    width: 100%;
```

```
max-width: 1200px;
   margin-bottom: 30px;
.main .content .text-content {
   flex: 1;
   padding-right: 30px;
.main .content .image-content {
   flex: 1;
   display: flex;
   justify-content: center;
   align-items: center;
   margin-left: 90px; /* Adjusted margin to move the image to the right */
.main .content .image-content img {
   max-width: 100%;
   height: auto;
   border-radius: 10px;
   box-shadow: 0 0 20px rgba(0, 0, 0, 0.2);
@media (max-width: 768px) {
   .main .content .text-and-image {
        flex-direction: column;
    .main .content .text-content {
        padding-right: 0;
       margin-bottom: 30px;
.animated-text {
   position: relative;
   height: 70px;
   overflow: hidden;
.animated-text h3 {
   color: #4e9eff;
   font-size: 3em;
   font-weight: 700;
   line-height: 70px;
   letter-spacing: 1px;
```

```
.animated-text h3:nth-child(1) {
    animation: text-move 6s infinite;
@keyframes text-move {
   0%, 45% {
       margin-top: 0;
   50%, 95% {
       margin-top: -70px;
   100% {
       margin-top: 0;
.btn {
   color: white;
   background-color: #3a6cf4;
   font-size: 1em;
   font-weight: 600;
   display: inline-block;
   padding: 10px 20px;
   text-transform: uppercase;
   text-decoration: none;
   letter-spacing: 1px;
   border-radius: 2px;
   margin-top: 30px;
   transition: 0.5s ease;
.btn:hover {
   background-color: #235bf6;
.media-icons {
   margin-top: 50px;
.media-icons a {
   color: white;
   font-size: 25px;
   margin-right: 30px;
```

```
.title {
   width: 100%;
   display: flex;
   justify-content: center;
   align-items: center;
   flex-direction: column;
.section-title {
   position: relative;
   color: #3a6cf4;
   font-size: 2.2em;
   font-weight: 800;
   margin-bottom: 60px;
.section-title::before {
   content: "";
   position: absolute;
   top: 56px;
   left: 50%;
   width: 140px;
   height: 4px;
   background-color: #3a6cf4;
   transform: translateX(-50%);
.section-title::after {
   content: "";
   position: absolute;
   top: 50px;
   left: 50%;
   width: 15px;
   height: 15px;
   border-radius: 50%;
   background-color: #3a6cf4;
   transform: translateX(-50%);
.about .content {
   position: relative;
   width: 100%;
   display: flex;
   justify-content: space-between;
   align-items: center;
   margin-top: 20px;
```

```
.about .content .col-left {
   position: relative;
   width: 45%;
.about .content .col-right {
   position: relative;
   width: 50%;
.about .content .col-left .img-card {
   position: relative;
   width: 100%;
   min-height: 450px;
.about .content .col-right .content-title {
   font-size: 2em;
   font-weight: 800;
   margin-bottom: 20px;
.about .content .col-right .paragraph-text {
   font-size: 1em;
.skills {
   background-color: black;
.skills .content {
   position: relative;
   width: 100%;
   display: flex;
   justify-content: space-between;
   align-items: center;
   color: white;
   margin-top: 20px;
.skills .content .col-left {
   position: relative;
   width: 46%;
```

```
.skills .content .col-left .content-title {
   margin-bottom: 20px;
.skills .content .col-right {
   position: relative;
   width: 46%;
.skills .content .col-right .bar {
   margin-bottom: 15px;
   padding: 10px;
.skills .content .col-right .bar .info {
   display: flex;
   align-items: center;
   justify-content: space-between;
   margin-bottom: 5px;
.skills .content .col-right .bar .info span {
   font-size: 18px;
   font-weight: 500;
.skills .content .col-right .bar .line {
   position: relative;
   width: 100%;
   height: 15px;
   background-color: #ccc;
   border-radius: 2px;
.skills .content .col-right .bar .line::before {
   content: "";
   position: absolute;
   height: 100%;
   top: 0;
   left: 0;
   border-radius: 3px;
.skills .content .col-right .bar .sql-injection::before {
   width: 70%;
   background-color: #e45126;
```

```
.skills .content .col-right .bar .xss::before {
   width: 50%;
   background-color: #0c73b8;
.skills .content .col-right .bar .network-security::before {
   width: 60%:
   background-color: #e3a324;
.skills .content .col-right .bar .ethical-hacking::before {
   width: 60%;
   background-color: blue;
/* Services */
.services .content {
   display: flex;
    justify-content: center;
   flex-wrap: wrap;
   flex-direction: row;
   margin-top: 20px;
.title p {
   font-size: 1em;
   width: 80%;
   text-align: center;
.services .content .card {
   background-color: #fff;
   width: 340px;
   margin: 10px;
   padding: 25px;
   display: flex;
   justify-content: center;
   align-items: center;
   flex-direction: column;
   border-radius: 10px;
   box-shadow: 0 5px 25px rgba(1, 1, 1, 0.15);
   transition: 0.3s linear;
.services .content .card .service-icon {
   color: #3a6cf4;
   font-size: 8rem;
   text-align: center;
```

```
transition: 0.3s linear;
.services .content .card .info {
   text-align: center;
.services .content .card .info h3 {
   color: #3a6cf4;
   font-size: 1.2rem;
   font-weight: 700;
   margin: 10px;
   transition: 0.3s linear;
.services .content .card:hover {
    background-color: #3a6cf4;
    color: white;
.services .content .card:hover .service-icon,
.services .content .card:hover .info h3 {
   transform: translateY(-10px);
   color: white;
.work {
   background-color: #000016;
   color: #fff;
.work .content {
   display: flex;
    justify-content: center;
   flex-direction: row;
   flex-wrap: wrap;
   margin-top: 20px;
.work .content .card {
   width: 340px;
   margin: 15px;
    padding: 20px;
   border-radius: 10px;
   box-shadow: 0 5px 15px #000016;
   transition: transform 0.5s ease-in-out, box-shadow 0.5s ease-in-out;
```

```
.work .content .card:hover {
   transform: translateY(-20px) scale(1.1);
   box-shadow: 0 15px 40px #3a6cf4;
@keyframes swipeUp {
   from {
        transform: translateY(100px);
        opacity: 0;
   to {
       transform: translateY(0);
       opacity: 1;
.work .content .card {
   animation: swipeUp 0.8s ease-out;
.work .content .card .info {
   text-align: center;
.work .content .card .info h3 {
   color: #3a6cf4;
   font-size: 1.5rem;
   font-weight: 700;
   margin-bottom: 10px;
.work .content .card .info p {
   color: #fff;
   font-size: 1rem;
/* Contact */
.contact .content {
   display: flex;
   justify-content: center;
   flex-wrap: wrap;
   flex-direction: column;
   margin-top: 20px;
.contact .content .row {
   display: flex;
   justify-content: center;
```

```
flex-wrap: wrap;
   flex-direction: row;
.contact .content .row .card {
   background: #fff;
   width: 240px;
   margin: 20px;
   padding: 25px;
   display: flex;
   justify-content: center;
   align-items: center;
   flex-direction: column;
   box-shadow: 0 5px 25px rgba(1, 1, 1, 0.15);
   border-radius: 10px;
   transition: 0.3s ease;
.contact .content .row .card:hover {
   background-color: #3a6cf4;
.contact .content .row .card .contact-icon {
   color: #3a6cf4;
   font-size: 4em;
   text-align: center;
   transition: transform 0.5s ease;
.contact .content .row .card:hover .contact-icon {
   color: #fff;
   transform: translateY(-10px);
.contact .content .row .card .info {
   text-align: center;
.contact .content .row .card .info h3 {
   color: #111;
   font-size: 1.2em;
   font-weight: 700;
   margin: 10px;
   transition: 0.3s ease;
.contact .content .row .card:hover .info h3 {
   color: #fff;
```

```
.contact .content .row .card .info span {
   color: #666;
   font-weight: 500;
    transition: 0.3s ease;
.contact .content .row .card:hover .info span {
    color: #fff;
@media (max-width: 768px) {
    .contact .content .row {
        flex-direction: column;
    .contact .content .row .card {
        width: 100%;
.contact-form {
   background: #fff;
   max-width: 600px;
   margin-top: 50px;
   padding: 50px;
   border-radius: 10px;
   box-shadow: 0 5px 25px rgba(1, 1, 1, 0.15);
.contact-form h3 {
   color: #111;
   font-size: 1.6em;
   font-weight: 600;
   text-align: center;
   margin-bottom: 40px;
.contact-form .input-box {
   position: relative;
   width: 100%;
   margin-bottom: 20px;
.contact-form .input-box input,
.contact-form .input-box textarea {
```

```
color: #111;
   width: 100%;
   padding: 10px;
   font-size: 1em;
   font-weight: 400;
   outline: none;
   border: 1px solid #111;
   border-radius: 5px;
   resize: none;
.contact-form .input-box .send-btn {
   color: #fff;
   background: #3a6cf4;
   display: inline-block;
   font-size: 1.1em;
   font-weight: 500;
   text-transform: uppercase;
   letter-spacing: 2px;
   width: 100%;
   border: none;
   cursor: pointer;
   transition: 0.5s ease;
.contact-form .input-box .send-btn:hover {
   background: #235bf6;
/* Footer */
.footer {
   background: #000016;
   color: #fff;
   text-align: center;
   padding: 2em;
.footer .footer-title {
   font-size: 20px;
   font-weight: 600;
.footer p {
   font-size: 16px;
   margin-top: 10px;
.footer p a {
```

```
color: #3a6cf4;
   font-weight: 600;
   text-decoration: none;
@media (max-width: 1040px) {
   header {
        padding: 12px 20px;
   header.sticky {
        padding: 10px 20px;
   header .navigation {
        display: none;
    .navigation.active {
        z-index: 889;
        position: fixed;
        background-color: white;
        top: 0;
        right: 0;
        width: 380px;
        height: 100%;
        display: flex;
        justify-content: center;
        align-items: center;
        flex-direction: column;
        box-shadow: 0 5px 25px rgba(1, 1, 1, 0.15);
        transition: 0.3s ease;
   header .navigation a {
        color: black;
        font-size: 1.2em;
        margin: 10px;
        padding: 10px 40px;
        border-radius: 5px;
   header .navigation a:hover {
        background-color: #3a6cf4;
        color: white;
       transition: 0.3s ease;
```

```
.menu-btn {
    position: absolute;
    background-image: url(Image/menu.png);
    background-position: center;
    background-size: 30px;
    background-repeat: no-repeat;
    width: 40px;
    height: 40px;
    right: 0;
    margin: 0 20px;
    cursor: pointer;
    transition: 0.3s ease;
.menu-btn.active {
    z-index: 999;
    background-image: url(Image/close.png);
    background-repeat: no-repeat;
    background-position: center;
    background-size: 25px;
    transition: 0.3s ease;
   filter: invert(1);
section {
    padding: 80px 20px;
.main .content h2 {
    font-size: 1em;
.animated-text h3 {
    font-size: 2.2em;
.section-title {
    font-size: 1.8em;
.about .content {
    flex-direction: column;
.about .content .column {
   width: 100%;
    position: relative;
```

```
.about .content .col-right {
       margin-top: 40px;
   .skills .content {
       flex-direction: column;
   .skills .content .column {
       position: relative;
       width: 100%;
   .skills .content .col-right {
       margin-top: 40px;
.scrollToTop-btn {
   z-index: 999;
   position: fixed;
   background: #3a6cf4;
   color: #fff;
   width: 45px;
   height: 45px;
   right: 0;
   bottom: 10px;
   font-size: 22px;
   text-align: center;
   line-height: 45px;
   border-radius: 3px;
   cursor: pointer;
   pointer-events: none;
   opacity: 0;
   transition: all 0.3s ease;
```

Output:





