## FEDERAL-MOGUL PLANNING SCHEDULE EDI 830 TRANSACTION

The specifications for Federal-Mogul's EDI 830 transaction follow the AIAG column in the 3020 AIAG Implementation Guideline with the exceptions noted below. Usage of other elements will only be shown to clarify Federal-Mogul's use when more than one choice is given in the AIAG column.

An example of an actual Federal-Mogul 830 will follow.

			Data Element Summary				
ELEM <u>ID.</u>	ELEMENT NUMBER	FEDERAL-MOGUL USE	COMMENTS				
BFR01	353	"05"	05=Replace				
BFRO4	675	"SH"	SH=Shipment Based				
N101	98	"SU" or "ST"	SU=Supplier ST=Ship To				
* Note: Federal-Mogul sends two N1 segments. The first will contain supplier information. The second will contain the ship to information.							
N103	66	"92" when N101="SU" "01" when N101="ST"	92=Assigned by Buyer 01=Duns and Bradstreet (DUNS)				
LIN	235	"BP" or "VP" or "MT"	BP=Buver's Part				

VP=Vendor's Part
MT=Product Flag

Federal-Mogul will use the PKG segment in the detail area to send the brand/state code (packaging information). This segment will be used as follows:

ELEM ID.	ELEMENT NUMBER	NAME ATTRIBUTES CO	OMMENTS
PKG01	349	Item Description Type M ID 01/01 S	
PKG02	753	Packaging Characteristic Code O ID 01/05 35	
PKG03	348	Item Description Qualifier O ID 02/02 ZZ	
PKG04	754	Package Description Code C ID 01/07 BRST	
PKG05	352	Brand and State Code C AN 01/80 0101 or 0211	

Note: Other brand/state codes may be used if your company does special packaging.

<sup>\*</sup> Note: The vendor's part number will be sent when available.

The product flag will be sent only if requested by the vendor.

2. Federal-Mogul will use the first REF segment in the detail area to send the lead-time for each part. This segment will be used as follows:

					Data Element Summary				
ELEM ID.	ELEMENT NUMBER					ATTR	IBUTES	<u>COMMENTS</u>	
REF01	128	Reference number qlf.	M	ID	02	/02	ZZ		
REF02	127	Lead-Time			M	AN	01/30		
REF03	352	Description			M	AN	01/80	"LEAD-TIME"	

3. Federal-Mogul will use the "PQ" qualifier in the ATH01 element which is defined as "Cumulative Quantity Required Prior to First Schedule Period". ATH03 will contain the past-due quantity. ATH05 will contain current-date instead of a contract period start-date.

The attached example shows a Federal-Mogul EDI 830 transaction. If you need the complete AIAG specs for this transaction you can call AIAG at (810)358-3570. The cost to AIAG members is approximately \$15 for the 830 transaction.

## EDI 830 EXAMPLE:

```
ISA1001
                   1001
                                  1011006557045 1011000004321
    | 980126|2132|U|00200|000000417|0|P|~...
GS|PS|606185403|000004321|980126|2132|22|X|003020...
ST18301000000022...
BFR] 05] 98012604321] ] SH] A] 980119] 990802] 980126...
N1]SU]SUPPLIER COMPANY NAMEHERE]92]000004321...
N1]ST]FEDERAL-MOGUL]1]006557045...
LIN]]BP]ES3174]VP]25SC2R11...
UIT]EA...
PKG|S|35|ZZ|BRST|0101...
REF | ZZ | 040 | LEAD-TIME...
SDP]Y]Y...
FST]125]D]M]980504...
FST]125]D]M]980601...
FST]125]D]M]980803...
FST]125]D]M]980907...
FST|125|D|M|981005...
FST]125]D]M]981102...
FST]125]D]M]981207...
FST]125]D]M]990201...
FST]125]D]M]990301...
FST11251D1M1990503...
FST]125]D]M]990607...
FST]125]D]M]990705...
ATH1P011411980119...
SHP|01|125|050|980202...
LIN]]BP]ES3199W]VP]25SC2L11...
```

```
UIT]EA...
PKG]S]35]ZZ]BRST]0101...
REF]ZZ]040]LEAD-TIME...
SDP]Y]Y...
FST] 70] D] M] 980406...
FST]140]D]M]980504...
FST]140]D]M]980601...
FST]70]D]M]980706...
FST]140]D]M]980803...
FST1701D1M1980907...
FST]140]D]M]981005...
FST] 70] D] M] 981102...
FST[70]D]M]981207...
FST] 70] D] M] 990104...
FST]70]D]M]990201...
FST]70]D]M]990301...
FST] 70] D] M] 990405...
FST]70]D]M]990503...
FST1701D1M1990607...
FST1701D1M1990705...
ATH]PQ]]140]]980119...
SHP10117010501980202...
SHP]01]70]050]980302...
LIN]]BP]ES2051HDW]VP]26SC19F11...
UIT]EA...
PKG|S|35|ZZ|BRST|0101...
REF]ZZ]040]LEAD-TIME...
SDP]Y]Y...
FST]540]D]M]980406...
FST]540]D]M]980706...
FST]540]D]M]981005...
FST]540]D]M]990104...
FST]540]D]M]990405...
FST15401D1M1990705...
ATH|PQ||540||980119...
CTT]3 ...
SE1621000000022...
GE]1]22...
IEA]1]000000417...
```