# Manual cutoffs

Ricky Heinrich

2023-05-30

#### Introduction

The Proximity Measures Database contains continuous measures for 10 amenities for a number of DB within a specific threshold. The distribution of these proximity measures is heavily right skewed, and there are for the most part no discernible clusters. The density distribution, with a default bandwidth, of each amenity is shown in Figure 1.




Figure 1: Distribution of proximity measures by amenity

When transforming the data, the inherent relationship between data points remain the same, but the new structure may reveal new insights. The most 'famous' transformation available is the log transform. It "can be used to make highly skewed distributions less skewed". It may help "make patterns more visible". A consideration to be aware of is that the log of 0 is -Inf. To account for proximity values of 0 in our dataset, we

shift the distribution by +0.0001. This avoids the problem of -Inf whilst maintaining the original distances between all values. The downsides of using a log transformation are [DOWNSIDES]. Figure 2 demonstrates the distribution of the log transformed proximity measures, where all the amenities' distributions were shifted by +0.0001. We can already visually identify more possible clusters.

In Figure 3, we only shifted the distribution by +0.0001 of the amenities that had a minimum value of 0. Grocery, educpri, educsec, and lib did not have values of 0 in their distribution and such were not shifted. The visual difference of the distributions between when +0.0001 is applied vs when it is not are imperceptible. For simplification in reproducibility, we will apply the distribution shift to all amenities.




Figure 2: LOG TRANSFORMED(0.0001): Distribution of proximity measures by amenity




Figure 3: LOG TRANSFORMED(0.0001 in some): Distribution of proximity measures by amenity

# Segmenting via minima

A segmentation technique is to segment the distribution at select minima of the density distribution. Each minimum in the density curves represents a density sparse region, which may be a 'natural' break in the continuous measures. Figure 4 provides an overview of where maxima and minima are located in the density curves of every amenity. We see that there are a lot of points that are by definition local minima, but are not fully indicative of density sparse regions. We can limit which minima are representative of density sparse regions by only including those who have a threshold difference between themselves and surrounding maxima. We will conduct an indepth analysis of which minima should intuitively represent a cutoff value for each amenity.




Figure 4: Location of minima and maxima

#### **Employment**

The Employment density distribution contains 4 minima. The following figure illustrates the density distribution with the minima ploted in blue and the maxima in red. Visually, we may not construe the third or the fourth minima as a cutoff value, as the peak in between is fairly small. As well, there are other areas in the curve that seem to plateau, and may be visually decent places for a cutoff value, but are not technically places where a minima is present.

As is, there would be 5 groups, corresponding to 4 cutoffs.




Figure 5: Employment density curve with minima and maxima

#### **Pharmacies**

In the case of Pharmacies, shown in Figure 6, there are many technical minima and maxima in an area that visually seems flat and have overall very low density. There is no doubt that these areas are not indicative specifically of density sparse regions, as the whole area is density sparse. The following plot, Figure 7, shows the difference between the density value of maxima-minima pairs (unidirectional). We see that for Pharmacies, the difference in the first 6 pairs is very small, as we can tell from the previous plot. The difference in density between the first maxima and the first minima, for example, is  $2.8577488 \times 10^{-5}$ , which is very small compared to the 8th (the 2nd visually discernible peak in Figure 6): 0.0612174. This may suggest that we should only use as cutoffs the minima that have a threshold difference with the neighbouring maxima. An appropriate threshold for Pharmacies may be a difference of 0.001.




Figure 6: Pharmacies density curve with minima and maxima




Figure 7: Difference between density value of a maxima-minima pairs, with suggested threshold = 0.001

Removing the pairs of where the difference is below the threshold values give us the following plot. We see that in this case, there would be 2 cutoff points giving 3 groups.




Figure 8: Density plot with suggested cutoff points in blue

#### Childcare

Similarly to Pharmacies, Childcare has indiscernible maxima and minima in some areas, as seen in Figure 9. There is even such an area at the top of the largest peak. Figure 10 shows the difference again, and we can see that the same threshold of 0.001 may be appropriate. Figure 11 shows the density with the values with a difference beneath this threshold removed, showing 2 cutoffs for 3 groups. The second 'maxima' at the top of the peak was retained due the methodology.




Figure 9: density curve with minima and maxima




Figure 10: difference between density value of a maxima-minima pairs, threshold = 0.001




Figure 11: density plot with suggested cutoff points in blue

#### Healthcare

For Healthcare, a visual assessment of the density curve with the minima and maxima point doesn't reveal any point outside of expectation. The curve suggests 3 cutoff values, giving a total of 4 groups.




Figure 12: density plot with suggested cutoff points in blue

#### Grocery

Grocery has a similar start to Pharmacies and Childcare. Removing the points below the same threshold suggests 2 cutoff points, giving 3 groups. Visually, there are plateau areas, similarly to other amenities, that may serve as decent additional cut off points.




Figure 13: density plot with suggested cutoff points in blue

### **Primary Education**

The final plot suggests 2 cutoff points, giving 3 groups.




Figure 14: density curve with minima and maxima




Figure 15: difference between density value of a maxima-minima pairs, threshold = 0.001




Figure 16: density plot with suggested cutoff points in blue

### **Secondary Education**

For the first time, after removal of values below the threshold, only one cutoff point is suggested, giving two groups.




Figure 17: density plot with suggested cutoff points in blue

#### Libraries

Not quite sure why the minima values aren't being plotted in the final plot for libraries only. For some reason there are sometimes two minima following each other, which is algebrically impossible. Will need to investigate. Regardless, the plot suggests 1 minima cutoff, giving 2 groups.




Figure 18: density plot with suggested cutoff points in blue

#### **Parks**

After removing values under the threshold, the curve suggests 2 cutoff locations, giving 3 groups.




Figure 19: density plot with suggested cutoff points in blue

#### Transit

After removing all values below the same threshold of 0.001, Transit suggests one of the greatest number of groups: 5.




Figure 20: density plot with suggested cutoff points in blue

#### Summary

(table with number of groups for each amenity)

## amenities num\_groups

```
"5"
    [1,] "PMS_prox_idx_emp"
    [2,] "PMS_prox_idx_pharma"
                                   "3"
##
    [3,] "PMS_prox_idx_childcare"
                                   "4"
##
    [4,] "PMS_prox_idx_health"
                                   "3"
    [5,] "PMS_prox_idx_grocery"
                                   "3"
    [6,] "PMS_prox_idx_educpri"
                                   "3"
##
    [7,] "PMS_prox_idx_educsec"
                                   "2"
    [8,] "PMS_prox_idx_lib"
                                   "2"
  [9,] "PMS_prox_idx_parks"
## [10,] "PMS_prox_idx_transit"
```

# **Next Steps**

- Investigate 'weight' of distribution for every suggested groups
- Format table properly
- investigate change of bandwidth in kernel density

# Appendix: Extra Plots

#### Healthcare




Figure 21: density curve with minima and maxima




Figure 22: difference between density value of a maxima-minima pairs, threshold = 0.001

# Grocery




Figure 23: density curve with minima and maxima




Figure 24: difference between density value of a maxima-minima pairs, threshold = 0.001

# **Primary Education**




Figure 25: density curve with minima and maxima




Figure 26: difference between density value of a maxima-minima pairs, threshold = 0.001

# Secondary Education




Figure 27: density curve with minima and maxima




Figure 28: difference between density value of a maxima-minima pairs, threshold = 0.001

# Libraries




Figure 29: density curve with minima and maxima




Figure 30: difference between density value of a maxima-minima pairs, threshold = 0.001

# Parks




Figure 31: density curve with minima and maxima  $\,$ 




Figure 32: difference between density value of a maxima-minima pairs, threshold = 0.001

# Transit




Figure 33: density curve with minima and maxima  $\,$ 




Figure 34: difference between density value of a maxima-minima pairs, threshold = 0.001