

Abstract

Categories and Subject Descriptors CR-number [subcategory]:
third-level

Keywords gradual types, Clojure
Tobin-Hochstadt and Felleisen [1, 2]

References

- [1] S. Tobin-Hochstadt and M. Felleisen. The design and implementation of typed scheme. *SIGPLAN Not.*, 43(1):395–406, Jan. 2008. ISSN 0362-1340. URL <http://doi.acm.org/10.1145/1328897.1328486>.
- [2] S. Tobin-Hochstadt and M. Felleisen. Logical types for untyped languages. *SIGPLAN Not.*, 45(9):117–128, Sept. 2010. ISSN 0362-1340. URL <http://doi.acm.org/10.1145/1932681.1863561>.

$v ::= \#f \mid \#t$	Values
$e ::= x \mid v \mid (e \ e) \mid \lambda x^\tau. e \mid (\text{if } e \ e \ e) \mid (\text{let } (x \ e) \ e) \mid (\text{begin } e \ e) \mid (\text{cons } e \ e)$	Expressions
$\mathcal{R} ::= \{\omega \mid \psi\}$	Refinement Types
$\sigma, \tau ::= \#t \mid \#f \mid \mathbf{N} \mid x:\mathcal{R} \rightarrow \mathcal{R} \mid \langle \mathcal{R}, \mathcal{R}' \rangle$	Types
$\kappa ::= \omega \mid x$	Object Variables
$\psi ::= \tau_{\pi(\kappa)} \mid \bar{\tau}_{\pi(\kappa)} \mid \psi \supset \psi \mid \psi \wedge \psi \mid \psi \vee \psi \mid \mathbb{t} \mathbb{t} \mid \mathbb{f} \mathbb{f} \mid \pi(\kappa) \equiv \pi(\kappa)$	Propositions
$o ::= \pi(\kappa) \mid \emptyset$	Objects
$\pi ::= \vec{p}\vec{e}$	Paths
$pe ::= \mathbf{car} \mid \mathbf{cdr}$	Path Elements
$\Gamma ::= \vec{\psi}$	Proposition Environment

Figure 1. Syntax of Terms, Types, Propositions, and Objects

\top	$= \{\omega \mid \mathbb{t} \mathbb{t}\}$
\perp	$= \{\omega \mid \mathbb{f} \mathbb{f}\}$
$\#t$	$= \{\omega \mid \#t_\omega\}$
$\#f$	$= \{\omega \mid \#f_\omega\}$
$(\bigcup \vec{\tau})$	$= \{\omega \mid \bigvee \vec{\tau}_\omega\}$
\mathbf{N}	$= \{\omega \mid \mathbf{N}_\omega\}$
\mathbf{B}	$= (\bigcup \#t \#f)$
$\langle \mathcal{R}, \mathcal{R}' \rangle$	$= \{\omega \mid \langle \mathcal{R}, \mathcal{R}' \rangle_\omega\}$
$x:\tau \rightarrow \tau$	$= \{\omega \mid (x:\mathcal{R} \rightarrow \mathcal{R})_\omega\}$

Figure 2. Refinement Type Abbreviations

T-VAR $\frac{\omega \notin \text{fv}(\Gamma) \quad \Gamma \vdash \tau_x}{\Gamma \vdash x : \{\omega \mid \tau_\omega \wedge \omega \equiv x\}}$	T-TRUE $\Gamma \vdash \#t : \#t$	T-FALSE $\Gamma \vdash \#f : \#f$	T-IF $\frac{\omega_1 \notin \text{fv}(\Gamma) \quad \Gamma \vdash e_1 : \{\omega_1 \mid \psi_1\} \quad \Gamma, \#f_{\omega_1}, \psi_1 \vdash e_2 : \mathcal{R} \quad \Gamma, \#f_{\omega_1}, \psi_1 \vdash e_3 : \mathcal{R}}{\Gamma \vdash (\text{if } e_1 \ e_2 \ e_3) : \mathcal{R}}$	T-APP $\frac{\omega \notin \text{fv}(\Gamma) \quad \Gamma \vdash e : x:\{\omega \mid \psi\} \rightarrow \mathcal{R} \quad \Gamma \vdash e' : \{\omega \mid \psi\}}{\Gamma \vdash (e \ e') : \mathcal{R}[\omega/x]}$
T-SUBSUME $\frac{\Gamma \vdash e : \mathcal{R} \quad \Gamma \vdash \mathcal{R} <: \mathcal{R}'}{\Gamma \vdash e : \mathcal{R}'}$	T-LET $\frac{x, \omega_1 \notin \text{fv}(\Gamma) \quad \Gamma \vdash e_1 : \{\omega_1 \mid \psi_1\} \quad \Gamma, \psi_1[\omega_1/x] \vdash e : \mathcal{R}}{\Gamma \vdash (\text{let } (x \ e_1) \ e) : \mathcal{R}}$	T-CONS $\frac{\Gamma \vdash e_1 : \mathcal{R}_1 \quad \Gamma \vdash e_2 : \mathcal{R}_2}{\Gamma \vdash (\text{cons } e_1 \ e_2) : \langle \mathcal{R}_1, \mathcal{R}_2 \rangle}$		
T-CAR $\frac{\omega, \omega_1 \notin \text{fv}(\Gamma) \quad \Gamma \vdash e : \{\omega_1 \mid \psi_1\} \quad \psi_1 \vdash \langle \top, \top \rangle_{\omega_1}}{\Gamma \vdash (\text{car } e) : \{\omega \mid \psi_1 \wedge \mathbf{car}(\omega_1) \equiv \omega\}}$	T-CDR $\frac{\omega, \omega_1 \notin \text{fv}(\Gamma) \quad \Gamma \vdash e : \{\omega_1 \mid \psi_1\} \quad \psi_1 \vdash \langle \top, \top \rangle_{\omega_1}}{\Gamma \vdash (\text{cdr } e) : \{\omega \mid \psi_1 \wedge \mathbf{cdr}(\omega_1) \equiv \omega\}}$	T-ABS $\frac{x \notin \text{fv}(\Gamma) \quad \mathcal{R} = \{\omega \mid \psi\} \quad \Gamma, \psi[x/\omega] \vdash e : \mathcal{R}'}{\Gamma \vdash \lambda x^\mathcal{R}. e : x:\mathcal{R} \rightarrow \mathcal{R}'}$		

Figure 3. Typing Rules

S-REFL $\Gamma \vdash \tau <: \tau$	S-PAIR $\frac{\Gamma \vdash \mathcal{R}_1 \sqsubseteq \mathcal{R}'_1 \quad \Gamma \vdash \mathcal{R}_2 \sqsubseteq \mathcal{R}'_2}{\Gamma \vdash \langle \mathcal{R}_1, \mathcal{R}_2 \rangle <: \langle \mathcal{R}'_1, \mathcal{R}'_2 \rangle}$	S-REFINE $\frac{\Gamma \vdash \psi_1 \supset \psi_2}{\Gamma \vdash \{\omega \mid \psi_1\} \sqsubseteq \{\omega \mid \psi_2\}}$
S-FUN $\frac{\Gamma \vdash \mathcal{R}'_1 \sqsubseteq \mathcal{R}_1 \quad \Gamma \vdash \mathcal{R}_2 \sqsubseteq \mathcal{R}'_2}{\Gamma \vdash x:\mathcal{R}_1 \rightarrow \mathcal{R}_2 <: x:\mathcal{R}'_1 \rightarrow \mathcal{R}'_2}$		

Figure 4. Subtyping rules

L-ATOM $\frac{\psi \in \Gamma}{\Gamma \vdash \psi}$	L-TRUE $\frac{}{\Gamma \vdash \text{tt}}$	L-FALSE $\frac{}{\Gamma \vdash \text{ff}}$	L-ANDI $\frac{\Gamma \vdash \psi_1 \quad \Gamma \vdash \psi_2}{\Gamma \vdash \psi_1 \wedge \psi_2}$	L-ANDE $\frac{\Gamma, \psi_1 \vdash \psi \text{ or } \Gamma, \psi_2 \vdash \psi}{\Gamma, \psi_1 \wedge \psi_2 \vdash \psi}$	L-IMPLI $\frac{\Gamma, \psi_1 \vdash \psi_2}{\Gamma \vdash \psi_1 \supset \psi_2}$	L-IMPLE $\frac{\Gamma \vdash \psi_1}{\Gamma \vdash \psi_1 \supset \psi_2}$
L-ORI $\frac{\Gamma \vdash \psi_1 \text{ or } \Gamma \vdash \psi_2}{\Gamma \vdash \psi_1 \vee \psi_2}$	L-ORE $\frac{\Gamma, \psi_1 \vdash \psi \quad \Gamma, \psi_2 \vdash \psi}{\Gamma, \psi_1 \wedge \psi_2 \vdash \psi}$	L-SUB $\frac{\Gamma \vdash \tau_{\pi(\kappa)} \quad \vdash \tau <: \sigma}{\Gamma \vdash \sigma_{\pi(\kappa)}}$	L-SUBNOT $\frac{\Gamma \vdash \bar{\sigma}_{\pi(\kappa)} \quad \vdash \tau <: \sigma}{\Gamma \vdash \bar{\tau}_{\pi(\kappa)}}$	L-ALIAS $\frac{\Gamma \vdash \psi \quad \Gamma \vdash \pi(\kappa_1) \equiv \kappa_2 \text{ or } \Gamma \vdash \kappa_2 \equiv \pi(\kappa_1)}{\Gamma \vdash \psi[\pi(\kappa_1)/\kappa_2]}$	L-BOT $\frac{\Gamma \vdash \perp_{\pi(\kappa)}}{\Gamma \vdash \psi}$	L-UPDATE $\frac{\Gamma \vdash \tau_{\pi'(\kappa)} \quad \Gamma \vdash \nu_{\pi(\pi'(\kappa))}}{\Gamma \vdash \text{update}(\tau, \nu, \pi)_{\pi'(\kappa)}}$

Figure 5. Proof System

$\Gamma[o/\kappa]$	$= \overrightarrow{\psi[o/\kappa]}$	$\Gamma = \overrightarrow{\psi}$
$\psi_+[o/\kappa]$	$= \psi_+[o/\kappa] \psi_-[o/\kappa]$	
$\nu_{\pi(\kappa)}[\pi'(\kappa')/\kappa]$	$= (\nu[\pi(\kappa')/\kappa])_{\pi(\pi'(\kappa'))}$	
$\nu_{\pi(\kappa)}[\emptyset/\kappa]_+$	$= \text{tt}$	
$\nu_{\pi(\kappa)}[\emptyset/\kappa]_-$	$= \text{ff}$	
$\nu_{\pi(\kappa)}[o/\kappa''']$	$= \nu_{\pi(\kappa)}$	$\kappa \neq \kappa''' \text{ and } \kappa''' \notin \text{fv}(\nu)$
$\nu_{\pi(\kappa)}[o/\kappa''']_+$	$= \text{tt}$	$\kappa \neq \kappa''' \text{ and } \kappa''' \in \text{fv}(\nu)$
$\nu_{\pi(\kappa)}[o/\kappa''']_-$	$= \text{ff}$	$\kappa \neq \kappa''' \text{ and } \kappa''' \in \text{fv}(\nu)$
$\text{tt}[o/\kappa]$	$= \text{tt}$	
$\text{ff}[o/\kappa]$	$= \text{ff}$	
$(\psi_1 \supset \psi_2)[o/\kappa]_+$	$= \psi_1[o/\kappa]_- \supset \psi_2[o/\kappa]_+$	
$(\psi_1 \supset \psi_2)[o/\kappa]_-$	$= \psi_1[o/\kappa]_+ \supset \psi_2[o/\kappa]_-$	
$(\psi_1 \vee \psi_2)[o/\kappa]$	$= \psi_1[o/\kappa] \vee \psi_2[o/\kappa]$	
$(\psi_1 \wedge \psi_2)[o/\kappa]$	$= \psi_1[o/\kappa] \wedge \psi_2[o/\kappa]$	
$(\pi'(\kappa') \equiv \pi''(y'))[\pi(\kappa''')/\kappa]$	$= \pi'(\kappa')[\pi(\kappa''')/\kappa] \equiv \pi''(y')[\pi(\kappa''')/\kappa]$	
$(\pi(\kappa'') \equiv \pi'(\kappa'''))[\emptyset/\kappa]$	$= \pi(\kappa'') \equiv \pi'(\kappa''')$	$\kappa \neq \kappa'' \text{ and } \kappa \neq \kappa'''$
$(\pi(\kappa) \equiv \pi'(\kappa''))[\emptyset/\kappa''']$	$= \text{tt}$	
$\pi(\kappa)[\pi'(\kappa'')/\kappa]$	$= \pi(\pi'(\kappa''))$	
$\pi(\kappa)[\emptyset/\kappa]$	$= \emptyset$	
$\pi(\kappa)[o/\kappa''']$	$= \pi(\kappa)$	$\kappa \neq \kappa'''$
$\emptyset[o/\kappa]$	$= \emptyset$	
$\{\omega \mid \psi\}[o/\kappa]$	$= \{\omega \mid \psi[o/\kappa]\}$	
$(\kappa:\sigma \rightarrow \tau)[o/\kappa''']$	$= \kappa:\sigma[o/\kappa'''] \rightarrow \tau[o/\kappa''']$	$\kappa \neq \kappa'''$

Figure 6. Substitution

$\delta_\tau(\text{number?})$	$= x:\mathbb{T} \rightarrow \{\omega \mid \mathbf{B}_\omega \wedge \overline{\#\mathbf{f}_\omega} \supset \mathbf{N}_x \wedge \#\mathbf{f}_\omega \supset \overline{\mathbf{N}}_x\}$
$\delta_\tau(\text{boolean?})$	$= x:\mathbb{T} \rightarrow \{\omega \mid \mathbf{B}_\omega \wedge \overline{\#\mathbf{f}_\omega} \supset \mathbf{B}_x \wedge \#\mathbf{f}_\omega \supset \overline{\mathbf{B}}_x\}$
$\delta_\tau(\text{cons?})$	$= x:\mathbb{T} \rightarrow \{\omega \mid \mathbf{B}_\omega \wedge \overline{\#\mathbf{f}_\omega} \supset \langle \mathbb{T}, \mathbb{T} \rangle_x \wedge \#\mathbf{f}_\omega \supset \overline{\langle \mathbb{T}, \mathbb{T} \rangle}_x\}$
$\delta_\tau(\text{add1})$	$= x:\mathbf{N} \rightarrow \mathbf{N}$
$\delta_\tau(\text{zero?})$	$= x:\mathbf{N} \rightarrow \mathbf{B}$

Figure 7. Constant Typing